

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/

H.N. 1310 H.N. 1310

UNIVERSITEITSBIBLIOTHEEK GENT

90000

gittzed by Google

CATALOGUE

OF THE

BONES OF MAMMALIA

IN THE

COLLECTION

OF THE

BRITISH MUSEUM.

LONDON:
PRINTED BY ORDER OF THE TRUSTEES,
1862.

PRINTED BY TAYLOR AND FRANCIS, RED LION COURT, FLEET STREET.

PREFACE.

This Catalogue contains a list of the Skeletons, Skulls, and other Osteological Specimens of the Class Mammalia contained in the British Museum; and references to the works in which the entire skeletons or separate bones of Mammalia are figured, not only of the species in the Museum, but of those which are still desiderata. References to the latter have been added with the view of increasing the usefulness of this Catalogue to students of the Osteological Collection.

For the purpose of showing the disposition of the bones in the different Classes and Orders, a few examples of each have been mounted; and for the purpose of illustrating the genera and species in the Collection, and facilitating their comparison, a series of skulls has been arranged on separate tablets.

The bones of the greater number of the skeletons are kept separately in boxes, to admit of the various bones of the different recent species being compared with each other and with their fossil analogues, which cannot so easily and completely be accomplished when they are mounted. To prevent the bones being mismatched, each bone of each specimen is marked with the number of the species, and the *letter* of the specimen used in the Catalogue.

The chief value of an Osteological Collection depending on the accuracy with which the names of the species are determined to which the specimens belong, due attention has been paid to this point; and it is hoped that, in this particular, the British Museum Collection will afford peculiar advantages to the student. Of the Donations the greater portion has been presented by the Collectors of

the specimens, in many of which the bones, part of the skull, and skin were still adhering together. Most of the purchased specimens have been procured from Collections received direct from their native habitats, and from persons whose statements as to the localities and habits of the species could be relied on. Many of the skeletons and skulls have been extracted from animals which have died in this country, or from specimens which form part of the Zoological series in the Museum Collection. These skeletons and skulls bear a number with an asterisk (*); the number being that in the MS. Catalogue or on the Stand, by which the corresponding skins in the Zoological series are denoted.

When the List of Osteological Specimens in the British Museum was published in 1847, that Collection contained 1766 specimens, appertaining to 742 species. It now contains 4255 specimens; viz. 706 skeletons, and 3549 skulls, or parts of skeletons, belonging to 1197 species,—viz. of 231 Primates, 380 Feræ, 53 Cete, 327 Glires, and 206 Ungulata.

The List of the Bones and the references to the Plates have been compiled by EDWARD GERRARD, who also prepared most of the specimens.

JOHN EDWARD GRAY.

British Museum, March 10, 1862.

Digitized by Google

CATALOGUE

OF

OSTEOLOGICAL SPECIMENS.

Class MAMMALIA.

Order I. PRIMATES.

Fam. 1. HOMINIDÆ.

HOMO.

Teeth:—Incisors $\frac{2-2}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{2-2}$; Molars $\frac{3-3}{3-3}$; = 32.

MAN. Homo sapiens.

a, b, c. Skulls of Hillmen, probably Cishimalayan or Thibetan, procured at Symbunath, in the valley of Nepal.

d, e, f. Skulls of Hillmen, probably of the Newar tribe, procured at

Sankhmol, in the valley of Nepal.

- g, h, i. Skull of a man and woman of the tribe of Newar called Jyapoo, from Nepal proper.
- j, k, l. Skulls of men of the tribe of Newar called Bandya, executed for forgery in Nepal proper.
- m, n. Skulls of Hillmen, tribe unknown, from the banks of the Bagnath, in Nepal proper.
- o, p. Skulls of man and boy, natives of the plains, procured on the Ganges.
- q. Skull. Australia. Presented by Captain Stokes, R.N.

r. Skull. Greenland.

s. Skull. Ceylon. Presented by Dr. Davy.

t. Skull (Negro). Africa.

- u, v. Skulls. Darnley Island, Torres Straits. Presented by the Earl of Derby.
- w. Skull of an adult idiot. Darnley Island, Torres Straits. Presented by the Earl of Derby.

Digitized by Google

В

PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

PREFACE.

This Catalogue contains a list of the Skeletons, Skulls, and other Osteological Specimens of the Class Mammalia contained in the British Museum; and references to the works in which the entire skeletons or separate bones of Mammalia are figured, not only of the species in the Museum, but of those which are still desiderata. References to the latter have been added with the view of increasing the usefulness of this Catalogue to students of the Osteological Collection.

For the purpose of showing the disposition of the bones in the different Classes and Orders, a few examples of each have been mounted; and for the purpose of illustrating the genera and species in the Collection, and facilitating their comparison, a series of skulls has been arranged on separate tablets.

The bones of the greater number of the skeletons are kept separately in boxes, to admit of the various bones of the different recent species being compared with each other and with their fossil analogues, which cannot so easily and completely be accomplished when they are mounted. To prevent the bones being mismatched, each bone of each specimen is marked with the number of the species, and the *letter* of the specimen used in the Catalogue.

The chief value of an Osteological Collection depending on the accuracy with which the names of the species are determined to which the specimens belong, due attention has been paid to this point; and it is hoped that, in this particular, the British Museum Collection will afford peculiar advantages to the student. Of the Donations the greater portion has been presented by the Collectors of

the specimens, in many of which the bones, part of the skull, and skin were still adhering together. Most of the purchased specimens have been procured from Collections received direct from their native habitats, and from persons whose statements as to the localities and habits of the species could be relied on. Many of the skeletons and skulls have been extracted from animals which have died in this country, or from specimens which form part of the Zoological series in the Museum Collection. These skeletons and skulls bear a number with an asterisk (*); the number being that in the MS. Catalogue or on the Stand, by which the corresponding skins in the Zoological series are denoted.

When the List of Osteological Specimens in the British Museum was published in 1847, that Collection contained 1766 specimens, appertaining to 742 species. It now contains 4255 specimens; viz. 706 skeletons, and 3549 skulls, or parts of skeletons, belonging to 1197 species,—viz. of 231 Primates, 380 Feræ, 53 Cete, 327 Glires, and 206 Ungulata.

The List of the Bones and the references to the Plates have been compiled by EDWARD GERRARD, who also prepared most of the specimens.

JOHN EDWARD GRAY.

British Museum, March 10, 1862.

CATALOGUE

0F

OSTEOLOGICAL SPECIMENS.

Class MAMMALIA.

Order I. PRIMATES.

Fam. 1. HOMINIDÆ.

HOMO.

Teeth:—Incisors $\frac{2-2}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{2-3}$; Molars $\frac{3-3}{3-3}$;=32.

MAN. Homo sapiens.

a, b, c. Skulls of Hillmen, probably Cishimalayan or Thibetan, procured at Symbunath, in the valley of Nepal.

d, e, f. Skulls of Hillmen, probably of the Newar tribe, procured at Sankhmol, in the valley of Nepal.

g, h, i. Skull of a man and woman of the tribe of Newar called Jyapoo, from Nepal proper.

j, k, l. Skulls of men of the tribe of Newar called Bandya, executed for forgery in Nepal proper.

m, n. Skulls of Hillmen, tribe unknown, from the banks of the Bagnath, in Nepal proper.

o, p. Skulls of man and boy, natives of the plains, procured on the Ganges.

q. Skull. Australia. Presented by Captain Stokes, R.N.

r. Skull. Greenland.

s. Skull. Ceylon. Presented by Dr. Davy.

t. Skull (Negro). Africa.

u, v. Skulls. Darnley Island, Torres Straits. Presented by the Earl of Derby.

w. Skull of an adult idiot. Darnley Island, Torres Straits. Presented by the Earl of Derby.

Digitized by Google

В

 w^3 . Skull: male.

 x^3-e^4 . Skulls.

 f^4-i^4 . Skulls.

" Lepcha."

" Lepcha.".
" Murmi."

x. Skull. Darnley Island, Torres Straits. Presented by the Earl of Derby. y. Skull. Pasadama, near Lima. a^2 , b^2 . Skulls. Vera Cruz. Presented by Captain E. Nepean. c². Skull. Presented by — Nasmyth, Esq. d^2-j^2 . Skulls. New Zealand. Presented by W. Brown, Esq. 12. Skull of a New Zealand Chief. New Zealand. From the Zoological Society's Collection. m². Skull. Darnley Island. Presented by Mrs. Stanley. n², Skull. Ashantee. From Mr. Daniel's Collection.
o². Skull. Taken from St. Catherine's Churchyard, near the Tower. From Mr. Daniel's Collection. p². Skull. Ceylon. Presented by Major Skinner. q^2 . Skull. New Zealand. Presented by Sir G. Grey. \hat{r}^2 . Skull. "Mailura." From Madame Pfeiffer's Collection. s². Skull. "Male, killed in Sept. 1853, on suspicion of having assisted to burn the town of Levika." Feejee Islands. From Mr. Macgillivray's Collection. t2. Skull. "Said to have been that of a female, from a grave at Levika." Solomon Islands. From Mr. Macgillivray's Collection. u². Skull. Solomon Islands. From Mr. Macgillivray's Collection. v^2 . Skull. Weeah Island. From Mr. Stevens's sale. w^2 . Skull. Loyalty Island. From Mr. Stevens's sale. x^2-z^2 . Skulls. Loyalty Island. From Mr. Stevens's sale. a^3 , b^3 . Skulls. "Hope or Hund Island, one of the Kingswell group. Lat. 2° 50′ S., Long. 177° E." From Mr. Stevens's sale. c^3 . Skull. Weeah Island. d^3 . Skull. Loyalty Island. e³. Skull: male. Hope Island. f^3 . Skull: female. From Mr. Stevens's g^3 . Skull. sale. h^3 . Skull of a foetus. i³. Skull. Pelican Island. j^3 . Skull. Lefoo Island. k^{s} . Skull: male. Nepal proper. l³. Skull. "Khampees." m^3 . Skull. "Bengal Islamite: a Fakeer." n3. Skull. "Bodo." o³. Skull. "Bhotia Sakya." p³. Skull. "Ukyaba Bhotia." Thibet. q³. Skull: male. "Inu Bhotia." Presented by B. H. "Sapka." r^3 . Skull: male. Hodgson, Esq. s3. Skull. " Kocch." t3. Skull. " Dimal." u³. Skull. "Skopa." v3. Skull. "Skopa."

```
j. Skull: male.
                       "Murmi."
k^4. Skull: female.
                       "Murmi."
l^4, m^4. Skulls.
                       "Murmi."
n^4-p^4. Skulls.
                       "Uraon."
q^4, r^4. Skulls.
                       "Dirge Bhotia of Khan."
s^4-x^4. Skulls.
                       " Newar."
                   "Sharpa" or "Kachas Bhotia."
y4. Skull: male.
z^4.
      Skull.
                       "Sharpa Bhotia."
a^5.
      Skull.
                       "Kachaal Bhotia."
b^5-k^5. Skulls. "Lowlanders." Caste unknown.
      Skull: male.
                       "Sunwar."
m^5.
      Skull.
                       "Sunwar."
n^5.
      Skull: male.
                       "Sunwar."
o^5, p^5. Skulls.
                       "Sunwar."
q^5, r^5. Skulls.
                       "Magar."
s<sup>5</sup>-u<sup>5</sup>. Skulls.
                       "Magar."
v^5, w^5. Skulls: male.
                       "Limbu."
x^5-z^5. Skulls.
                       "Limbu."
a^{\rm s}.
      Skull: male.
                       "Kiranti."
b^6-f^6. Skulls.
                       "Kiranti."
                       "Boy: Gurung."
      Skull.
h^6
      Skull.
                       "Gurung."
i^6, j^6. Skulls: male.
                       "Gurung."
      Skeleton.
                       "Gurung."
le, me. Skulls. From Mr. Cuming's Collection.
```

Presented by B. H. Hodgson, Esq.

Fam. 2. SIMIADÆ.

TROGLODYTES.

Teeth:—Incisors $\frac{2-2}{9-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{9-2}$; Molars $\frac{3-3}{9-2}$; = 32.

The Gorilla. Troglodytes gorilla.

Savage, Boston Journ. Nat. Hist. vol. iv. Aug. 1847, p. 418 (skull).—
Oven, Trans. Zool. Soc. vol. iii. 1848, p. 392. pls. 61-63 (skull);
vol. iv. pt. 3. 1853, p. 75. pls. 26, 27, 28 (skulls); vol. iv. pt. 4.
1857, p. 89. pl. 33 (cervical vert.), pl. 34 (dorsal vert.), pl. 35 (lumbar vert.), pl. 36 (sacral vert.); vol. v. 1861, pl. .—Proc.
Zool. Soc. pt. 1. Jan. 1859.

Troglodytes Savagei, Owen, Proc. Zool. Soc. 1848, p. 27. nos. 1 & 2 (skulls).

Gorilla gina, Is. Geoff. St.-H., Compt. Rend. de l'Acad. des Sci. 1853,
et Hist. Nat. gén. tom. ii. 1856; Archives du Mus. tom. viii. 1855,
p. 1. pl. 11 (skeleton), pl. 5. figs. 1-6 (skull of adult and young).—
Dahlbom, Zoologiska Studier, pl. 3. fig. 7 (skeleton), fig. 8 (skull).

a. Skeleton of an adult male, 5 feet 2 inches in height. Gaboon.

*b. Skeleton of a young male.

c. Skeleton (imperfect). West Africa. From M. Parzudaki's Collection.

d. Skull of an adult female.

e. Skull of an adult male. Presented by R. B. Waller, Esq.

f. Skull (plaster cast). Presented by the Royal College of Surgeons.

g. Skeleton: very young. W. Africa. Presented by Dr. Sclater.

The CHIMPANZEE. Troglodytes niger.

Geoff., Tabl. des Quadr. 1842.—Owen, Trans. Zool. Soc. vol. i. p. 380. pl. 48, "Side view of the skeletons of adult and young, the latter being of that age when the first permanent molares have been acquired, and before shedding any of the deciduous teeth;" vol. i. pl. 50 (front view of skeleton), pls. 51–56 (different views of the skulls); vol. iii. pls. 58–60 (skulls), 1848; vol. iv. 1857, pl. 31 (lower jaws), pls. 33–36 (vert.); Odont. pl. 118. fig. 1, pl. 119. figs. 1, 2, pl. 120. fig. 1 (teeth), 1840–5.—Duvernoy, Archives du Mus. tom. viii. pls. 5, 6 (skulls), 1855.—Chem, Encyclop. Hist. Nat. p. 8 (skulls, adult and young).—Blainv., Ost. Atl. G. Pithecus, pl. 5 (skull of adult and young).—Spix, Cephalogenesis, tab. 6. fig. 3 (skull), 1815.—Martin, Mamm. fig. 176. p. 204 (skull), figs. 256–258. p. 366 (skulls).—Dahlbom, Zoologiska Studier, pl. 1. fig. 2 (scapula), fig. 3 (sternum), 1857.

Troglodytes tschego, Duvernoy, Archives, viii. pl. 1. fig. 1 (skeleton),

pl. 6. fig. B (skulls), pl. 3 (hands and feet).

a. Skeleton: adult male, 3 ft. 9 in. in height. West Africa.

b. Skeleton: young.

c. Skeleton.

*d. Skull and bones of body.

e. Skull: adult.

f. Skull: plaster cast of adult Q.

g. Skeleton, 1 ft. 11 in. in height.

h. Skeleton, 1 ft. 8 in. in height.

SIMIA.

Teeth:—Incisors $\frac{2-2}{3-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{3-2}$; Molars $\frac{3-3}{3-3}$; = 32.

The Ouran Outan. Simia satyrus.

Owen, Trans. Zool. Soc.:—Side view of the skeletons of the adult and young, vol. i. p. 376. pl. 49. p. 380. Front view of the skeleton, vol. i. p. 376. pl. 50. p. 380. Skulls, fig. at pls. 54, 55, 56. Skull, vol. iv. pt. 3. 1853, pl. 29. Skulls of variety "Pappan" and variety "Rambi," vol. iv. pl. 50. p. 185. Odont. pl. 117. figs. 2, 3 (teeth).—Blainv., Ost. Atl. G. Pithecus, pl. 1 (skeleton), pl. 10 (teeth).—Spix, Cephalogenesis, tab. 6. fig. 1, 1815 (skull).—Cuvier, Dents des Mamm. p. 8. pl. 2.—Chenu, Encyclop. Hist. Nat. p. 8, skull, fig. 13; comparative profile of three different ages, pp. 13, 36; pl. 6 (skeleton).—Martin, Mamm. figs. 177, 264. p. 390 (skulls), fig. 265. p. 396 (skull).—Journ. de Phys. iii. p. 342, 1798 (skeleton).—Audeb., Sing. Pl. Anat. ii. figs. 5 & 6 (skeleton); Sing i. sect. 1. p. 8. fig. 3 (skull).—C. Fischer, Naturh. Fragm. p. 207. tab. 3, 4 (skull).—Rudolphi, in Berl. Abhandl. 1824, p. 131. tab. 2 (skull).—Pand. et d'Alt., Vierhand. tab. 8. fig. a, b (skull).—P. Camper,

Natuurk. Verhand. p. 1. tab. 2 (skull).—Dahlbom, Zoologiska Studier, pl. 1. fig. 4 (scapula), fig. 5 (pelvis), 1857.

a, b, c. Skeletons of adult males. "Mias Pappan of the Dyaks," Owen. Borneo. Presented by Sir J. Brooke.

d. Skull; adult. From Mr. Cross's Collection.

e, f. Skulls: young. From Mr. Argent's Collection.

g. Right side of the lower jaw. Borneo. Presented by H. Lowe, Esq. *h. Skull and imperfect skeleton. From the Zoological Society's

i. Skeleton. From the Zoological Society's Collection.

j-o. of Q. Skulls. "Mias Pappan of the Dyaks," Owen. Borneo. Presented by Sir J. Brooke.

- p, q. Skulls. Borneo. Presented by Sir J. Brooke.
 r-z. Skulls: young. Borneo. Presented by Sir J. Brooke.
 a². Skull: young. Variety "Rambi," Owen. Borneo. Presented by Sir J. Brooke.
- b2. Skull: adult o. Borneo. From the Zoological Society's Collection. c²-f². Skulls: adult of. Variety "Rambi," Owen. Borneo. Presented by Sir J. Brooke.

 g^2 . Skull. Borneo. Purchased of Mr. Wright.

The Kasser Orang. Simia morio.

Owen, Trans. Zool. Soc. vol. ii. pl. 33. p. 172, pl. 34. p. 174 (skull); vol. iv. pl. 48. p. 165 (skull, adult male).—Odont. pl. 117. fig. 4 (teeth).

*a. Skull: d. Borneo. From Mr. A. R. Wallace's Collection.

b. Skeleton: Q. Borneo. From Mr. A. R. Wallace's Collection.

c. Skull: Q. Borneo. Presented by Sir J. Brooke.

SIAMANGA.

Teeth:—Incisors $\frac{2-2}{2-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{2-3}$; Molars $\frac{3-3}{3-3}$; = 32.

The Siamanga syndactyla.

Simia syndactyla, *Horefield*, Zool. in Java (h to p, dentition). Pithecus syndactyla, *Blainv.*, Ost. Atl. G. Pithecus, pl. 16 (teeth).— Cuv., Dents des Mamm. p. 14. no. 3 (teeth).

Cervical	V	e	rt	æ	b	r	æ									7
Dorsal .											•]	13
Lumbar																4
Sacral .																
Caudal .																

- a. Skeleton: young. Sumatra. Presented by G. Bennett, Esq.
- b. Skull. Presented by the Saffron Walden Museum.
- c. Skull. From the Zoological Society's Collection.

HYLOBATES.

Teeth:—Incisors $\frac{2-2}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-9}{2-2}$; Molars $\frac{3-3}{3-3}$;=32.

The SILVERY GIBBON, or WOU-WOU. Hylobates leuciscus.

Van der Hoeven, Verz. de Platen, pl. 19. fig. 13 (akull).—Handbuch der Zoologie, p. 796. taf. 9. fig. 8 (skull), 1852-56.

a. Skull.

The Oungka. Hylobates agilis.

Dahlbom, Zoologiska Studier, pl. 3. fig. 9 (clavicula), fig. 10 (sternum), 1857.
 Pithecus variegatus, Blainv., Ost. Atl. G. Pithecus, pl. 2 (skeleton).

a. Skull.

The Gibbon. Hylobates lar.

Buffon, Hist. Nat. xiv. pl. 6 (skeleton), p. 108.

- a. Skull. From the Zoological Society's Collection.
- b. Skull. Tenasserim. Presented by Professor Oldham.
- c. Skull. From the Zoological Society's Collection.

The Hoolock Gibbon. Hylobates hoolock.

Martin, Nat. Hist. of Man and Monkeys, p. 438. fig. 275 (skull), p. 442.

a, b. Skull. From the Zoological Society's Collection.

c. Skeleton (imperfect). From the Zoological Society's Collection.

*d. Skull. From the Zoological Society's Collection.

The WHITE-CHEEKED GIBBON. Hylobates leucogenys.

Martin, Nat. Hist. of Man and Monkeys, fig. 276 (skull), p. 445.

PRESBYTES.

Teeth:—Incisors $\frac{2-2}{3-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{2-2}$; Molars $\frac{3-3}{3-3}$;=32.

The CHINGKAU. Presbytes cristatus.

- a. Skull. Java.
- b. Skull: young.
- c. Skull. Sumatra. From the Zoological Society's Collection.
- d. Skull: young.

The Dusky Preseytes. Presbytes obscurus.
 a. Skull. Singapore? b. c. Skulls. Tenasserim. Presented by Professor Oldham. d. Skull. From the Zoological Society's Collection.
The Crested Presbytes. Presbytes mitratus.
Pithecus mitratus, Blainv., Ost. Atl. G. Pithecus, pl. 10 (teeth).
Cervical vertebræ 7 Dorsal 12 Lumbar 7 Sacral 3 Caudal 27
*a. Skull. Java. b. Skeleton. Java. From Mr. Warwick's Collection. c. Skull.
The KALASIE. Presbytes rubicundus.
Semnopithecus rubicundus, <i>Müller</i> , S. Verh. Nat. Gesch. tab. 9. figs. 4, 5 (skull).
The SIMPAI. Presbytes melalophis.
Cervical vertebræ 7 Dorsal 13 Lumbar 6 Sacral 3 Caudal (imperfect.)
a. Skeleton. Sumatra. From Mr. Warwick's Collection.
Presbytes chrysomeles.
Semnopithecus chrysomeles, Müller, S. Verh. Nat. Gesch. tab. 2. fig. 3 (skull).
Presbytes frontatus.
Semnopithecus frontatus, Müller, S. Verh. Nat. Gesch. tab. 8. figs. 3, 4 (skull).
. The Negro Monkey. Presbytes maurus.
Semnopithecus maurus, Horsfield, Zool. Res. Java (a, skull).
Cervical vertebræ 7 Dorsal 12 Lumbar 7 Sacral 3 Caudal 26
b. Skull. From Mr. Argent's Collection. Skeleton.

Presbytes cephalopterus.

a. Skull. From the Zoological Society's Collection.

The CINEREOUS PRESBYTES. Presbytes cinereus.

- *a. Skull. Malacca.
- b. Skull. Java. From Mr. Brandt's Collection.
- c. Skull.

The Hoonuman. Presbytes entellus.

Cervical	V	e:	rí	æ	b	r	æ	٠.									7
Dorsal .											•.	•.	•	٠.	٠.		12
Lumbar																	7
Sacral .																	
Caudal .																	29

a. Skull of an adult. Nepal. Presented by B. H. Hodgson, Esq. b. Skull of a middle-aged specimen. Nepal. Presented by B. H.

Hodgson, Esq.

- c. Skull: half-grown. Nepal. Presented by B. H. Hodgson, Esq.
 d. Skull: young. Sumatra? Presented by B. H. Hodgson, Esq.
- e. Teeth: adult. Nepal. Presented by B. H. Hodgson, Esq.

- f. Skull. From Mr. Williams's Collection.
 g. Skull: lower jaw wanting. Presented by Dr. Melville.
 h. Skull: young. Sumatra. Presented by B. H. Hodgson, Esq.
- i. Skull. Hazarabagii, India. Presented by Professor Oldham.
 j. Skull. Bengal. Presented by Professor Oldham.
- k. Skull. From the Zoological Society's Collection. 1. Skeleton. From Mr. Warwick's Collection.
- m. Skeleton: half-grown.
- n. Bones of body and limbs. Nepal. Presented by B. H. Hodgson, Esq.
- o. Bones of body. Nepal. Presented by B. H. Hodgson, Esq.

The Hooded Presbytes. Presbytes johnii.

Cervical vertebræ	
Dorsal	12
Lumbar	7
Sacral	3
Caudal	(?)

- *a. Skull. Neilgherries.
- b. Skeleton.

The Douc Monkey. Presbytes nemæus.

Semnopithecus nemæus, Chenu, Encyclop. d'Hist. Nat. p. 73. fig. 59

Pithecus nemæus, Blainv., Ost. Atl. pl. 6 (skull).

Presbytes griseus.

Semnopithecus griseus, Desm., Voy. Bonite, pl. 1 (skull).

NASALIS.

Teeth:—Incisors $\frac{2-2}{2-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-3}{2-3}$; Molars $\frac{3-3}{3-3}$;=32.

The Proboscis Monkey. Nasalis larvatus.

Martin, Nat. Hist. of Man and Monkeys, fig. 282 (skull, female), p. 456.

Cervical vertebræ	7
Dorsal	
Lumbar	
Sacral	3
Caudal	

- *a. Skull: young. Borneo. Presented by Captain Sir Edward Belcher, C.B.
- *b. Skull. Borneo. Presented by M. Temminck.
- c. Skeleton: female. Sumatra. Presented by Sir T. S. Raffles.

COLOBUS.

Teeth:—Incisors $\frac{2-2}{3-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-9}{2-2}$; Molars $\frac{3-3}{3-3}$;=32.

The Guereza. Colobus guereza.

Ruppell, Faun. Abyssin. taf. 1 (skull).

*a. Skull.

The BLACK COLOBUS. Colobus satanus.

a. Skeleton. W. Africa. From M. Verreaux's Collection.

TEMMINCK'S COLOBUS. Colobus temminckii.

Cervical	V	e	rt	æ	b	r	æ	٠.							7
Dorsal .															12
Lumbar															7
Sacral .															
Caudal .															

- a. Skull. W. Africa. From Mr. Argent's Collection.
- b. Skeleton. W. Africa. From Mr. Whitfield's Collection.

The King Monkey. Colobus polycomus.

* a. Skull. Coast of Guinea. From Mr. Frank's Collection.

Colobus verus.

Van Bened., Bull. de l'Acad. des Sci. de Brux. tom. v. p. 344, 1838, pl. (skull).

CERCOPITHECUS.

Teeth:—Incisors $\frac{2-2}{2-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{2-3}$; Molars $\frac{3-3}{3-3}$;=32.

The Samango. Cercopithecus samango.

*a. Skull. From the Stockholm Museum.

Cercopithecus campbellii.

*a. Skull. W. Africa.

The Pluto. Cercopithecus pluto.

*a. Skull. W. Africa. From the Zoological Society's Collection.

Cercopithecus ludio.

*a. Skull. W. Africa. From the Zoological Society's Collection.

The White-throated Monkey. Cercopithecus albogularis.

Cervical vertebræ	 7
Dorsal	 12
Lumbar	 7
Sacral	
Candal	22 9

*a. Skull. India.

b. Skull and body: adult. From the Zoological Society's Collection.

c, d, e. Skulls: adult and young. From the Zoological Society's Collection.

f, g. Skulls. From the Zoological Society's Collection.

h. Skeleton.

The GRIVET or Tota. Cercopithecus engythithia.

Cervical vertebræ	7
Dorsal	12
Lumbar	7
Sacral	3
Caudal	26 or 27

^{*}a. Skull. S. Africa.

b. Skeleton.

c, d. Skulls. From the Zoological Society's Collection.

The Verver. Cercopithecus pygerythrus.

Cervical	V	eı	rt	e	bı	r	e								7
Dorsal .															12
Lumbar															7
Sacral .															
Caudal															30

- a. Skull. From Mr. Warwick's Collection.
- b. Skeleton. From Mr. Warwick's Collection.
- c, d, e. Skulls: adult and young. From the Zoological Society's Collection.

Cercopithecus erythrarchus.

Peters, Naturw. Reise nach Mossambique, Säugth. i. p. 1. taf. 1(skull), 1852.

Cercopithecus faunus.

*a. Skull. From Mr. Brandt's Collection.

The Malbrouck Monkey. Cercopithecus cynosurus.

Cervical	٧	e1	rt	e	b	r	æ								7
Dorsal															
Lumbar															7
Sacral .															3
Caudal .															

- *a. Skull. India. Presented by Edward Cross, Esq.
- *b. Skull. India.
- c. Skeleton. From Mr. Warwick's Collection.
- d. Skull. From the Zoological Society's Collection.

The Callithrix. Cercopithecus sabseus.

Martin, Mamm. p. 508. fig. 289 (skull).—Owen, Odont. pl. 116. fig. 1 (teeth detached), 1840-45.

Pithecus sabseus, Blain., Ost. Atl. pl. 8 (parts of trunk), pl. 10 (dentition).

Cervical vertebræ	 7
Dorsal	 12
Lumbar	
Sacral	 3
Candal	(9)

- a, b. Skulls.
- c. Skull. From Mr. Hulse's Collection.
- e. Skeleton.
- f-m. Skulls: adult and young. From the Zoological Society's Collection.
- n. Skull: adult. From Dr. A. Günther's Collection.

Cercopithecus tantalus.

α.	Skull.	From	the	Zoological	Society's	Collection.	
----	--------	------	-----	------------	-----------	-------------	--

The Mona. C	ercopithecus mona.
Dorsal	
*a. Skull: young. Western Africa. c. Skeleton. From Mr. Warwic d. Skeleton. From Mr. Cross's e, f, g. Skulls. From the Zoolog h. Skeleton.	k's Collection. Collection.
The Diana. Ce	rcopithecus diana.
Cervical vertebræ Dorsal	
*a. Skull. From the Zoological b. Skeleton: young.	Society's Collection.

The Moustache Monkey. Cercopithecus cephus,

Cervical vertebrae	. 7
Dorsal	12
Lumbar	. 7
Sacral	
Caudal	

a, b. Skulls: adult and young.

c. Skeleton.

d, e. Skulls: young. From the Zoological Society's Collection.

f. Skeleton. From the Zoological Society's Collection.

The Black-chreked Ascagne. Cercopithecus melanogenys. *a. Skull: young. W. Africa.

The White-nosed or Vaulting Monkey. Cercopithecus petaurista.

Pithecus petaurista, Blainv., Ost. Atl. G. Pithecus, pl. 10 (teeth).

The Red Monkey. Cercopithecus ruber. Voy. Bonite, pl. 1 (skull).—G. Fischer, Anat. des Makis, p. 186. tab. 16 (skull), 1804. Cervical vertebræ	Lumbar vertebræ
Cervical vertebræ	The RED Monkey. Cercopithecus ruber.
Dorsal	
b. Skeleton. c. Skull. From the Zoological Society's Collection. d. Skeleton. Java. From Mr. Warwick's Collection. e, f. Skulls. From the Zoological Society's Collection. g. Skeleton: adult male. h. Skull. From the Zoological Society's Collection. Cercopithecus ochraceus. Peters, Naturw. reise nach Mossambique, Säugth. i. p. 2. taf. 1. A. (skull), 1852. Cercopithecus flavidus. Peters, Naturw. reise nach Mossambique, Säugth. i. p. 3. taf. 1. B. (skull), 1858. Monkey. Cercopithecus ——? a. Skeleton. Africa. MYOPITHECUS. Teeth:—Incisors 2-2/3-2; Canines 1-1/1-1; Premolars 2-2/3-2; Molars 3-3/3-3;=32. The Talapoin. Myopithecus talapoin. Cervical vertebræ. 7 Dorsal 12 Lumbar 7 Sacral 3 Caudal (?)	Dorsal 12 Lumbar 7 Sacral 3
c. Skull. From the Zoological Society's Collection. d. Skeleton. Java. From Mr. Warwick's Collection. e, f. Skulls. From the Zoological Society's Collection. g. Skeleton: adult male. h. Skull. From the Zoological Society's Collection. Cercopithecus ochraceus. Peters, Naturw. reise nach Mossambique, Säugth. i. p. 2. taf. 1. A. (skull), 1852. Cercopithecus flavidus. Peters, Naturw. reise nach Mossambique, Säugth. i. p. 3. taf. 1. B. (skull), 1858. Monkey. Cercopithecus ——? a. Skeleton. Africa. MYOPITHECUS. Teeth:—Incisors 2-2/3-2; Canines 1-1/1-1; Premolars 2-2/3-2; Molars 3-3/3-3;=32. The Talapoin. Myopithecus talapoin. Cervical vertebræ. 7 Dorsal 12 Lumbar 7 Sacral 3 Caudal (?)	
Peters, Naturw. reise nach Mossambique, Säugth. i. p. 2. taf. 1. A. (skull), 1852. Cercopithecus flavidus. Peters, Naturw. reise nach Mossambique, Säugth. i. p. 3. taf. 1. B. (skull), 1858. MONKEY. Cercopithecus ——? a. Skeleton. Africa. MYOPITHECUS. Teeth:—Incisors $\frac{9-2}{3-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-3}{2-2}$; Molars $\frac{3-3}{3-3}$;=32. The Talapoin. Myopithecus talapoin. Cervical vertebræ. 7 Dorsal 12 Lumbar 7 Sacral 3 Caudal (?)	 c. Skull. From the Zoological Society's Collection. d. Skeleton. Java. From Mr. Warwick's Collection. e, f. Skulls. From the Zoological Society's Collection. g. Skeleton: adult male.
(skull), 1852. Cercopithecus flavidus. Peters, Naturw. reise nach Mossambique, Säugth. i. p. 3. taf. 1. B. (skull), 1858. Monkey. Cercopithecus ——? a. Skeleton. Africa. MYOPITHECUS. Teeth:—Incisors \$\frac{2-2}{2-2}\$; Canines \$\frac{1-1}{1-1}\$; Premolars \$\frac{2-2}{2-2}\$; Molars \$\frac{3-3}{3-3}\$;=32. The Talapoin. Myopithecus talapoin. Cervical vertebræ. 7 Dorsal 12 Lumbar 7 Sacral 3 Caudal (?)	Cercopithecus ochraceus.
Peters, Naturw. reise nach Mossambique, Säugth. i. p. 3. taf. 1. B. (skull), 1858. MONKEY. Cercopithecus — ? a. Skeleton. Africa. MYOPITHECUS. Teeth :—Incisors $\frac{3-2}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{2-2}$; Molars $\frac{3-3}{3-3}$;=32. The Talapoin. Myopithecus talapoin. Cervical vertebræ 7 Dorsal 12 Lumbar 7 Sacral 3 Caudal (?)	
(skull), 1858. MONKEY. Cercopithecus — ? a. Skeleton. Africa. MYOPITHECUS. Teeth:—Incisors $\frac{2-2}{3-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{2-2}$; Molars $\frac{3-3}{3-3}$;=32. The Talapoin. Myopithecus talapoin. Cervical vertebrae. 7 Dorsal 12 Lumbar 7 Sacral 3 Caudal (?)	Cercopithecus flavidus.
MYOPITHECUS. Teeth:—Incisors $\frac{3-2}{3-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{2-2}$; Molars $\frac{3-3}{3-3}$;=32. The Talapoin. Myopithecus talapoin. Cervical vertebræ. 7 Dorsal 12 Lumbar 7 Sacral 3 Caudal (?)	
MYOPITHECUS. Teeth:—Incisors $\frac{3-2}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{2-2}$; Molars $\frac{3-3}{3-3}$;=32. The Talapoin. Myopithecus talapoin. Cervical vertebræ 7 Dorsal 12 Lumbar 7 Sacral 3 Caudal (?)	Monkey. Cercopithecus?
Teeth :—Incisors $\frac{2-2}{3-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-3}{3-2}$; Molars $\frac{3-3}{3-3}$;=32. The Talapoin. Myopithecus talapoin. Cervical vertebræ. 7 Dorsal 12 Lumbar 7 Sacral 3 Caudal (?)	a. Skeleton. Africa.
The Talapoin. Cervical vertebræ 7 Dorsal 12 Lumbar 7 Sacral 3 Caudal (?)	
The Talapoin. Cervical vertebræ 7 Dorsal 12 Lumbar 7 Sacral 3 Caudal (?)	MYOPITHECUS.
Cervical vertebræ 7 Dorsal 12 Lumbar 7 Sacral 3 Caudal (?)	
b. Skull. From the Zoological Society's Collection.	Teeth:—Incisors $\frac{3-2}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{2-2}$; Molars $\frac{3-3}{3-3}$;=32.

CERCOCEBUS.

Teeth:—Incisors $\frac{2-2}{2-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{2-3}$; Molars $\frac{3-3}{3-3}$;=32.

The Sooty Mangabey. Cercocebus fuliginosus.

- *a. Skull. Africa.
- b. Skull. From Mr. Argent's Collection.
- c, d. Skulls. From the Zoological Society's Collection.

The White-crowned Mangabey. Cercocebus sethiops.

Pithecus æthiops, Blainv., Ost. Atl. G. Pithecus, pl. 10 (teeth).

Cervical	vert	ebı	æ	٠					 7
Dorsal .									
Lumbar									 7
Sacral .									
Caudal .		•							 (?)

- *a. Skull. Guinea.
- b. Skeleton.
- *c. Skull.
- d. Skull.
- e. Skeleton. W. Africa. From Mr. Warwick's Collection.
- f-i. Skulls. From the Zoological Society's Collection.
- j. Skeleton.

The GREY-CHERKED MANGABRY. Cercocebus albigena.

Presbytes albigena, Gray, P. Z. S. 1850, p. 77. pl. 16.

*a. Skull. W. Africa. From the Zoological Society's Collection.

MACACUS.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-9}{3-3}$; Molars $\frac{3-3}{3-3}$; = 32.

The Bruch. Macacus nemestrinus.	
Cervical vertebræ 7	
Dorsal	
Lumbar 7	
Sacral 3	
Caudal	
 T 31	

- a. Skeleton. India.
- b. Skull. From the Zoological Society's Collection.
- c. Skull: adult. From the Zoological Society's Collection.
- d. Skull. From the Zoological Society's Collection.
- e. Skull: young.
- f. Skull. Mergui, India. Presented by Professor Oldham.
- g-j. Skulls. From the Zoological Society's Collection.

The MACAQUE. Macacus cynomolgus.

Blainv., Ost. Atl. G. Pithecus, pl. 7. figs. 4, 5.—Spix, Cephalogenesis, 1815, tab. 6. fig. 6 (skull, adult).

Cervical	v	eı	rt	e	b	r	æ	١.							7
Dorsal .															12
Lumbar															7
Sacral .															3
Caudal .															(?)

India. a-f. Skulls.

g. Skeleton.

h-m. Skulls. From the Zoological Society's Collection.

n. Skull.

o. Skeleton. From Dr. A. Günther's Collection.

p,q. Skulls: male and young. From Dr. A. Günther's Collection.

The Zati, or Capped Macaque. Macacus radiatus.

Owen, Odont. pl. 116. fig. 2 (teeth), 1840-5.

Cervical vertebræ	7
Dorsal	12
Lumbar	7
Sacral	3
Caudal	24 (imperfect.)

- a. Skull. From the Zoological Society's Collection.
- b. Skull: white var. From the Zoological Society's Collection.
- c. Skull. From the Zoological Society's Collection.
 d. Skull. Presented by Professor Oldham.
- e. Skeleton. From Mr. Warwick's Collection.
- f. Skull. From the Zoological Society's Collection.

The Munga, or Bonnet Monkey. Macacus sinicus.

Simia sinica, Cuv., Dents des Mamm. p. 18. no. 6.—G. Fischer, Anat. des Makis, p. 187. tab. 17 (skull), 1804.

a-f. Skulls. From the Zoological Society's Collection.

The RHESUS. Macacus rhesus.

Cervical vertebræ	. 7
Dorsal	
Lumbar	
Sacral	. 3
Candal	. 20

a. Skull of an adult. Nepal. Presented by B. H. Hodgson, Esq. *b. Skeleton of young. Nepal. Presented by B. H. Hodgson, Esq. c. Skeleton of female. Nepal. Presented by B. H. Hodgson, Esq.

*d. Skull. India.

- e. Skull. N. Chaur. From Captain Boys's Collection.
 f. Skull: adult. From the Zoological Society's Collection.
 g. Skeleton: adult ¿.
 h. Skull. Bengal. Presented by Professor Oldham.
 i-m. Skulls. From the Zoological Society's Collection.
 n. Skull. Assam. From the Zoological Society's Collection.
 o. Skull.
 p. Skull. Kashmir. Presented by Professor Oldham.—Macacus pelops, Hodgs.
 q, r. Skull. Nepal. Presented by B. H. Hodgson, Esq.
- s. Skull. Mauritius. From the Zoological Society's Collection.

The Brilliant Macaque. Macacus speciosus.

Temm., Fauna Japonica, pl. 2. figs. 1-6 (skulls, adult and young).

Cervical	v	e	rí	te	b	r	æ								7
Dorsal .															12
Lumbar		,													7
Sacral .															3
Caudal .															11

a. Skeleton. Japan. From Mr. Warwick's Collection.

The MAGOT. Macacus inuus.

Blaim., Ost. Atl. G. Pithecus, pl. 10 (teeth).—Audebert, Maki, p. 4. pl. 1. fig. 4 (skull).—Chem, Encyclop. d'Hist. Nat. p. 153. fig. 124 (sternum).

Cynocephalus natator, Fischer, Craniol. Comp. Tab. (skeleton).

Cervical	V	er	te	b	r	æ	١.							7
Dorsal .														
Lumbar											ĺ.			7
Sacral .														
Caudal .														

- a. Skull.
- b-d. Skeletons. From the Zoological Society's Collection.
- e. Skull: young. From Dr. A. Günther's Collection.
- f. Skeleton: young. From the Zoological Society's Collection.

Macacus melanotis.

*a. Skull. Cuba. From the Zoological Society's Collection.

Macacus arctoides.

Isid. Geoff. St.-Hilaire, Zool. du Voy. de Bélanger, 1830.—Chenu, Encyclop. d'Hist. Nat. p. 148. fig. 118 (skull).—Blainv., Ost. Atl. pl. 8 (skull).

CYNOPITHECUS.

Teeth:—Incisors $\frac{2-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{3-3}$; Molars $\frac{3-3}{3-3}$;=32.

The BLACK MACAQUE. Cynopithecus niger.

Isid. Geoff. St.-Hilaire, Voy. de l'Astrolabe, pl. 7 (skull).

Cervical	V	e	r	te	b	r	æ								7
Dorsal .															
Lumbar															7
Sacral ,															
Caudal .						٠						•			(?)

- *a. Skull of adult. Celebes. *b. Skull of young. Philippines.
- c. Skull. From the Zoological Society's Collection.
- d. Skeleton: young. From the Zoological Society's Collection.
- e, f. Skulls. From the Zoological Society's Collection.
- g. Skull. Celebes.

SILENUS.

Teeth:—Incisors $\frac{2-2}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{2-3}$; Molars $\frac{3-3}{3-3}$;=32.

The Wanderoo. Silenus veter.

Cervical vertebræ	. 7
Dorsal	. 12
Lumbar	. 7
Sacral	
Caudal	

- *a. Skull and body. From the Zoological Society's Collection.
- b. Skeleton. From Mr. Warwick's Collection.
- c. Skeleton. From the Zoological Society's Collection.
- d, c. Skulls. From the Zoological Society's Collection.

GELADA.

Teeth:—Incisors $\frac{2-3}{2-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=32.

The GELADA. Gelada ruppellii.

Macacus gelada, Rüppell, Faun. Abyss. taf. 1 (skull).
 Theropithecus gelada, Is. Geoff. St.-Hilaire, Arch. du Mus. 1843.—
 Dahlbom, Zoologiska Studier, pl. 6. figs. 17, 19 (skull), 1857.

*a. Skull. Abyssinia.

· PAPIO.

Teeth :—Incisors $\frac{2-2}{2-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{2-3}$; Molars $\frac{2-3}{3-3}$;=32.

The Mandril. Papio maimon.

Latr. in Buff. Hist. Nat.—Martin, Mamm. p. 346. fig. 243 (skeleton). Simize papionis mormonis, Spix, Cephalogenesis, tab. 6. fig. 7 (skull,

Simia maimon, Audebert, Makis, pl. 1. fig. 6 (skull), 1801. Pithecus maimon, Blainv., Ost. Atl. G. Pithecus, pl. 10 (teeth). Cynocephalus mormon, Desm., Nouv. Dict. xix. p. 178.—Owen, Odont. pl. 116. fig. 4 (dentition), 1840–45.—*Dahlbom*, Zoologiska Studier, pl. 6. figs. 18, 20 (skull).

- a, b. Skull of adult.
- *c. Cast of skull.
- d. Skull and body.
- e. Skull: lower jaw wanting.
- f. Skeleton: young.

The Drill. Papio leucophæa.

a, b. Skulls. From the Zoological Society's Collection.

CYNOCEPHALUS.

Teeth:—Incisors $\frac{2-2}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{2-2}$; Molars $\frac{2-3}{3-3}$;=32.

The Anubis. Cynocephalus anubis.

- *a. Skull. Africa.
- b. Skull. From the Zoological Society's Collection.

The Tartarin. Cynocephalus hamadryas.

Cervical	V	e	rt	æ	b	r	æ	١.														7
Dorsal .																						13
Lumbar		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			6
Sacral .	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	3

a. Skeleton. Abyssinia. From Mr. Wombwell's Collection. *b. Skull. Arabia. From the Zoological Society's Collection.

The Thorn. Cynocephalus thoth.

Cervical	vertebræ	7
Dorsal .		12
Lumbar	****************	- <u>-</u> 6
Sacral .		3
Caudal.		20 (imperfect).

*a. Skull and body. From the Zoological Society's Collection.

	SIMIAUAS,	-CYNOCEPHALUS.	1
	The Papion. C	ynocephalus sph	inx.
	Cervical vertebræ Dorsal Lumbar Sacral Caudal	••••••••••••••••••••••••••••••••••••••	13 6 3
c. Skeleton:	tuines. ng. From Mr. Be young. From Mr. From the Zoologic	Warwick's Colle	ction.
	The Снасма. С	nocephalus porc	arius.
Pithecus I	orcarius, Blainv., Os	st. Atl. G. Pithecu	s, pl. 4 (skeleton).
,	Cervical vertebræ Dorsal Lumbar Sacral Caudal	· · · · · · · · · · · · · · · · · · ·	7 13 6 3 25
c. Skull. Frod, e. Skeleton	tt. From Mr. Arg om Mr. Warwick's s. From the Zoologica From the Zoologica	Collection. ogical Society's Co	ollection. tion.
	Гhe Вавоом. Су п	ocephalus baboui	n.
	Cervical vertebræ Dorsal Lumbar Sacral Caudal		7 13 7 3 24

Cynocephalus choras.

a, b. Skulls. From the Zoological Society's Collection.

b. Skull. From the Zoological Society's Collection.c. Skeleton. From the Zoological Society's Collection.

West Africa.

a. Skull.

Fam. 3. CEBIDÆ.

ATELES.

Teeth:—Incisors $\frac{3-2}{3-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-5}{3-3}$;=36.

The CHAMECK. Ateles chameck.

Ateles pentadactylus, Geoff.—Blainv., Ost. Atl. G. Cebus, pl. 6 (akull, young).—Laurent et Bazin, Ann. d'Anat. et de Phys. pl. 1. 8. fig. 5 (dentition).

Cervical	ve	rt	et	r	æ								7
Dorsal .													14
Lumbar													4
Sacral .													
Caudal .													

- a. Skull. From the Zoological Society's Collection.
- b. Skeleton. From the Zoological Society's Collection.
- c, d. Skulls. From the Zoological Society's Collection.

The WAITA. Ateles paniscus.

Spix, Sim. Bras. pl. 38. fig. 5 (skull).

The CHIWA. Ateles marginatus.

- a. Skull. District of Quito. From Mr. Bates's Collection.
- Skull. Near the River Cupai (branch of the Amazon), 800 miles from the sea. From Mr. Bates's Collection.

The Marmonda. Ateles belzebuth.

Blainv., Ost. Atl. G. Cebus, pl. 1 (skeleton).—Chenu, Encyclop. d'Hist. Nat. p. 197. pl. 27 (skeleton, male).

Cervical vertebræ	7
Dorsal	13
Lumbar	4
Sacral	
Caudal	

- *a. Skull. Brazils. Presented by Edward Cross, Esq.
- b. Skull. Brazils.
- c. Skull. From Mr. Stevens's sale-rooms.
- d. Skeleton. From the Zoological Society's Collection.

The Black Spider Monkey. Ateles ater.

- a. Skull. From the Zoological Society's Collection.
- b. Skull: young. From the Zoological Society's Collection.
- c. Skull. From the Zoological Society's Collection.

The Brown Spider Monkey. Ateles hybridus.

*a. Skull. South America.

	The GREY WAITA. Ateles geoffrom	7ii.
	Cervical vertebræ	7
	Dorsal	14
	Lumbar	4
	Sacral	3
•	Caudal	33
*a. Skull.	Caraccas. From M. Salle's Collection.	

The Black-handed Waita. Ateles melanochir.

a. Skull. From the Zoological Society's Collection.

BRACHYTELES.

Teeth:—Incisors $\frac{2-2}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=36.

The Miriki. Brachyteles hypoxanthus.

Brachyteles macrotarsus, Spix, Sim. Bras. pl. 38. fig. 6 (skull).

Cervical vertebræ 7
Dorsal
Lumbar 5
Sacral 3
Caudal

a. Skeleton. From Mr. Brandt's Collection. b, c. Skulls.

The Thumbed Miriki. Brachyteles hemidactylus.

*a. Skull. South America.

The Five-fingered Miriki. Brachyteles arachnoides. Blainv., Ost. Atl. G. Cebus, pl. 5 (skull).

LAGOTHRIX.

Teeth:—Incisors $\frac{2-2}{2-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=36.

^{*}c. Skull. Presented by Capt. Kellett and Lieut. Wood.

The Caparro or Negro Monkey. Lagothrix humboldtii. Spix, Sim. Bras. tab. 37. fig. 7 (skull).

Cervical	v	0	rt	æ	b	r	æ	١.							7
Dorsal .															14
Lumbar															4
Sacral .															3
Caudal .															

*a. Skull. Brazils.

- b, c. Skulls. Brazils. From the Zoological Society's Collection.
 d. Skeleton. Brazils. From the Zoological Society's Collection.
- e. Skull. District of Quito. From Mr. Bates's Collection.

MYCETES.

Teeth:—Incisors $\frac{2-2}{3-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{2-3}$; Molars $\frac{3-3}{3-3}$;=36.

The Golden Howler. Mycetes seniculus.

Chenu, Encyclop. d'Hist. Nat. p. 181. fig. 150 (skull), fig. 149 (os hyoide).—Dahlbom, Zoologiska Studier, pl. 6. figs. 21, 21b (os hyoide), 1857.—Audebert, Makis, p. 8. pl. 2. figs. 1, 2 (os hyoide), pl. 2. fig. 4 (skull), 1801.
Mycetes fuscus, Kuhl.—Spix, Sim. Bras. pl. 38. fig. 8 (skull).

Cervical vertebræ	7
Dorsal	14
Lumbar	5
Sacral	
Caudal	

*a. Skeleton: male. S. America.

*b, c. Skulls: male and female. Bolivia. From Mr. Bridges' Collection.

d. Skull. Rio Negro. From Mr. Stevens's Collection.

The Araguata or Brown Howler. Mycetes ursinus.

Cervical	v	е	rt	te	b	r	æ								7
Dorsal .															14
Lumbar															5
Sacral .															3
															19 (imperfect).

- *a. Skull. Brazils.
- b. Skull.
- c. Skeleton. From Mr. Brandt's Collection.
- d, e. Skulls.
- f. Skull: male. From Mr. Brandt's Collection.

The SILKY HOWLER. Mycetes laniger.

- *a. Skull. Columbia.
- *b. Skull. Brazils.

The BLACK HOWLER. Mycetes niger.

- *a. Skull: male. Bolivia. From Mr. Bridges' Collection.
- b. Skull: female. Bolivia. From Mr. Bridges' Collection.
- c. Skull. Bolivia. From Mr. Bridges' Collection.
- d. Skull. From Mr. Stevens's Collection.
- e. Skull: female.
- *f. Skull.

The BLACK AND YELLOW HOWLER. Mycetes bicolor.

- *a. Skull. South America.
- b. Hyoid bone. South America.
- c. Skull. Para. Presented by J. P. G. Smith, Esq.

The GUARIBA OF YELLOW-HANDED HOWLER. Mycetes beelzebul.

- a. Skull. Para (South America). Presented by R. Graham, Esq.
- b. Skull. Para (South America). Presented by R. Graham, Esq.

The Mantled Howler. Mycetes palliatus.

*a. Skull. Caraccas. From M. Sallé's Collection.—The specimen figured in P. Z. S. 1848, p. 138. pl. 6.

The Caraya or Black Howler. Mycetes caraya.

Mycetes barbatus, Spix, Sim. Bras. pl. 38. fig. 9 (skull).

CEBUS.

Teeth:—Incisors $\frac{3-2}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; =36.

The Monk. Cebus monachus.

- *a. Skull. South America.
- *b. Skull. Paraguay.
- c. Skull. From Mr. Brandt's Collection.
- d. Skull. From the Zoological Society's Collection.
- e. Skull.
- f. Skull. From the Zoological Society's Collection.

The Larger Monk. Cebus robustus.

Laurent et Bazin, Ann. d'Anat. et de Phys. pl. 1. 8. fig. 6 (dentition).

The Kaite or Horned Capuchin. Cebus fatuellus.

Dorsal	 	 	 14
Lumbar	 	 	 ŧ
Sacral	 	 	 8
Caudal	 	 	 26

- a. Skull. Fr
- b. Skeleton. From Mr. Cross's Collection.
- e. Skull. From Mr. Brandt's Collection.
- d. Skeleton. From Mr. Warwick's Collection.
- e. Skull. From the Zoological Society's Collection.
- f. Skull.
- g. Skull.
- h. Skull. From the Zoological Society's Collection.

The TUFTED CAPUCHIN. Cebus cirrifer.

Cervical	V	e	r	te	b	r	æ	١.							•	7				
Dorsal .																14				
Lumbar													:			5				
Sacral .																3				
Condol																QΛ	/i-	a a	·-f	.

- a. Skeleton. S. America.
- b, c, d. Skulls. From Mr. Stevens's Collection.
- e. Skeleton. From the Zoological Society's Collection.
- f. Skull. Surinam. From Dr. A. Günther's Collection.—Cebus niger, Geoff.

The Capuchin. Cebus apella.

Blainv., Ost. Atl. G. Cebus, pl. 2 (skeleton), pl. 9 (teeth).

Cervical vertebræ	 7
Dorsal	 14
Lumbar	
Sacral	
CaudaI	

- a. Skeleton. From Mr. Warwick's Collection.
- b. Skeleton. From Mr. Brandt's Collection.
- c. Skull. From the Zoological Society's Collection.d. Skull. From Mr. Brandt's Collection.
- e. Skull: young female. From Mr. Stevens's Collection.

The WHITE-FRONTED CAPUCHIN. Cebus albifrons.

- a. Skull: young.
 b. Skull: young.
 From the Zoological Society's Collection.
 From the Zoological Society's Collection.
- c. Skull: very young. From the Zoological Society's Collection.

The Sai or Weeper. Cebus capucinus.

Owen, Odont. pl. 114. fig. 9 (teeth detached).

Cervical vertebræ	. 7
Dorsal	. 14
Lumbar	5
Sacral	
Caudal	

a. Skeleton: young.

b, c. Skulls: young. From the Zoological Society's Collection.

*d. Skull: young.

The WHITE-HEADED SAPAGOU. Cebus hypoleucus.

Cervical	V	e	rt	e	b	r	æ	١.							7
Dorsal .															12
Lumbar															7
Sacral .															
Candal															

- a. Skull. S. America.
- b. Skeleton. From the Zoological Society's Collection.
- c. Skull. From the Zoological Society's Collection.

The Golden-Handed Sapagou. Cebus chrysopus.

a. Skeleton. From Mr. Warwick's Collection.

The LARGE-HEADED SAPAGOU. Cebus macrocephalus.

a. Skull. From the Zoological Society's Collection.

Spix's Sapagou. Cebus libidinosus.

Spix, Sim. Bras. pl. 37, fig. 11 (skull).

The GREY SAPAGOU. Cebus griseus.

Le Sapajou gris, Buffon, Hist. Nat. xv. pl. 7 (skeleton).

CALLITHRIX.

Teeth:—Incisors $\frac{2-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; = 36.

The Sahuassu of Marked Tee-Tee. Callithrix personatus.

Cebus personatus, Blainv., Ost. Atl. G. Cebus, pl. 6 (skull).

a, b, c. Skulls. S. America.

d. Skeleton. Brazils. From Mr. Brandt's Collection.

The REED TEE-TEE. Callithrix donacophilus.

*a, b, c. Skulls. Bolivia. From Mr. Bridges' Collection.

The White-handed Tee-Tee. Callithrix moloch.

a. Skull. Brazils.

The Black-Handed Tre-Tre. Callithrix melanochir.

a. Skeleton. From Mr. Brandt's Collection.

The Collared Tre-Tre. Callithrix torquatus.

Callithrix amictus, Spix, Sim. Bras. pl. 38. fig. 1 (skull).

*a. Skull. S. America. From Mr. Stevens's Collection.

The Copper Tee-Tee. Callithrix cupreus. Spix, Sim. Bras. pl. 38. fig. 3 (skull).

The BLACK-FRONTED TEE-TEE. Callithrix nigrifrons. Spix, Sim. Bras. pl. 38. fig. 1 (skull).

SIAMIRIS.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=36.

The Bolivian Tee-Tee. Siamiris entomophagus.

Chenu, Encyclop. d'Hist. Nat. p. 216. fig. 177 (skull). Chrysothrix entomophagus, D'Orbigny, Voy. ix. pl. 4 (skull).

*a, b. Bolivia. From Mr. Bridges' Collection.

c. Voyage of H.M.S. Herald. Presented by Capt. Kellett and Lieut. Wood.

The TRE-TRE. Siamiris sciureus.

Simiæ sciureæ, *Spix*, Cephalogenesis, tab. 6. figs. 8-11 (skull), 1815. Cebus sciureus, *Blainv.*, Ost. Atl. G. Cebus, pl. 6 (skull).

Cervical	V	e	rt	æ	b	r	æ								7
Dorsal .															13
Lumbar															7
Sacral .															3
Caudal .															27

- *a. Skull. Para. Presented by R. Graham, Esq.
- b. Skeleton. From the Zoological Society's Collection.
- c. Skull. Para. Presented by J. P. G. Smith, Esq.
- d. Skull. District of Quito. From Mr. Stevens's Collection.

Siamiris ustus.

Isid. Geoff., Voy. de la Vénus, p. 96, pl. 2. figs. 4, 5 (skull), 1855.

OUAKARIA.

Teeth:—Incisors $\frac{2-2}{2-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{2-3}{3-3}$; =36.

Ouakaria calvus.

Cervical	٧	e	rt	e	b	r	æ								7
Dorsal .				`.											13
Lumbar															6
Sacral .															
Candal															18

*a. Skull. Near the River Amazon. Presented by M. E. Bourcier. b. Skeleton. From Mr. Bartlett's Collection.

Ouakaria spixii.

Cervical											
Dorsal .											13
Lumbar											6
Sacral .											
Caudal .											18

a. Skeleton. Presented by the Zoological Society.

PITHECIA.

Teeth:—Incisors $\frac{2-3}{2-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{2-3}$; Molars $\frac{3-3}{3-3}$;=36.

The Whiskered Yarke. Pithecia pogonias.

*a. Skull: very young. From Mr. Bartlett's Collection.

The YARKE. Pithecia irrorata.

*a. Skull. Rio Negro. From Mr. Stevens's Collection.

Pithecia ---- ?

a. Skull. Rio Negro. From Mr. Stevens's Collection.

Pithecia albicans.

*a. Skull. Upper Amazons.

NYCTIPITHECUS.

Teeth:—Incisors $\frac{2-2}{2-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; =36.

28 CEBIDÆ.—JACCHUS.
The Vitor. Nyctipithecus felinus.
Isid. Geoff., Voy. de la Vénus, pl. 3. figs. 10-13 (skull).
Cervical vertebrse 7 Dorsal 13 Lumbar 6 Sacral 3 Caudal 18
 *a. Skull. Santa Fé de Bogota. *b. Skull. Bolivia. From Mr. Bridges' Collection. c. Skeleton. From the Zoological Society's Collection. d. Skull. District of Quito; Rio Napo. From Mr. Stevens's Collection.
The Douboucouli. Nyctipithecus trivirgatus.
Cebus trivirgatus, Blaine., Ost. Atl. G. Cebus, pl. 6 (skull).
The HAIRY VITOR. Nyctipithecus villosus.
*a. Skull. Santa Fé de Bogota.
Nyctipithecus lemurinus.
Isid. Geoff., Voy. de la Vénus, pl. 3. figs. 3-9 (akull).
JACCHUS.
Teeth:—Incisors $\frac{2-2}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{2-3}$; Molars $\frac{2-2}{2-2}$;=32.
The Pinche. Jacchus ædipus.
Hapale cedipus, Blainv., Ost. Atl. G. Cebus, pl. 4 (skeleton).
Cervical vertebræ 7 Dorsal 13 Lumbar 6 Sacral 3 Caudal 33
a. Skull. Brazils.b. Skeleton. From the Zoological Society's Collection.
The Red-Bellied Marmoset. Jacchus rufiventer.
*a. Skull. South America.
The Marmoset. Jacchus vulgaris.

Owen, Odont. p. 114. fig. 8 (teeth), 1840-5.

Lumba	r vertebræ	6
		3
		27 or 28

a. Skeleton. From Mr. Brandt's Collection.

b, c. Skulls, of Q. From Dr. A. Günther's Collection.

The GNICK OF BLACK-EARED MARMOSET. Jacchus penicillatus. *a. Skull. Brazils.

The White-Eared Marmoset. Jacchus auritus.

Cervical vertebræ	7
Dorsal	13
Lumbar	6
Candal	98

- *a. Skull. Brazils.
- *b. Skull. South America. c. Skull. From Mr. Stevens's sale-rooms.
- d, e. Skeletons. From the Zoological Society's Collection.

The Black-tailed Jacchus. Jacchus melanurus.

*a. Skull. Bolivia. From Mr. Bridges' Collection.

Jacchus mystax.

Spix, Sim. Bras. pl. 38. fig. 4 (skull).

*a. Skull. Brazils. From M. Parzudaki's Collection.

The Marikina. Jacchus rosalia.

a. Skeleton (head wanting). From the Zoological Society's Collection.

The WHITE-NECKED MARMOSET. Jacchus bicolor.

*a. Skull. Rio Negro. From Mr. Stevens's Collection.

Fam. 4. LEMURIDÆ.

LEMUR.

Teeth:—Incisors $\frac{2-2}{2-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=36.

The RING-TAILED MACACO. Lemur catta.

Spix, Cephalog. tab. 6. fig. 9 (skull), 1815.—Owen, Odont. pl. 114. fig. 5 (teeth).

G. Fischer, Anat. des Makis, tab. 13 (skeleton), tab. 14 (section of skull showing the interior of the brain-case), tab. 15 (feet, &c.),

Mococo, Buff., Hist. Nat. xiii. p. 174 (akeleton).

Cervical vertebrae	7
Dorsal	13
Lumbar	6
Sacral	
Caudal	

a. Skeleton. Madagascar.

b, c. Skulls. From the Zoological Society's Collection.

d. Skeleton. From the Zoological Society's Collection.

PROSIMIA.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; =36.

The RED LEMUR. Prosimia rubra.

- a. Skull. Madagascar. From the Zoological Society's Collection.
- b. Skull. Madagascar. Presented by the India Board.

The RUFFED LEMUR. Prosimia macaco.

Blainv., Ost. Atl. G. Lemur, pl. 3 (skeleton).

Cervical vertebrae	7
Dorsal	13
Lumbar	6
Sacral	
Caudal	

- a. Skull. From the Zoological Society's Collection.
- b. Skeleton. From the Zoological Society's Collection.

The Collared Lemur. Prosimia collaris.

*a. Skull.

Prosimia furcifer.

Lemur furcifer, Blaine., Ost. Atl. G. Lemur, pl. 7 (skull).

The WHITE-FRONTED LEMUR. Prosimia albifrons.

Lemur albifrons, Geoff. St.-H., Mém. sur les Makis, 1796.—Blainv., Ost. Atl. G. Lemur, pl. 7 (skull).

Van der Hoeren, Tydschr. voor Nat. Gesch. xi. pl. 11. fig. 2 (skull).

- a, b. Skulls. From the Zoological Society's Collection.
- c. Skull. From Mr. Bartlett's Collection.

The Black-fronted Lemur. Prosimia nigrifrons.

Cervical vertebræ	7
Dorsal	13
Lumbar	6
Sacral	2
Caudal	28 or 29

- *a. Skull. Madagascar. b. Skull. Madagascar.
- c. Skeleton.
- d, e. Skulls.

Prosimia mongoz.

Lemur mongoz, Linn.—Peters, Naturw. reise nach Mossambique, Säugth. i. pl. 4. fig. 12 (dentition), 1852.

Prosimia xanthomystax.

*a, b. Skulls. From the Zoological Society's Collection.

TARSIUS.

Teeth:—Incisors $\frac{2-3}{1-1}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; = 34.

The Tarsius spectrum.

Blainv., Ost. Atl. G. Lemur, pl. 1 (skull).—Van der Hoeven, Tydschr. voor Nat. Gesch. xi. pl. 1. fig. 7 (skull).—Owen, Odont. pl. 114. fig. 3, 1804-5.—Dahlbom, Zool. Stud. pl. 11. fig. 36 (skeleten), 1854.
Tarsius Pallasii, Geoff.—G. Fischer, Anat. des Makis, p. 36. tab. 4 (skeleton and skull), tab. 5 (sections of skull showing the interior of brain-case, and fore-arm), 1801-4.
Tarsius Daubentonii, Audebert, p. 29. fig. 1.—G. Fischer, Anat. des Makis, p. 37. tab. 6 (skull, trunk, &c.), 1801-4.

Cervical vertebræ	7
Dorsal	
Lumbar	6
Sacral	
Caudal	29 or 30

- a. Skull: the lower jaw wanting. From the Zoological Society's Collection.
- b. Skeleton. Borneo.

DAUBENTONIA.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{2-3}$;=18.

The Aye-Aye. Daubentonia madagascariensis.

Pander d'Alton, Vergl. Osteol. pl. 5. d (feeth).—Owen, Odont. pl. 114. fig. 2 (teeth).—Chenu, Encyclop. d'Hist. Nat. p. 281 (hands).

Cheiromys aye-aye, F. Cuv., Dents des Mamm. p. 146. pl. 45 (dentition).—Cuv., Règne Anim. iv. pl. 11. figs. 1, 2, 3 (head); Oss. Foss. v. p. 27.

Lemur psilodactylus, Blaine., Ost. Atl. pl. 5(skull and limbs); Osteog.

Daubentonia madagascariensis, Geoff., Decad. Philos. 1795.—Gervais, Hist. Nat. Mamm. 1854.—Dahlbom, Zoologiska Studier, 234. tab. 12, figs. 39, 40 (skull and section of the lower jaw), 1857.

a. Skeleton. Madagascar.

PERODICTICUS.

Teeth:—Incisors $\frac{2-2}{3-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=36.

The Porro. Perodicticus potto.

Van der Hoeven, Tydschr. voor Nat. Gesch. xi. pl. 1. fig. 3 (skull), 1844.

Cervical	V	e	rt	æ	b	r	æ								7
Dorsal															16
Lumbar															6
Sacral															
Candal															

- a. Skeleton.
- b. Skull. E. Africa.
- c. Skull.

NYCTICEBUS.

Teeth:—Incisors $\frac{3-2}{3-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=36.

The Kukang. Nycticebus javanicus.

Lemur tardigradus, Linn.—Blainv., Ost. Atl. G. Lemur, pl. 2 (skeleton). Stenops javanicus, Van der Hoeven, pl. 7 (skeleton), figs. 2, 2 b, c (skulls).

Stenops tardigradus, Owen, Odont. pl. 114. fig. 4 (teeth), 1840-5. Loris paresseux, Cuv., Règne Anim. i. p. 118.—Chenu, Encyclop. d'Hist. Nat. p. 278. pl. 36 (skeleton).

- *a. Skull. Madagascar.
- b. Skeleton. From Mr. Warwick's Collection.
- c. Skull: lower jaw wanting. From the Zoological Society's Collection.
- *d. Skull.

OTOLICNUS.

Teeth:—Incisors $\frac{2-2}{2-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=36.

Otolicnus garnettii.

- *a. Skull. Port Natal. From Mr. Warwick's Collection.
- *b. Skull. Port Natal. From the Zoological Society's Collection.

The Grand Galago. Otolicnus crassicaudatus.

Peters, Naturw. reise nach Mossambique, Säugth. i. p. 5. tab. 4 (skull), 1858.

Lemur crassicaudatus, *Blainv.*, Ost. Atl. G. Lemur, pl. 7 (skull). Galago crassicaudatus, *Dahlbom*, Zoologiska Studier, pl. 8. fig. 30 (skull), 1857.

GALAGO.

Teeth:—Incisors $\frac{3-2}{3-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=36.

The Maholi. Galago maholi.

- *a. Skull. S. Africa.
- *b. Skull.
- c. Skull. S. Africa. Presented by Sir A. Smith.

The SENEGAL GALAGO. Galago senegalensis.

Otolicnus senegalensis, Geoff.—Gervais.—Castelnau, Amérique du Sud, p. 11. pl. 4. figs. 10, 11 (skull), 1858.

*a. Skull.

The BLACK GALAGO. Galago alleni.

- a. Skull. Fernando Po. Presented by Thomas Thomson, Esq., R.N.
- b. Skull. Niger Expedition. From Mr. Fraser's Collection.

The LITTLE GALAGO. Galago minor.

*a. Skull. From the Zoological Society's Collection.

Galago murinus.

Murray, Edinb. Phil. Journ., new series, vol. x. pl. 11 (dentition).

HEMIGALAGO.

Hemigalago demidoffli.

Dahlbom, Zoologiska Studier, p. 230. pl. 10. fig. 35a (teeth), 1857.

MICROCEBUS.

Microcebus myopinus.

- Peters, Naturw. reise nach Mossambique, Säugth. i. p. 14. pl. 4. figs. 6-9 (skull).
- Skull, without lower jaw. Niger Expedition. From Mr. Fraser's Collection.

LORIS.

Teeth:—Incisors $\frac{2-2}{2-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=36.

The Loris . Loris gracilis.

Blainv., Ost. Atl. G. Lemur, pl. 7 (skull).—Van der Hoeven, Tijdschr. voor Nat. Gesch. ii. pl. 1. fig. 4 (skull).—Chenu, Encyclop. d'Hist. Nat. p. 227. fig. 223.—G. Fischer, Anat. des Makis, p. 192. tab. 22 (skeleton), 1804.

Loris ceylonicus, G. Fischer, Anat. des Makis, pl. 7 (skeleton), pl. 8 (section of skull, showing the interior of the brain-case), pl. 9 (trunk and limbs), pl. 10 (limbs and pelvis), pl. 11 (skulls), pl. 12 (trunk, &c.), 1804.—Dahlbom, Zoologiska Studier, tab. 9. fig. 34 (skeleton), 1857.

Loris, Buffon, Hist. Nat. xiii. p. 224. pl. 32 (skeleton).

Cervical vertebræ	7
Dorsal	14
Lumbar	9
Sacral	
Candal	

*a. Skull. Ceylon.

b. Skeleton. Ceylon. From Mr. Warwick's Collection.

c. Skeleton. Ceylon. From Mr. Brandt's Collection.

d-f. Skulls. From the Zoological Society's Collection.

INDRIS.

Teeth:—Incisors $\frac{2-2}{1-1}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{3-2}$; Molars $\frac{3-5}{3-3}$;=30.

The Indris brevicaudatus.

Dahlbom, Zoologiska Studier, p. 20. pl. 8. fig. 29 (skull), 1857. Lichanotus indri Q, Blainv., Ost. Atl. pl. 4 (skeleton), pl. 8 (skull). —Van der Hoeven, Tijdschrift, 1844, xi. pl. 1. fig. 5 (skull).

*a. Skull and bones of the body. Madagascar.

The Indri or Avahi. Indris laniger.

Lichanotus laniger, Gmel.—Owen, Odont. pl. 114. fig. 6 (teeth), 1840-5. Avahi laniger, Jourdan.—Chenu, Encycl. d'Hist. Nat. p. 22. fig. 22 (skull).

Lichanotus avahi, Van der Hoeven, Tijdschrift, 1844, xi. pl. 1. fig. 6 (skull).

CHEIROGALEUS.

Cheirogaleus griseus.

Van der Hoeven, Tijdschrift, 1844, xi. pl. 1. fig. 1a, b (skull).

Cheirogaleus milii.

Dahlbom, Zoologiska Studier, p. 223. pl. 8. figs. 32, 32 a (skulls), 1857.

Fam. 5. GALEOPITHECIDÆ.

GALEOPITHECUS.

Teeth:—Incisors $\frac{2-2}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{2-2}$; Molars $\frac{3-3}{3-3}$;=34.

The Colugo. Galeopithecus volans.

Shaw.—Cuv., Anat. Comp. v. p. 299. pl. 1 (skeleton), 1805; Dents des Mamm. p. 41. no. 14 (teeth).—Blainv., Ost. Atl. G. Lemur, pl. 6 (skeleton), pl. 8 (skull), pl. 9 (trunk), pl. 10 (limbs), pl. 11 (teeth).—Waterhouse, Trans. Zool. Soc. ii. p. 342. pl. 58. fig. 1e (skulls).—Spix, Cephalogenesis, tab. 6 (skeleton).—Van der Hoeven, Der Platen, fig. 11 (skull).—Owen, Odont. p. 433. pl. 114. fig. 1 (teeth), 1840-45.—G. Fischer, Anat. des Makis, p. 163. tab. 18. fig. 2 (skull), 1804.—Schreb., Säugth. pl. 307. figs. 1-4 (skull).

Cervical vertebræ	7
Dorsal	14
Lumbar	5
Sacral	
Caudal	

- a. Skeleton. Malacca.
- b, c. Skulls. Malacca.
- d. Skull: young.
- e, f. Skeletons: adult and young. Malacca. From Mr. Warwick's Collection.
- g. Skull.
- h-j. Skulls. Borneo. From the Zoological Society's Collection.— Galeopithecus temminckii, Waterh. The specimens figured and described in Trans. Zool. Soc. vol. ii. p. 342. pl. 58. fig. 1e.
- k. Skull. From the Zoological Society's Collection.
- l. Skull: young.

Galeopithecus philippinensis.

a-d. Skulls. Philippine Islands. From the Zoological Society's Collection.—The original specimens figured and described in Trans. Zool. Soc. vol. ii. p. 342. pl. 58.

Fam. 6. VESPERTILIONIDÆ.

STURNIRA.

Teeth:—Incisors $\frac{2-2}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-3}{2-2}$; Molars $\frac{3-3}{3-3}$; = 32.

Sturnira spectrum.

Sturnira lilium, Gervais.—Castelnau, Amérique du Sud, p. 39. pl. 9. fig. 6 (dentition), fig. 6a (skull), 1855.

- *a. Skull. Bahia. Presented by Francis de Castelnau, Esq.
- *b. Skull. From Mr. Dyson's Collection.

Sturnira chilensis.

Gerrais.—Castelnau, Amérique du Sud, p. 39. pl. 9. fig. 5 (akull), 1855. Stenoderma chilensis, Gay, Hist. de Chile, Mamm. fig. 1b, c (akull and dentition).

ARCTIBEUS.

Teeth:—Incisors $\frac{2-2}{3-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{3-2}$; Molars $\frac{2-2}{3-3}$;=30.

The Jawaica Arctibeus. Arctibeus jamaicensis.

? Gervais.—Castelnau, Amérique du Sud, p. 35. pl. 9. fig. 2 (akull), 1855.

Stenoderma jamaicense, Blainv., Ost. Atl. Cheirop. p. 101. pl. 7 (skull).

a. Skull. Jamaica. Presented by J. S. Redman, Esq.

The Sickle Arctibeus. Arctibeus falcatus.

*a. Skull. Bolivia. From Mr. Bridges' Collection.

Arctibeus pictus.

*a. Skull.

Arctibeus undatus.

Gervais.—Castelnau, Amérique du Sud, p. 35. pl. 9. fig. 3 (dentition).

Arctibeus lineatus.

Gervais.—Castelnau, Amérique du Sud, p. 35. pl. 10. fig. 2 (dentition), 1855.

DERMANURA.

Dermanura cinereum.

Gervais.—Castelnau, Amérique du Sud, p. 36. pl. 9. fig. 4 (dentition), fig. 4a (skull).

VAMPYRUS.

Teeth:—Incisors $\frac{3-2}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-2}{3-3}$; Molars $\frac{3-3}{3-3}$;=34.

The Pale Vampire. Vampyrus spectrum.

- Leach.—Blaine., Ost. Atl. Cheirop. p. 100. pl. 3 (skeleton).—Gervais.—Castelnau, Amérique du Sud, p. 46. pl. 10. fig. 7 (dentition), 1855.
- a. Skull. Jamaica. Presented by J. S. Redman, Esq.

Vampyrus (Lophostoma) auritus.

Peters, Abhandl. der Königl. Akad. der Wissenschaften, taf. 1. figs. 3-5 (dentition), 1857.

HEMIDERMA.

Teeth:—Incisors $\frac{2-2}{3-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{3-2}$; Molars $\frac{3-3}{3-2}$; =32.

Hemiderma brevicaudatum.

Gervais.—Castelnau, Amérique du Sud, p. 43. pl. 9. fig. 8 (dentition), fig. 8a (skull), 1855.

Vespertiliò soricinus, *Pallas.—Spix*, Zool. i. p. 24. tab. 4. fig. 1 (skeleton), 1776. Phyllostoma grayii, Waterhouse, Voy. of the Beagle, pl. 35. fig. 2a-2 (skull and teeth), 1838-9.

*a, b. Skulls. Bolivia. From Mr. Bridges' Collection.

PHYLLOSTOMA.

The JAVELIN PHYLLOSTOMA. Phyllostoma hastatum.

Geoff.—D'Alton, Vergleichende Osteologie, pl. 8 (skeleton).—Blainv., Ost. Atl. Cheirop. p. 100. pl. 7 (skull).—Owen, Odont. pl. 112. fig. 8 (skull).

Pteroderma perspicillatum, Gervais.—Castelnau, Amérique du Sud, p. 34. pl. 8. fig. 7a (teeth), 1855.

Phyllostoma elongatum.

E. Geoffroy, Ann. du Mus. xv. p. 182. pl. 9 .- Gervais .- Castelnau, Amérique du Sud, p. 47. pl. 10. fig. 5 (dentition), fig. 5a (skull).

The Soricine Phyllostoma soricinum.

Cervical	V	e	rt	æ	b	r	æ	٠.							7
Dorsal .															12
Lumbar															5
Sacral .															2
Caudal .															

a. Pernambuco. Presented by J. P. G. Smith, Esq.

^{*}c. Skull. Bahia. Presented by Francis de Castelnau, Esq.

TYLOSTOMA.

Tylostoma bidens.

Gercais.—Castelnau, Amérique du Sud, p. 49. pl. 8. fig. 3 (teeth).

Tylostoma crenulatum.

Gervais. - Castelnau, Amérique du Sud, p. 49. pl. 8. fig. 9a (teeth).

CAROLLIA.

Teeth:—Incisors $\frac{3-2}{3-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-2}{3-2}$; Molars $\frac{3-3}{3-3}$;=32.

Carollia verrucosa.

*a. Skull.

LOPHOSTOMA.

Lophostoma silvicola.

D'Orb., Voy. ix. pl. 4 (akull).

SCHIZASTOMA.

Schizastoma minutum.

Gervais.—Castelnau, Amérique du Sud, p. 50. pl. 10. fig. 4 (dentition), fig. 4a (skull), 1855.

MACROPHYLLUM.

Teeth:—Incisors $\frac{2-2}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{2-2}$; Molars $\frac{3-3}{3-3}$;=32.

Macrophyllum neuwiedii.

Gervais.—Castelnau, Amérique du Sud, p. 50. pl. 10. fig. 3 (dentition), fig. 3 α (skull), 1855.

a. Skull. Bahia. Presented by Francis de Castelnau, Esq.

GLOSSOPHAGA.

The Blood-sucker. Glossophaga soricinum.

Geoff.—Blainv., Ost. Atl. Cheirop. pl. 7 (skull).

SPECTRELLUM.

Spectrellum macrourum.

Gervais.—Castelnau, Amérique du Sud, p. 51. pl. 15. fig. 3, 3a (dentition), 1855.

MONOPHYLLUS.

Teeth:—Incisors $\frac{2-2}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{3-3}$; Molars $\frac{3-3}{3-3}$; = 30.

REDMAN'S LEAF-NOSED BAT. Monophyllus Redmani.

Jamaica. Presented by J. S. Redman, Esq. a. Skull.

ANOURA.

Teeth:—Incisors $\frac{2-2}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{3-3}$; Molars $\frac{3-3}{3-3}$;=34.

Anoura minor.

From Mr. Bridges' Collection. *a. Skull. Bolivia.

Bahia. Presented by F. de Castelnau, Esq. *b. Skull.

DIPHILIA.

Diphilia ecaudata.

D'Orb., Voy. ix. pl. 4 (skull).

EDOSTOMA.

Edostoma cinereum.

D' Orb., Voy. ix. pl. 4 (skull).

BRACHYPHYLLA.

The Cavern Bat. Brachyphylla cavernarum.

Gervais.—Castelnau, Amérique du Sud, p. 33. pl. 9. fig. 7 (dentition),

Stenoderma cavernarum, Blaine., Ost. Atl. Cheirop. pl. 7. p. 101 (skull).

DESMODUS.

Teeth:—Incisors $\frac{1-1}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{3-3}$; Molars $\frac{0-0}{0-0}$;=20.

Desmodus rufus.

Max. de Neuroied, Abbildungen, c. fig. — Gervais. — Castelnau, Amérique du Sud, p. 31. pl. 9. fig. 1 (skull), 1855.
Desmodus, D' Orbigny. — Waterhouse, Voyage of the Beagle, pt. ii. p. 2. pl. 35. figs. 1a, 1g (skull and teeth).

a. Skull. Coquimbo, Chili. Presented by Charles Darwin, Esq.— The specimen figured by Mr. Waterhouse.

Desmodus spectrum.

Owen, Odont. p. 427. pl. 112. fig. 9 (skull).

RHINOPOMA.

Teeth:—Incisors $\frac{1-1}{2-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{1-1}{2-2}$; Molars $\frac{3-5}{3-3}$; = 28.

The Indian Rhinopoma. Rhinopoma hardwickii.

a. Skull. India. Presented by Walter Elliott, Esq.

MEGADERMA.

Teeth:—Incisors $\frac{6-6}{3-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{3-2}$; Molars $\frac{3-3}{3-3}$; =28.

The Cordate Bat. Megaderma spasma.

Cervical vertebrae	7
Dorsal	
Lumbar	5
Sacral	
Caudal	

- a. Skeleton. From the Leyden Museum.
- b. Skeleton. Java. From Mr. Frank's Collection.

The Lyre-nosed Broad-winged Bat. Megaderma lyra.

Geoff.-Blainv., Ost. Atl. Cheirop. pl. 7 (skull).

a. Skull. Madras. Presented by Walter Elliott, Esq.

LAVIA.

Teeth:—Incisors $\frac{0-0}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{1-1}{2-2}$; Molars $\frac{3-3}{3-3}$; =26.

The African Leaf Bat. Lavia frons.

- a. Skull. Cape Coast Castle, W. Africa. Presented by J. William, Esq.
- b. Skeleton. W. Africa. From Mr. Warwick's Collection.

*c. Skull.

ASELLIA.

Teeth:—Incisors $\frac{1-1}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{1-1}{2-2}$; Molars $\frac{3-3}{3-3}$; =28.

The Three-Toothed Asellia. Asellia tridens.

a-d. Four skulls. Egypt. Presented by Dr. Turnbull Christie.

RHINOLOPHUS.

Teeth:—Incisors $\frac{1-1}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{3-3}$; Molars $\frac{3-3}{3-3}$; = 32.

Rhinolophus caffer.

a. Skull. Port Natal.

Rhinolophus lobatus.

Peters, Naturw. reise nach Mossambique, Säugth. i. p. 41. pl. 13. figs. 16, 17 (skull).

The SMALLER HORSESHOE BAT. Rhinolophus hipposiderus.

- *a. Skull. St. Gothard.
- b. Skull. From Mr. Yarrell's Collection.
- c. Skeleton. Ireland. Presented by Dr. Kinahan.

Rhinolophus insignis.

Horsf.—Temm., Monog. Mamm. ii. pl. 33. figs. 7, 8. a. Skeleton. From Mr. Frank's Collection.

The Nepal Horseshoe Bat. Rhinolophus tragatus.

- a-c. Three skulls. Nepal. Presented by B. H. Hodgson, Esq.
- d-i. Skulls. Nepal. Presented by B. H. Hodgson, Esq.
- *j. Skull. Nepal. Presented by B. H. Hodgson, Esq.

The Larger Horseshoe Bat. Rhinolophus ferrum-equinum :

Faun. Wirb. Deutschl. p. 27. figs. 2-4 (skull).—Blainv., Ost. Atl. Cheirop. p. 7 (skull).—Temm., Monog. Mamm. pl. 32. fig. 19 (skeleton).—Owen, Odont. p. 427. pl. 27. fig. 5 (dentition).

- a. Skull: male. ——? Presented by W. E. Leach, M.D.
- b. Skull: female. ? Presented by W. E. Leach, M.D.
- c. Skull. ——?

Rhinolophus clivosus.

Cretzschm.—Temm., Monog. Mamm. ii. pl. 32. fig. 18 (skull).

Rhinolophus affinis.

Horsf.—Temm., Monog. Mamm. ii. pl. 32. fig. 16-18 (skulls & teeth).

Rhinolophus euryotis.

Temm., Monog. Mamm. ii. pl. 32. figs. 13-15 (skull and teeth).

Rhinolophus tricuspidatus.

Temm., Monog. Mamm. ii. pl. 33. figs. 11, 12 (skull and teeth).

Rhinolophus diadema.

Geoff.—Temm., Monog. Mamm. ii. pl. 32. figs. 4-6 (skulls).

Rhinolophus minor.

Horsf.—Temm., Monog. Mamm. pl. 32. figs. 20, 21 (skull and teeth).

The Cape Horseshoe Bat. Rhinolophus capensis.
*a. Skull. India.

HIPPOSIDEROS.

Teeth:—Incisors $\frac{1-1}{3-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{3-2}$; Molars $\frac{3-3}{3-3}$; =30.

The Noble Horseshoe Bat. Hipposideros nobilis.

Rhinolophus nobilis, *Horef.—Temm.*, Mon. Mamm. ii. pl. 32. figs. 1, 2 (skull).

Cervical vertebrae	 7
Dorsal	 12
Lumbar	 6
Sacral	 6
Caudal	

a. Skeleton. From Mr. Frank's Collection.

The Mouse-coloured Horseshoe Bat. Hipposideros murinus.

a. Skull. Madras. Presented by Walter Elliott, Esq.

The APICULATED HORSESHOE BAT. Hipposideros apiculatus.

a. Skull. Madras. Presented by Walter Elliott, Esq.
 b. Skull. India. From Mr. Warwick's Collection.

The Javanese Horseshoe Bar. **Hipposideros vulgaris.** Horsfield, Zool. Researches in Java, figs. c-g (dentition).

The Two-coloured Hobseshoe Bat. **Hipposideros bicolor.**Temm., Monog. Mamm. ii. pl. 32. figs. 9, 10 (skull and teeth).

The Foxy Horseshoe Bar. Hipposideros fulvus.

a. Skull. Madras. Presented by Walter Elliott, Esq.

Hipposideros pusillus.

Temm., Monog. Mamm. ii. pl. 32. figs. 22, 23 (skulls).

PHYLLORHINA.

Phyllorhina vittata.

Peters, Naturw. reise nach Mossambique, Säugth. i. p. 32. pl. 13. figs. 1-6 (skull).

Phyllorhina gracilis.

Peters, Naturw. reise nach Mossambique, Säugth. i. p. 36. pl. 13. figs. 14, 15 (skull).

NYCTERIS.

Teeth:—Incisors $\frac{2-2}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{1-1}{2-2}$; Molars $\frac{3-3}{3-3}$;=32.

Nycteris javanica.

a. Skeleton. From Mr. Frank's Collection.

The Two-coloured Nycreris. Nycteris discolor.

*a. Skull. South Africa. From the Stockholm Museum.

Nycteris fuliginosa.

Peters, Naturw. reise nach Mossambique, Säugth. i. p. 46. pl. 10. figs. 3, 4, 5 (skull and dentition), 1852.

Nycteris villosa.

Peters, Naturw. reise nach Mossambique, Säugth. i. p. 48. pl. 11. figs. 6, 7 (skull), 1852.

Nycteris hispida.

Blainv., Ost. Atl. Cheirop. pl. 7 (skull).

NYCTOPHILUS.

Teeth:—Incisors $\frac{1-1}{2-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{1-1}{2-3}$; Molars $\frac{3-3}{3-3}$;=28.

The Australian Nycrophile. Nyctophilus geoffroyii.
*a. Skull. Australia. Presented by Sir T. S. Mitchell.

BARBASTELLUS.

The BARBASTELLE. Barbastellus communis.

Gray, Cat. Mamm. Brit. Mus. p. 25, 1843. Synotus barbastellus, *Blassus*, Faun. Wirb. Deutschl. p. 42. figs. 21, 22 (skull), 1857.

PLECOTUS.

The Common Long-eared Bat. Plecotus communis.

Lesson, Faun. Wirb. Deutschl. p. 38. figs. 15-17 (skull), 1857.

- a. Skull. England. Presented by W. E. Leach, M.D.
- b. Skeleton.
- c. Skull. From Mr. Yarrell's Collection.

Plecotus velatus.

Is.-Geoff., Ann. Sci. Nat. 1 sér. iii. p. 444.
Vespertilio velatus, Geoff., Hist. de Chile, pl. no. 1. fig. 2a (skull).
Histiotus velatus, Gervais.—Castelnau, Amérique du Sud, p. 77. pl. 13. fig. 6a, b (dentition), 1855.

MINIOPTERUS.

Teeth:—Incisors $\frac{2-2}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{3-3}$; Molars $\frac{3-3}{3-3}$;=36.

Miniopterus schreibersii.

Faun. Wirb. Deutschl. p. 45. figs. 25–27 (skull), 1857.—Proc. Zool. Soc. 1858, pl. 65. figs. 1, 2 (skull).

- *a. Skull. Presented by Sir A. Smith.
- *b. Skull. From Mr. Bartlett's Collection.

Miniopterus morio.

Scotophilus morio, Gray, App. Grey's Narrat. p. 405.

*a. Skull. N. S. Wales. Presented by the Earl of Derby.

VESPERTILIO.

Teeth:—Incisors $\frac{2-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=38.

Vespertilio hilarii.

*a. Skull. Rio Janeiro. Presented by the Earl of Derby.

Vespertilio noctivagans.

*a. Skull. Malden, Canada. Presented by P. W. Maclagan, Esq.

Vespertilio blythii.

*a. Skull. India. From Mr. Warwick's Collection.

Vespertilio chiloensis.

Waterh., Voy. of the Beagle, pl. 35. figs. 3 a to 3 c (skull).—Sagra, Hist. de Chile, pl. 1. fig. 3 a (dentition and skull).—Gervais.—Castelnau, Amérique du Sud, p. 83. pl. 15. fig. 4 a, b, c, d (skull and dentition).

a. Skull. Bolivia. From Mr. Bridges' Collection.

Vespertilio parvulus.

*a. Skull. Rio Janeiro. Voyage of the 'Rattlesnake.' Presented by Capt. Stanley.

Vespertilio bonariensis.

Less.—Freyc., Voy. Coquille, pl. 2 (skull), 1826.

Vespertilio lepidus.

Blainv., Ost. Atl. Cheirop. pl. 8 (skull).

DAUBENTON'S BAT. Vespertilio daubentonii.

*a, b. Skulls. Sweden. From the Stockholm Museum.

Vespertilio subulatus.

a. Skull. Malden, Canada. Presented by P. W. Maclagan, Esq.

Vespertilio hypothrix.

Gervais.—Castelnau, Amérique du Sud, p. 83. pl. 15. fig. 5 (dentition), 1855.

Vespertilio nanus.

Peters, Naturw. reise nach Mossambique, Säugth. i. p. 63. pl. 16. fig. 2c, d, e, f (skull and dentition).

Vespertilio macuanus.

Peters, Naturw. reise nach Mossambique, Säugth. i. p. 61. pl. 16. fig. 1 c, d, e (skull and dentition).

Vespertilio kinnamon.

Gervais.—Castelnau, Amérique du Sud, p. 84. pl. 15. figs. 1, 1a (dentition).

Vespertilio mystacinus.

*Skull. Sweden. From the Stockholm Museum.

VESPERUS.

Vesperus innoxius.

Gervais.—Castelnau, Amérique du Sud, p. 75. pl. 13. fig. 5 (teeth), fig. 5 a (skull), 1855.

Vesperus dutertreus.

Gervais.—Castelnau, Amérique du Sud, p. 75. pl. 14. fig. 4 (dentition), fig. 4a (skull).

Vesperus furinalis.

Gervais.—Castelnau, Amérique du Sud, p. 76. pl. 13. fig. 4 (dentition), fig. 4 a (skull).

MYOTIS.

Teeth:—Incisors $\frac{2-2}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=38.

The Large-rared Bat. Myotis murinus.

Vespertilio murinus, *Leisl.—Blainr.*, Ost. Atl. Cheirop. pl. 5 (skeleton).—Faun. Wirb. Deutschl. p. 78. figs. 53, 54 (skull).—*Owen*, Odont. p. 425. pl. 112. fig. 1 (skull and teeth).

- *a. Skull. St. Gothard.
- *b. Skull. El Zeen, N. Africa. From Mr. Fraser's Collection.

NYCTIELLUS.

Nyctiellus lepidus.

Gervais.—Castelnau, Amérique du Sud, p. 84. pl. 15. fig. 6 a (dentition), fig. 6 b (skull), 1855.

KERIVOULA.

Kerivoula ærosa.

Tomes, Proc. Zool. Soc. 1858, p. 333. pl. 66. fig. 1b, c (akulls).

Kerivoula picta.

Cuv., Mém. du Mus. xvi. pl. 9. figs. 9-11 (skulls).

a. Skeleton. Ceylon. From Mr. E. Gerrard's, Jun., Collection.

Kerivoula lanosa.

Smith, Proc. Zool. Soc. 1858, p. 331. pl. 66. fig. 2a, b (skull).

HYONYCTERIS.

Hyonycteris discifera.

Licht. et Peters, Abhandl. der Königl. Akad. der Wissenschaften zu Berlin, 1854, pl. 2. figs. 1-6 (skull and dentition).

FURIA.

Furia horrens.

Cuv., Mém. du Mus. xvi. p. 149. pl. 9. figs. 3-8 (skulls). Gervais.—Castelnau, Amérique du Sud, p. 70. pl. 14. fig. 6 a, b (dentition), fig. 6 c (skull), 1855.

FURIPTERUS.

Teeth:—Incisors $\frac{2-2}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{3-3}$; Molars $\frac{3-3}{3-3}$;=36.

Furipterus cærulescens.

Tomes, Proc. Zool. Soc. 1856, p. 173. pl. 42 (skull).

SCOTOPHILUS.

Teeth:—Incisors $\frac{2-2}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{2-2}$; Molars $\frac{3-3}{3-3}$; =34.

The BAT. Scotophilus murinus.

Cervical vertebrae	7
Dorsal	
Lumbar	
Sacral	(?)
Candal	9

a. Skeleton.

b, c. Skeletons. England. From Mr. Warwick's Collection.

d. Skeleton. England. From Mr. Daniel's Collection.

The MINUTE SCOTOPHILUS. Scotophilus minutus.

*a. Skull. South Africa. From the Stockholm Museum.

Scotophilus tuberculatus.

*a. Skull. New Zealand.

Scotophilus noctulinia.

a. Skull. From Mr. Warwick's Collection.

Scotophilus noctula.

a. Skull. Algiers. From M. Verreaux's Collection.

The DWARF BAT. Scotophilus pumilus.

*a. Skull. Perth, W. Australia.

The Australian Bat. Scotophilus morio.

-d. Skulls. West Australia. From Mr. Gould's Collection.

Scotophilus belangerii.

Vespertilio belangerii, Blaine., Ost. Atl. Cheirop. pl. 8 (skull).

- 'a. Skull. India. From Mr. Warwick's Collection.
- *b. Skull. Suttapore, India.
- *c. Skull.

The Madras Bat. Scotophilus maderaspatanus.

a. Skull. Madras. Presented by Walter Elliott, Esq.

Scotophilus heathii.

*a, b. Skulls. India. From Captain Boys's Collection.

Trhunck's Noctule. Scotophilus temminckii?

Gray.—Horsf., Zool. Researches in Java (teeth).

- a. Skull, and bones of arms and legs. Pinang. Presented by General Hardwicke.
- *b. Skull. S. Africa. From the Stockholm Museum.

VESPERUGO.

Vesperugo serotinus.

Keys. u. Blas., Faun. Wirb. Deutschl. p. 69. figs. 45, 46 (skulls).

NOCTULINIA.

The Noctule. Noctulinia altivolans.

Vesperugo noctula, *Keys. u. Blas.*, Faun. Wirb. Deutschl. pp. 49, 52, figs. 30–32 (skulls), 1857.—*Blainv.*, Ost. Atl. Cheirop. pl. 8 (skull).

- a. Skull. Cambridgeshire. Presented by the Rev. J. S. Henslow.
- b. Skull, without lower jaw. ?
- c. Skeleton. England. From Mr. E. Gerrard's, Jun., Collection.

NOCTILIO.

Teeth:—Incisors $\frac{2-2}{1-1}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{1-1}{2-2}$; Molars $\frac{3-3}{3-3}$;=28.

The Bull-dog Bat. Noctilio americanus.

- a. Skull (without lower jaw). South America.
- b. Skull. From the Zoological Society's Collection.
- c. Skull. Jamaica. From Mr. Gosse's Collection.
- d. Skull. From the Haslar Collection.

The STRIPED BULL-DOG BAT. Noctilio mastivus.

*a, b. Skulls. Bolivia. From Mr. Bridges' Collection.

Noctilio rufipes.

D'Orb., Voy. ix. pl. 9. fig. 4 (skull).

Noctilio leporinus, var. dorsatus.

Blaine., Ost. Atl. Cheirop. pl. 4 (skeleton).

Noctilio unicolor.

Blainv., Ost. Atl. Cheirop. pl. 8 (skull).

LASIURUS.

Teeth:—Incisors $\frac{1-1}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{2-2}$; Molars $\frac{3-3}{3-3}$; = 32.

Lasiurus grayii.

- *a. Skull.
- *b. Skull. Juan du Fusa. Presented by Sir J. Richardson.
- *c. Skull: young.

The Powdered Hairy-tailed Bat. Lasiurus pruinosus.

*a. Skull. Bolivia. From Mr. Bridges' Collection.

Lasiurus ecaudatus.

*a. Skull. Ega, Amazons. From Mr. Bates's Collection.

Lasiurus noveboracensis.

- *a. Skull. ——? From M. Parzudaki's Collection.
- *b. Skull. Canada. Presented by P. W. Maclagan, Esq.

EMBALLONURA.

Emballonura afra.

Peters, Naturw. reise nach Mossambique, Säugth. i. p. 51. pl. 13. figs. 18, 19 (skull).

Emballonura saxatilis.

Van der Hoer., Tijdschr. 1838, p. 27. Proboscidea saxatilis, Spix, Sim. et Vesp. Bras. p. 62. pl. 35.—Gervais in Castelnau, Amérique du Sud, p. 68. pl. 13. fig. 2 (dentition), fig. 2 a (skull), 1855.

Cervical vertel	ræ	 7
Dorsal		
Lumbar		 5
Sacral		 3
Caudal		

a. Skeleton. Brazils. From M. Verreaux's Collection.

Emballonura canina.

Gervais in Castelnau, Amérique du Sud, p. 66. pl. 14. figs. 5, 6 (dentition), 1855.

Emballonura brunnea.

Gervais in Castelnau, Amérique du Sud, p. 66. pl. 15. fig. 2, 2 a (dentition), 1855.

NYCTICEJUS.

Teeth:—Incisors $\frac{1-1}{8-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{1-1}{2-2}$; Molars $\frac{3-3}{3-3}$;=30.

Nycticejus temminckii.

Cervical vertebræ	7
Dorsal	
Lumbar	5
Sacral	
Candal	11

*a. Skeleton. From Mr. Frank's Collection.

Nycticejus ega.

Gervais in Castelnau, Amérique du Sud, p. 73. pl. 14. figs. 1 & 1 a, b (dentition), fig. 1 c (skull), 1855.

Nycticejus viridis.

Peters, Naturw. reise nach Mossambique, Säugth. i. p. 67. pl. 17. fig. 2 c, d, e (skull and dentition).

Nycticejus planirostris.

Peters, Naturw. reise nach Mossambique, Säugth. i. p. 65. pl. 17. fig. 1 c, d, e (skull and dentition).

Nycticejus noveboracensis.

Riippell, Atlas, p. 71. taf. 27. figs. 3, 4 (skull).

Nycticejus leucogaster.

Rüppell, Atlas, tab. 28. figs. 1, 2 (skull).

TAPHOZOUS.

Teeth:—Incisors $\frac{0-0}{3-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-3}{3-2}$; Molars $\frac{3-3}{3-2}$;=28.

The Javanese Taphozous. Taphozous saccolaimus.

Temm., Mon. Mamm. ii. p. 285. pl. 60. figs. 4-6 (skull).

Cervical	V	e	r	Æ	b	ŗ	æ	١.							7
Dorsal .															14
Lumbar															5
Sacral .															6
Caudal .															8

a, b. Skeletons. From Mr. Frank's Collection.

The Naked-Bellied Taphozous. Taphozous nudiventer.

Rüpp., Atlas, tab. 27. figs. 1, 2, 3 (skulls).—Temm., Mon. Mamm. ii. p. 280. pl. 60, figs. 10-12 (skulls).

The African Taphozous. Taphozous perforatus,

Rüpp., Atlas, tab. 27. figs. 4, 5, 6 (skulls).—Temm., Mon. Mamm. ii. p. 281. pl. 60. figs. 13-15 (skull and teeth).
Taphozous senegalensis, Blainv., Ost. Atl. Cheirop. pl. 8 (skull).

Taphozous leucopterus.

Peters, Naturw. reise nach Mossambique, Säugth. p. 55. pl. 13. figs. 20, 21.

MYSTACINA.

The Mystacina. Mystacina tuberculata.

a. Bones of body. New Zealand.

E 2

CHETROMELES.

Teeth:—Incisors $\frac{1-1}{1-1}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{1-1}{3-2}$; Molars $\frac{3-3}{3-3}$; =26.

Cheiromeles torquatus.

Horsf., Zool. Research. in Java, a-h (skulls and details of dentition).
— Temm., Mon. Mamm. ii. pp. 346, 348. pl. 67. fig. 1 (skeleton), figs. 2-5 (skull).

Cervical	V	eī	t	e	b	Г	æ	٠.							7
Dorsal .															
Lumbar															6
Sacral .															5
Caudal .															12

a. Skeleton. Borneo. Presented by Captain Sir Edward Belcher.

NYCTINOMUS.

Teeth:—Incisors $\frac{1-1}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{1-1}{2-3}$; Molars $\frac{3-3}{3-3}$; =28.

Nyctinomus maurus.

*a, b. Skulls. Bolivia. From Mr. Bridges' Collection.

Nyctinomus brasiliensis.

Is.-Geoff., Ann. Sci. Nat. 1 sér. i. p. 337. pl. 22.—Gervais in Castelnau, Amérique du Sud, p. 60. pl. 12. fig. 2 (dentition), fig. 2 a (skull).

Nyctinomus macrotis.

Gray.—Gervais in Castelnau, Amérique du Sud, p. 62. pl. 12. fig. 1 (dentition), fig. 1a (skull), 1855.

The Midas Groove-cheeked Bat. Nyctinomus midas.

*Skull. Senaar. From the Stockholm Museum.

MOLOSSUS.

Teeth:—Incisors $\frac{1-1}{2-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{2-3}$; Molars $\frac{3-3}{3-3}$; =30.

The LARGE-EARED THICK-LIPPED BAT. Molossus rufus.

Temm., Mon. Mamm. pl. 23. figs. 17-19 (teeth).
Desmodus rufus, Blainv., Ost. Atl. Cheirop. pl. 7 (skull), pl. 13 (dentition).—Laur. et Baz., Ann. d'Anat. et Phys. pl. 2. 9. fig. 2 (skull).

*a, b. Skulls. Bolivia. From Mr. Bridges' Collection.

Molossus acuticaudatus.

Cervical	7	7	ert	te	b	r	æ								7
Dorsal															13
Lumbar															6
Sacral															4
Caudal															12

a. Skeleton. Brazil. From M. Verreaux's Collection.

Molossus rugosus.

D'Orb., Voy. ix. pl. 10. figs. 4, 5 (skull).

Molossus moxensis.

D'Orb., Voy. ix. pl. 11. figs. 3, 4.

Molossus daubentonii.

Blainv., Ost. Atl. Cheirop. pl. 8 (skull).

Molossus nigricans.

*a. Skull. Bahia. Presented by F. de Castelnau, Esq.

Molossus fumarius.

a, b. Skeletons. Jamaica. From Mr. Gosse's Collection.

Molossus cestoni.

Blainv., Ost. Atl. Cheirop. pl. 8 (skull).

Molossus inops.

Blainv., Ost. Atl. Cheirop. pl. 8 (skull).

Molossus obscurus.

E. Geoff., Ann. Mus. vi. p. 155.—Gervais in Castelnau, Amérique du Sud, p. 58. pl. 5. fig. 5 (skull).

PROMOPS.

Promops ursinus.

Gervais in Castelnau, Amérique du Sud, p. 59. pl. 12. fig. 3 (dentition), fig. 3a (skull).

Molossus ursinus, Spix.—? Blainv., Ostéogr. Vesp. pl. 5 (skeleton).

DYSOPES.

Teeth:—Incisors $\frac{1-1}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{2-2}$; Molars $\frac{3-3}{3-3}$; =30.

α.

Dysopes tenuis.

	Dysopes tenuis.
Horsf., Zool. Resear Mamm. i. pl. 23, f	rches, figs. <i>a-i</i> (skull and teeth).— <i>Temm.</i> , Monog. gs. 10–16 (skull and teeth), pl. 24. fig. 1 (skeleton).
Dorsal Lumbar Sacral	vertebræ
Skeleton. Java.	From Mr. Frank's Collection.
	Dysopes obsettlus.
Temm., Monog. Ma	mm. i. pl. 23. figs. 20, 21 (skulls).
	Dysopes dubius.
Peters, Naturw. reis (akull).	e nach Mossambique, Säugth. i. p. 60. pl. 15. fig. 2
, ,	Dysopes brachypteras.
Peters, Naturw. rei fig. 1d, e (skull).	se nach Mossambique, Säugth. i. p. 59. pl. 15.
	Dysopes limbatus.
Peters, Naturw. rei fig. 1b, c, d (skull	se nach Mossambique, Säugth. i. p. 56. pl. 14.
	Dysopes geoffroyii.
Temm., Monog. Ma	mm, pl. 23. fig. 9 (teeth).
	Dysopes cheiropus.
Temm., Monog. Ma searches, pl. 23. i	mm. pl. 23. figs. 1-5 (skulls).— <i>Horsf.</i> , Zool. Re- igs. 1-5 (skull and teeth).
	Dysopes rüppellii.
Temm., Monog. Ma	mm. pl. 23. figs. 6–8 (skulls).
	Dysopes nasutus.
Temm., Monog. Ma	mm. pl. 24. fig. 2 (skeleton).
	Dysopes dilatus.
Temm., Mon. Mam	m. ii. p. 352, pl. 68, figs. 2, 3 (skull & teeth).
Cervica Dorsal Lumbar	l vertebræ

Caudal

a. Skeleton. From Mr. Frank's Collection.

Dysopes natalensis.

Smith, Illustr. S. Africa, pl. 49. fig. 3 (skull), 1849.

MORMOPS.

The Mormops blainvillii.

Leach, Linn. Trans. xiii. p. 77. t. 7.—Peters, Abhandl. der Königl. Akad. der Wissenschaften zu Berl. pl. 1. fig. 3 (skeleton), figs. 4, 5 (dentition), 1856-7.

DICLIDURUS.

The DICLIDURE. Diclidurus freyreissii.

Gervais in Castelnau, Amérique du Sud, p. 64. pl. 13. fig. 1 (dentition), fig. 1 a (skull).

CENTURIO.

Centurio flavogularis.

Peters, Abhandl. der Königl. Akad. der Wissenschaften zu Berl. 1854, pl. 1. figs. 1-7 (skull and dentition).

PROBOSCIDEA.

Proboscidea villosa.

Gervais in Castelnau, Amérique du Sud, p. 68. pl. 13. fig. 3 (dentition), fig. 3a (skull).

ATALAPHA.

Atalapha blossevillei.

Gervais in Castelnau, Amérique du Sud, p. 72. pl. 14. figs. 2, 2 a (dentition).

PTEROPUS.

Teeth:—Incisors $\frac{2-2}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{3-3}$; Molars $\frac{3-3}{3-3}$;=34.

The Red-Naped Kalong. Pteropus funerous.

a. Skull. Australia.

The Wurlagzool. Pteropus edwardsii.

- a. Skull: adult. Nepal. Presented by B. H. Hodgson, Esq.
- b. Skeleton? India.
- c. Skull. Madras. Presented by Walter Elliott, Esq.
- d. Skull. India. Presented by General Hardwicke.

- e.? Skull. India.
- f. Skull. Madras. Presented by Walter Elliott, Esq.
- g, h. Two skulls. India.
- i. Skull (imperfect behind). India. Presented by General Hard-wicks.
- j. Skull. Bengal. Presented by General Hardwicke.
- k, l. Skulls. From the Zoological Society's Collection.

Pteropus conspicillatus.

*a. Skull. Australia. Presented by Capt. Stanley. From the Voyage of H.M.S. Rattlesnake.

Pteropus keraudrenius.

Freyc., Voy. au Monde, pl. 3 (skull).—Temm., Monog. Mamm. i. pl. 15. fig. 7 (skull).

Pteropus melanocephalus.

Temm., Monog. Mamm. i. pl. 16. fig. 3 (skeleton), fig. 4 (teeth).

Pteropus pallidus.

Temm., Monog. Mamm. i. p. 184. pl. 15. figs. 8, 9 (skulls).

Pteropus edulis.

Temm., Monog. Mamm. i. p. 172. pl. 15. figs. 1, 2, 3 (adult skulls), figs. 4, 5, 6 (young skulls).—Oven, Odont. p. 430. pls. 113, 113 A.—G. Fischer, Anat. des Makis, p. 186. tab. 18. fig. 1 (skull), 1804.

- a, b. Skulls. From the Zoological Society's Collection.
- c. Skull: male. India. Presented by Professor Oldham.

Pteropus dasymallus.

Temm., Monog. Mamm. i. p. 180. pl. 15. figs. 10, 11 (skulls).

*a. Skull. Japan. From M. Verreaux's Collection.

Pteropus macrocephalus.

Blainv., Ost. Atl. Cheirop. pl. 6 (skull).

Pteropus fuscus.

Blainv., Ost. Atl. Cheirop. pl. 6 (skull).

Pteropus jubatus.

Blainv., Ost. Atl. Cheirop. pls. 1, 2 (skeleton).

*a. Skull. Island of Mindanao. From the Zoological Society's Collection.

Pteropus vanikorensis.

Bluinv., Ost. Atl. Cheirop. pl. 6 (skull).

Pteropus phaiops.

Temm., Monog. Mamm. ii. p. 65. pl. 36. figs. 1-3 (skulls).
a. Skull. Amboyna.

Pteropus macklotii.

Temm., Monog. Mamm. ii. p. 69. pl. 32. figs. 4-6 (skulls and teeth).

Pteropus chrysoproctus.

Temm., Monog. Mamm. ii. p. 67. pl. 32. figs. 7, 8 (skull and teeth).

Pteropus pselaphon.

Temm., Monog. Mamm. ii. p. 70. pl. 36. figs. 9-11 (skull and teeth). a, b, Skulls. From the Zoological Society's Collection.

Pteropus hottentottus.

Temm., Monog. Mamm. ii. p. 87. pl. 32. figs. 16, 17 (skull and teeth).

Pteropus griseus.

Temm., Monog. Mamm. ii. p. 81. pl. 36. fig. 6 (teeth).

*a. Skull. Ceram.

Pteropus personatus.

*a. Skull. From M. Verreaux's Collection.

XANTHARPYIA.

Teeth:—Incisors $\frac{2-2}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{3-3}$; Molars $\frac{3-3}{3-3}$; = 34.

The Egyptian Xantharpy. Xantharpyia ægyptiaca.

Pteropus geoffroyii, *Temm.*, Monog. Mamm. i. p. 197. pl. 15. figs. 14, 15 (skull).

a. Skull. Egypt. Presented by Dr. Turnbull Christie.

Xantharpyia leachii.

Pteropus leachii, Smith, Zool. Journ. iv. p. 433, 1829; Illustr. Zool. S. Africa, pl. 48 (skull).—Temm., Monog. Mamm. i. p. 9.

'a. Skull. Port Natal. From M. Verreaux's Collection.

The Pale Xantharpy. Xantharpyia straminea.

Pteropus stramineus, Temm., Monog. Mamm. i. p. 195. pl. 15. figs. 12, 13 (skull).—Blainv., Ost. Atl. Cheirop. pl. 6 (skull).

The Xantharpy. Xantharpyia amplexicaudata.

Pteropus amplexicaudatus, Geoff.—Temm., Monog. Mamm. i. p. 200. pl. 15. fig. 16 (skull).

CYNOPTERUS.

Teeth:—Incisors $\frac{9-2}{3-4}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{9-2}{3-4}$; Molars $\frac{9-2}{3-5}$;=30.

The Warty-Lipped Cynoptere. Cynopterus marginatus.

Pteropus titthæcheilus, *Temm.*, Monog. Mamm. i. p. 198. pl. 15. figs. 17, 18 (skulls, very old), figs. 19, 20 (skulls of adult), figs. 21, 22 (skulls of the young).

Cervical	V	er	te	b	I	ю			٠					7
Dorsal .														
Lumbar										•				4
Sacral .														4
Caudal .														

- a, b. Skeletons. From the Leydon Collection.
- c, d. Skulls. Presented by Walter Elliott, Esq.

Horsfield's Cynopterus horsfieldii.

a. Skull. From Mr. Warwick's Collection.

NOTOPTERUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Canines $\frac{1-1}{1-1}$; Molars $\frac{4-4}{5-6}$;=26.

Notopterus macdonaldii.

Gray, Proc. Zool. Soc. 1859, p. 38. pl. 67 (skull).

*a, b. Skulls. Island of Viti Leon. Voyage of H.M.S. Horald. Presented by the Lords of the Admiralty.

HARPYIA.

Teeth:—Incisors $\frac{1-1}{6-0}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{1-1}{1-1}$; Molars $\frac{3-3}{4-4}$;=24.

Harpyia pallasii.

Temm., Monog. Mamm. ii. p. 101. pl. 40. figs. 3-5 (skull and teeth).

- *a. Skull. Amboyna. From M. Verreaux's Collection.
- *b. Skull. New Georgia. From Mr. Cuming's Collection.

MEGÆRA.

Megæra ecaudata.

Temm., Monog. Mamm. ii. p. 359. pl. 69 (skull).

EPOMOPHORUS.

Teeth:—Incisors $\frac{9-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{9-6}{1-1}$; Molars $\frac{9-3}{3-3}$;=26.

The SHOULDER-KNOT BAT. Epomophorus whitei.

*a. Skull: female. Abyssinia. From M. Verreaux's Collection.

Epomophorus crypturus.

Peters, Naturw. reise nach Mossambique, Säugth. i. p. 26. pl. 13. figs. 1-6 (skull).

CEPHALOTES.

Teeth:—Incisors $\frac{1-1}{1-1}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{0-0}{1-1}$; Molars $\frac{4-4}{5-5}$; = 28.

The CEPHALOTE. Cephalotes peronii.

Temm., Monog. Mamm. ii. p. 106. pl. 32. figs. 24-27 (skulls).—Blainv., Ost. Atl. Cheirop. pl. 6 (skull).

- a. Skull. Timor. From the Leyden Museum.
- *b. Skull. Timor.

MACROGLOSSUS:

Teeth:—Incisors $\frac{2-2}{3-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{2-3}$; Molars $\frac{3-3}{3-3}$; = 32.

The RIODOTE. Macroglossus minimus.

Pteropus minimus, Temm., Monog. Mamm. i. p. 191. pl. 15. figs. 25, 26 (adult skulls), figs. 27, 28 (lower jaw), figs. 29, 30 (young, skulls), pl. 16. fig. 1 (skeleton).—Blainv., Ost. Atl. Cheirop. pl. 6 (skull).

Cervical	V	e	rí	te	b	r	æ	٠.								7
Dorsal .														٠.		13
Lumbar																
Sacral .																
Candal																`a′

a. Skeleton. From Mr. Frank's Collection.

Order II. FERÆ.

Fam. 1. FELIDÆ.

LEO.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-2}$; Molars $\frac{1-1}{1-1}$;=30.

The Lion. Leo barbarus.

Felis leo, Cuv., Oss. Foss. iv. p. 448. pl. 33.—Blainv., Ost. G. Felis, pl. 1 (skeleton), pl. 6 (skulls of Felis leo nubicus, F. leo senegalensis, F. leo indicus, F. leo capensis).—Van der Hoeven, Verz. der Platen, pl. 20. fig. 12 (hind foot).—Owen, Odont. pl. 127. fig. 4 (lower jaw of young); Odontology, Article in Encycl. Brit. p. 459. fig. 101 (dentition), fig. 104 (deciduous teeth); Orr's Circle of the Sciences, i. p. 251. fig. 43 (skeleton), 1854.

Cervical	verte	br	æ .	 	 	 	 7
Dorsal .							
Lumbar				 	 	 	 7
Sacral .					 	 	 3
Candal							26

- a. Skeleton. Africa.
- b. Skull. Africa.
- c. Skull. Africa.
- d. Skull. Africa.
- e. Skull: young.
 f. Skull: very young.
- g. Skull.
- *h. Skeleton: female. Asia.

From the Zoological Society's Collection.

The Gambian Lion. Leo gambianus.

*a. Skull. West Africa.

TIGRIS.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{2-2}$; Molars $\frac{1-1}{1-1}$; = 30.

The Tiger. Tigris regalis.

Felis tigris, Cuv., Oss. Foss. pl. 33. figs. 5, 6. Felis tigris et sumatrana, Blainv., Ost. G. Felis, pl. 7 (skull).

- a, b. Two skulls. India. Presented by General Hardwicke.
- c. Skull: adult. Nepal. Presented by B. H. Hodgson, Esq.
- d. Skull. India. Presented by H. Lacon, Esq.
- e. Skull. India.
- f. Skull? India.
- g. Skull: young. India.

- h. Skull: young. India.
- i, j. Skulls: young.
- k. Skeleton. India. From the Zoological Society's Collection.
- 1. Skull. Near the Orange River. From Mr. Argent's Collection.
- m. Skull. Presented by Dr. Murray.n. Skull. Mergui. Presented by Professor Oldham.
- o. Skull: young. Mergui. Presented by Professor Oldham.
 p. Skull. India. Presented by T. E. J. Boileau, Esq.
 q, r, s. Skulls: adult and young. Presented by Money, Esq.

- t, u. Skulls. From the Zoological Society's Collection.
- v-z. Skulls: male and female. Presented by B. H. Hodgson, Esq. aa-bb. Skulls.
- cc. Skull. From Mr. Warwick's Collection.
- dd. Skull. Borneo. From Mr. Wright's Collection.
- ee. Skull: very young. From Mr. Stevens's sale-rooms.
- ff. Skull. Presented by J. S. Bowerbank, Esq.

LEOPARDUS.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{2-2}$; Molars $\frac{1-1}{1-1}$;=30.

The LEOPARD. Leopardus varius.

Felis pardus, barbarus, et sumatranus, Blainv., Ostéogr. pl. 8 (skulls). Felis leopardus, Temm., Monog. Mamm. pl. 9. figs. 1,2 (skull).—Owen, Odont. pl. 127. fig. 1 (teeth).

Cervical vertebræ .	 7
Dorsal	
Lumbar	 7
Sacral	
Caudal	 25 or 26

- a. Skull: adult. Nepal. Presented by B. H. Hodgson, Esq.
- b. Skull: young. Nepal. Presented by B. H. Hodgson, Esq.
- c. Skull. Nepal.
- d. Skull (imperfect). Africa. Presented by W. Burchell, Esq., LL.D.
- e. Skull. Africa.
- f. Skull. India.
- *g. Skull (from a black variety). India. From the Zoological Society's Collection.
- h. Skeleton. India.
- i. Skeleton. India. From Mr. Argent's Collection.
- j. Skeleton (from a black variety). From the Zoological Society's Collection.
- k. Skull. Bhagulpore. Presented by Professor Oldham.
- l. Skull. From the Zoological Society's Collection.
- m. Skull.
- n, o. Skulls. Nepal. Presented by B. H. Hodgson, Esq.
- p. Skeleton (black variety). From Mr. Warwick's Collection.

The JAGUAR. Leopardus onca.

Felia onca, Cuv., Osa. Fosa. pl. 34. figs. 3, 4 (sk of a young black Jaguar).—Blainv., Ost. Atl. (ull), figs. 7, 8 (skull ł. Felis, pl. 2.
Comical mentahan	7

Cervical	vertebræ.		 	7
Dorsal		. 	 1	3
Lumbar			 	7
Sacral			 	3 .
Candal			9	4

- *a. Skull: sm
- b. Skull: large. Para, Brazils. Presented by R. Graham, Esq. c. Skull: large. Para, Brazils. Presented by R. Graham, Esq.
- d. Skull: large. Para, Brazils. Presented by R. Graham, Esq.
- *e. Skull (from a black variety). S. America. From the Zoological Society's Collection.
- f. Skeleton: male. From the Zoological Society's Collection.
- g. Skull. Orinoco. From M. Parzudaki's Collection.
 h. Skull.

The Black-tailed Ocelor. Leopardus melanurus.

a. Skull. From the Zoological Society's Collection.

The Puma. Leopardus concolor.

Felis concolor, Blaine., Ost. Atl. G. Felis, pl. 6 (skull).—Baird, Mamm. N. America, pl. 71. figs. 1, 2 (skulls of adult and young), 1859.

Cervical	٧	e	rl	te	b	r	æ	٠.							7
Dorsal .															
Lumbar															
Sacral .															
Candal .		_	_	_											24

- a-h. Skulls. From the Zoological Society's Collection.
- i, j. Skeletons. From the Zoological Society's Collection.

k. Skull. From the Zoological Society's Collection.

The Clouded Tiger. Leopardus macroscelis.

Cervical	V	0 1	t	e)	bı	re	е								7
Dorsal .															
Lumbar															
Sacral .															
Candal .															

*a. Skull and bones of body. From the Zoological Society's Collection.

Warwick's Cat. Leopardus himalayanus.

*a. Himalaya. Presented by Edward Cross, Esq.

The Ocelor. Leopardus pardalis.

Felis pardalis, <i>Laurent et Bazin</i> , Anat. et Phys. pl. 1. 8. fig. 7 (dentition).— <i>Baird</i> , Mamm. N. America, p. 87. pl. 72 (skull, nat. size).
Cervical vertebræ 7 Dorsal 13 Lumbar 7 Sacral 3 Caudal 21
a. Skeleton. S. America. From Mr. Brandt's Collection.
b. Skull. c, d. Skulls.
c. d. Skulls. e. Skeleton: young. f, g. Skulls. h. Skeleton. From the Zoological Society's Collection.
The Grey Occior. Leopardus griseus.
*a. Skull and bones of body. *b. Skull: young. c. Skeleton. Guatemala. From Mr. Warwick's Collection.—"Felis armillata," Cuv., Warwick.
The Painted Ocklot. Leopardus pictus.
Cervical vertebræ 7 Dorsal 13 Lumbar 7 Sacral 3 Caudal 20
a. Skeleton. S. America. From Mr. Warwick's Collection.
Elliot's Cat. Leopardus ellioti.
 a. Skull (orbit complete behind). Nepal. b. Skull (orbit interrupted behind). Nepal. Presented by B. H. Hodgson, Esq.
The Kuwuk. Leopardus javanensis.
Cervical vertebræ 7 Dorsal 13 Lumbar 6

From the Zoological Society's Collection. a. Skeleton.

The Marbled Cat. Leopardus marmoratus.

Sacral

*a. Skull. Dardagellan. Presented by A. Charlton, Esq.
*b. Skull. Borneo. Presented by J. Brooks, Esq.

* c.	Skull:	male.	Malacca.	Presented	by	A.	Charlton,	Esq.
	A1 11				•			-

d. Skull. India.

e. Skull. India. From the Zoological Society's Collection.

Leopardus charltonii.

*a. Skull. Dardagellan. Presented by A. Charlton, Esq.

The WAVED CAT. Leopardus inconspicuus.

*a, b. Skulls. N. India. From Mr. Bartlett's Collection.

The MARGAY. Leopardus tigrinus.

*a. Skull.

۹.

Leopardus macrourus.

Cervical	V	eı	rt	e	b	r	æ					•					7
Dorsal																	13
Lumbar																	7
Sacral																	3
Candal				_			_	_	_	_	_	_	_	_	_	_	24

a, b. Skeletons. Brazils. From Mr. Brandt's Collection. *c. Skull.

Leopardus geoffroyii.

Felia geoffroyii, D'Orb., Voy. ix. pl. 13 (skull).

The MURKI. Leopardus moormensis.

a. Skull. Nepal. Presented by B. H. Hodgson, Esq. 1885.

The WAGATI CAT. Leopardus viverrinus.

Cervical vertebræ	7
Dorsal	13
Lumbar	7
Sacral	3
Candal	18

a, b, c. Skulls. Nepal. Presented by B. H. Hodgson, Esq. d. Skeleton. From the Zoological Society's Collection. e, f. Skulls. From the Zoological Society's Collection.

The Bulu. Leopardus sumatranus.

^{*}a. Skull. Malacca.

^{*}b. Skull. Malacca. Presented by A. Charlton, Esq.

c, d. Skulls. From the Zoological Society's Collection.

	Paul Dan, Chaos, O
The Yagor	JARONDI. Leopardus yagouarondi.
Baird, Mamm. N. A	America, pl. 74. fig. 1 (skull, natural size), 1859.
Cervica Dorsal Lumba Sacral	l vertebræ
a. Skull. South Ameb. Skeleton. From Mec. Skull.	orica. Ir. Brandt's Collection.
The !	Tiger Cat. Leopardus eyra.
Felis eyra, Baird,	Mamm. N. America, pl. 73. fig. 2 (skull).
Dorsal Lumba Sacral Caudal a. Skull.	1 vertebræ 7
 7	CHAUS.
	HEADRD CAT. Chaus? planiceps.
Felis planiceps, <i>Bla</i> et Phys. iii. pl. 4	sine., Ostéog. G. Felis, pl. 9 (skull).—Ann.d'Anat l. fig. 1 (lower jaw).
a. Skull. b. Skull. Malacca. c. Skull: young.	Presented by A. Charlton, Esq.
The Serv	ALINE CHAUS. Chaus servalinus.
Felis serval, Blains	o., Ostéog. G. Felis, pl. 9 (skull).
Dorsal Lumba Sacral	1 vertebræ 7
	cone. Presented by W. Whitfield, Esq.
f. Skull. From the 2	ne Zoological Society's Collection. Zoological Society's Collection. From the Zoological Society's Collection.
	TP

The CHAUS. Chaus libycus.

Felis chaus, Is.-Geoff. St.-H., Descrip. Coll. de V. Jacquemont, 1842-43, p. 45. pl. 3. fig. 1 (akull). Felis caligata, *Is.-Geoff. St.-H.*, ibid. p. 49. pl. 3. fig. 2 (skull).

- a. Skull: adult. Nepal. Presented by B. H. Hodgson,
- b. Skull: adult (imperfect). Nepal. Esq.
- c. Skull. From the Zoological Society's Collection.
 d. Skull. Hazareebagh, India. Presented by Professor Oldham.

Chaus caffer.

*a. Skull. Cape of Good Hope. From M. Verreaux's Collection.

Chaus jacquemontii.

Felis jacquemontii, Is.-Geoff. St.-H., Descrip. Coll. de V. Jacquemont, 1842-43, p. 58. pl. 2 (animal), pl. 3 (akull).

a, b, c. Skulls. Salt range, India. Presented by Professor Oldham.

FELIS.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{1-1}{1-1}$; =30.

Felis rutila.

a. Skull. Sierra Leone. From the Zoological Society's Collection.

Felis huttoni.

a. Skull. Salt range, India. Presented by Professor Oldham.

The SMALL-FOOTED CAT. Felis maniculata.

- Sennaar. From M. Parreyss's Collection. *a. Skull.
- *b. Skull.

Felis rubiginosa.

*a. Skull. Madras. Presented by T. C. Jerdon, M.D.

The Car. Felis domestica.

Blasius, Faun. Wirb. Deutschl. p. 167. figs. 104, 105 (skull). Chat, Buff., Hist. Nat. v. p. 48. pl. 7 (skeleton).

> Cervical vertebræ..... Lumbar Sacral

- a. Skull. Nepal. Presented by B. H. Hodgson, Esq. *b. Skull. Isle of Man. Presented by Mrs. Col. Thompson.
- c. Skull. England. Presented by Mr. J. Baker.
- d. Skeleton: adult. England.

FEMIDE: HECOS.	•
e. Skeleton of fœtus. England. Presented by J. E. Gray, Esq. f. Skull. England. Presented by John Ray, Esq. g. Skull. England. h, i. Skulls. From Mr. Argent's Collection. j. Skull. From Mr. Stevens's sale. k. Skull. From Dr. Mantell's Collection. l, m. Skulls. Nepal. Presented by B. H. Hodgson, Esq. n. Skeleton. England. From Mr. Daniel's Collection. o, p. Skulls. From Mr. Stevens's Collection. q. Skull. Van Diemen's Land. Presented by R. Gunn, Esq. r. Skull: tailless variety. From the Zoological Society's Collection s. Skull: Angora variety. From the Zoological Society's Collection t. Skull. Nepal. Presented by B. H. Hodgson, Esq. u. Fœtal skeleton. v. Fætal skull. From Mr. Yarrell's Collection.	1.
The WILD CAT. Felis catus.	
Blasius, Faun. Wirb. Deutschl. p. 163. figs. 102, 103 (skull), 1857.	
 a. Skull. From Mr. Bullock's Collection. b. Skull. From the Zoological Society's Collection. c. Skull. "Wild Cat of Italy." From the Zoological Society's Collection. d. Skull: male, adult. S. Germany. e. Skull: male, half-grown. S. Germany. f. Skull: female. S. Germany. g, h. Skulls: fœtus. S. Germany. 	
The Pampas Cat. Felis pageros.	
Cervical vertebræ 7 Dorsal 13 Lumbar 7 Sacral 3 Caudal 19 or 20	
*a. Skull. Chili. b. Skeleton. Chili. From Mr. Bridges' Collection. c. Skull.	
LYNCUS.	
Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{2-3}$; Molars $\frac{1-1}{1-1}$;=30.	,
The Pershoo or Canada Lynx. Lyncus canadensis.	
Cervical vertebræ	
r 2	

- b. Skull. Hudson's Bay. Presented by the Hudson's Bay Company.
- c. Skull.
- d. Skeleton.
- e. Skeleton. Kamtschatka. From Mr. Brandt's Collection.

The Lynx. Lyncus lynx.

Felis lynx, Blainv., Ostéog. G. Felis, pl. 3 (skeleton).—Blasius, Faun. Wirb. Deutschl. p. 173. fig. 106 (skull).

Cervical vertebrae	. 7
Dorsal	. 13
Lumbar	. 7
Sacral	. 3
Caudal	. (imperfect).

a. Skeleton. Sweden. From Mr. Brandt's Collection.

Lyncus cervaria.

a. Skull. From the Zoological Society's Collection.

The Southern Lynx. Lyncus pardina.

a. Skull. From the Zoological Society's Collection.

The AMERICAN WILD CAT. Lyncus rufa.

Felis rufa, Voy. de la Vénus, pl. 9. figs. 2-4 (skull), 1846.

a, b. Skulls.

CARACAL

The CARACAL. Caracal melanotis.

Blainv., Ost. Atl. G. Felis, pl. 10 (skull).—Van der Hoeven, Verz. der Platen, pl. 19. fig. 9 (skull).

- a. Skull. Orange River. From Mr. Argent's Collection.
- *b. Skull. From the Zoological Society's Collection.
- c, d. Skulls. From the Zoological Society's Collection.
- Skull and bones of the body. From the Zoological Society's Collection.

GUEPARDA.

Teeth:—Incisors $\frac{2-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-2}$; Molars $\frac{1-1}{1-1}$;=30.

The Youze or Chetan. Gueparda jubata.

Blainv., Ost. Atl. G. Felis, pl. 10 (skull), pl. 4 (skeleton). Var. senegalensis, Blainv., I. c. pl. 10 (skull).

Cervical	V	e	rt	e	b	r	æ								7
Dorsal .											•				13
Lumbar.				_	_	_	_								7

Sacral vertebræ										
 *a. Skull. Cape of Good Hope. Presented by W. Burchell, Esq. b. Skeleton. From the Zoological Society's Collection. c. Skull. From the Zoological Society's Collection. 										
HYÆNA.										
Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{3-3}$; Molars $\frac{1-1}{1-1}$;=34.										
The Striped Hymna. Hymna striata.										
D'Alton, Vergleichende Osteologie, pl. 2 (skeleton).—Cuv., Dents des Mammifères, no. 25. p. 81 (teeth).—Blainv., Ost. Atl. G. Hyrena, p. 161. pl. (skeleton), pl. 2 (skull).—Van der Hoeven, Verz. der Platen, pl. 20. fig. 9 (lower jaw and teeth).—Owen, Odont. pl. 126. figs. 6-8 (teeth).—Odontology, article in Encycl. Brit. p. 460. fig. 105 (dentition of lower jaw).										
 a. Skull. Cape of Good Hope. *b. Skull. Cape of Good Hope. c. Skull. Northern Circar. d. Skull. Cape of Good Hope? Presented by Edward Cross, Esq.										
 e. Skull. Bhagulpore, India. Presented by Professor Oldham. f. Skull. Nepal. Presented by B. H. Hodgson, Esq. g. Skull: half-grown. 										
CROCUTA.										
CROCUTA. Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{3-3}$; Molars $\frac{1-1}{1-1}$;=34.										
Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{3-3}$; Molars $\frac{1-1}{1-1}$;=34. The Tieer Wolf. Crocuta maculata. Blainv., Ost. Atl. G. Hysena, pl. 3 (skull).										
Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{3-3}$; Molars $\frac{1-1}{1-1}$;=34. The Tieer Wolf. Crocuta maculata.										
Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{3-3}$; Molars $\frac{1-1}{1-1}$;=34. The Tiger Wolf. Crocuta maculata. Blains, Ost. Atl. G. Hyæna, pl. 3 (skull). Cervical vertebræ										
Teeth:—Incisors \$\frac{3-3}{3-3}\$; Canines \$\frac{1-1}{1-1}\$; Premolars \$\frac{4-4}{3-3}\$; Molars \$\frac{1-1}{1-1}\$;=34. The Tiber Wolf. Crocuta maculata. Blainv., Ost. Atl. G. Hyæna, pl. 3 (skull). Cervical vertebræ										
Teeth:—Incisors \$\frac{3-3}{3-3}\$; Canines \$\frac{1-1}{1-1}\$; Premolars \$\frac{4-4}{3-3}\$; Molars \$\frac{1-1}{1-1}\$;=34. The Tiber Wolf. Crocuta maculata. Blainv., Ost. Atl. G. Hyæna, pl. 3 (skull). Cervical vertebræ										

PROTELES.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$; = 32.

The AARD WOLF. Proteles cristatus.

Is.-Geoff. St.-Hil., Mag. de Zool. 1841, p. 1. pl. 30 (akull).—Blaim., Ost. Atl. G. Canis, fasc. 10-16. pp. 33, 50, pl. 3 (akeleton).—Owen, Odont. p. 478. pl. 125. fig. 6 (dentition).

*a. Skull. S. Africa.

VIVERRA.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{3-2}{3-3}$; = 40.

The CIVET. Viverra civetta.

D'Alton, Vergleich. Osteologie, pl. 4 (skeleton).—Blaine., Ost. Atl. G. Viverra, fasc. 10-16. p. 41. pl. (skeleton), pl. 7 (skull), pl. 12 (dentition).

Cervical vertebrae	7
Dorsal	13
Lumbar	
Sacral	
Caudal	22 or 23

*a. Skull. Tropical America. Presented by E. Cross, Esq. b, c. Skulls.b, c. Skulls.c. Skeleton.From the Zoological Society's Collection.

The ZIBETH. Viverra zibetha.

Blaine., Ost. Atl. G. Viverra, pl. 8 (skull), pl. 12 (dentition).

a. Skull (imperfect). Nepal. Presented by B. H. Hodgson, Esq.

b. Skull. Calcutta. Presented by Professor Oldham.

The RASSE. Viverra malaccensis.

- a. Skeleton (nearly perfect). Nepal. Presented by B. H. Hodgson, Esq.
- b. Skull. Nepal.
- c. Skull. Nepal. Presented by B. H. Hodgson, Esq. d. Skull. Nepal.

e. Skull. Nepal.

*f. Skull (lower jaw wanting).

- g. Skull: young. Presented by Mr. Edward Gerrard. h. Skull.
- i. Skeleton. From the Zoological Society's Collection.
- j. Skull. India. Presented by W. Elliott, Esq.
 k. Skull: young. From the Zoological Society's Collection.
- 1. Skull. From the Zoological Society's Collection.

The PALE CIVET. Viverra pallida.

Cervical vertebræ	7
Dorsal	13
Lumbar	
Sacral	3
Caudal	30

a. Skeleton. From the Zoological Society's Collection.

Viverra abyssinica.

Rüppell, Fauna Abyssinica, taf. 10 (skull), 1835-40.

Viverra ---- ?

a. Skull: young. Isle of Negros (one of the Philippine Islands).
 From the Zoological Society's Collection.

GENETTA.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{2-2}{3-3}$; = 40.

The BLOTCHED GENET. Genetta tigrina.

a. Skull. Cape of Good Hope.

The PALE GENET. Genetta senegalensis.

Cervical vertebræ	. 7
Dorsal	. 13
Lumbar	. 6
Sacral	. 3
Caudal	. 19 (imperfect).

*a. Skull.

- b. Skull: female. N. Africa. From Mr. Stevens's Collection.
- c. Skeleton. From the Zoological Society's Collection.

*d. Skull.

Genetta vulgaris.

*a. Skull. France. From M. Verreaux's Collection.

EUPLERES.

Eupleres goudotii.

Doyère, Ann. Sc. Nat. 1885, iv. p. 281.—Blainv., Ostéog. G. Viverra, pl. 8 (skull), pl. 10 (foot), pl. 12 (dentition).

LINSANG.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{1-1}{3-3}$; =38.

The Drlundune. Lingang gracilis.

Horsfield, Zool. Researches in Java, a to d (teeth). Viverra linsang, Blaine., Osteog. G. Viverra, pl. 12 (dentition).

*a. Skull. Borneo. From Mr. Low's Collection.

The Nepal Linsand. Linsand pardicolor.

*a. Skull. Nepal. Presented by B. H. Hodgson, Esq.

RICHARDSON'S GENET. Linsang richardsonii.

*a. Skull. Fernando Po. From Mr. Fraser's Collection.

BASARIS.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{4-4}$; Molars $\frac{3-3}{3-3}$; =38.

The CACOMIXLE. Basaris astuta.

Licht., Voy. de la Bonite (skeleton).—Blaine., Ost. Atl. G. Mustela, fasc. 10–16. p. 95. pl. 5 (skeleton), pl. 12 (dentition).—Baird, Mamm. N. America, pl. 74. fig. 2, 1859.

*a. Skull. Mexico. Presented by J. Phillips, Esq. b. Skull. From the Zoological Society's Collection.

MUNGOS.

Teeth:—Incisors $\frac{3-3}{5-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{3-2}{5-3}$; = 40.

The Banded Mungos. Mungos fasciatus.

- a. Skull. From the Zoological Society's Collection.
- b. Teeth. From the Zoological Society's Collection.

Elliot's Mungos. Mungos vitticollis.

Mangusta vitticollis, Blaine., Ost. Atl. G. Viverra, fasc. 10-16. pp. 48, 96. pl. 6 (skull), pl. 12 (dentition).

Cervical	V	eı	rt	e	b	r	æ	١.							7
Dorsal .															
Lumbar															7
Sacral .															3
O3-1															0.4

- *a. Skull. Travancore, India.
 b. Skeleton. India. From the Zoological Society's Collection.
- c. Skull. From the Zoological Society's Collection.

URVA.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{2-2}{3-2}$; = 40.

The URVA. Urva cancrivora.

a. Skull. Nepal.
b. Skull. Nepal.
c. Teeth. Nepal.

Presented by B. H. Hodgson, Esq.

BDEOGALE.

Bdeogale crassicauda.

Peters, Naturw. reise nach Mossambique, Säugth. i. p. 119. pl. 27. figs. c, d (skull), e, f (dentition).

Bdeogale puîsa.

Peters, Naturw. reise nach Mossambique, Säugth. i. pl. 28. figs. c, d (skull).

HERPESTES.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{2-3}{2-2}$; = 40.

The ICHNEUMON. Herpestes ichneumon.

Mangusta ichneumon, Blainv., Ost. Atl. G. Viverra, fasc. 10–16. pp. 47, 95. pl. 1, pl. 12 (dentition).

- *a. Skull. North America.
- b. Skull.
- c. Skull. Gambia. Presented by the Earl of Derby.
- d. Skull.
- e. Skull. North Africa.

The Andalusian Ichneumon. Herpestes widdringtonii.

Cervical	٧	е	r	te	b	r	æ	٠.							7
Dorsal .															14
Lumbar															
Sacral .															
Caudal .															(?)

 Skeleton. Sierra Morena, Spain. From the Zoological Society's Collection.

The Cape Ichneumon. Herpestes caffer.

*a. Skull. Cape of Good Hope.

The Garangan. Herpestes javanicus.

Horsfield, Zool. Researches in Java, l-t (skull & dentition).

The Brown Ichneumon. Herpestes fuscus.

*a. Skull. India. From the Zoological Society's Collection.

Dr. Smith's Ichneumon. Herpestes smithii.

Cervical ver	teb ræ		 7
Dorsal			 13
Lumbar			 7
Sacral			 3
Caudal			 30

- *a. Ceylon (imperfect skeleton). From the Zoological Society's Collection.
- b. Skull. From the Zoological Society's Collection.

The CAPE ICHNEUMON. Herpestes paludosus.

Cervical	VE	r	e	b	n	æ										7
Dorsal .															•	14
Lumbar																
Sacral .																3
Candal .				i		i	Ī	i	Ī	Ī	Ī	Ī	Ī		Ī	24

- a. Skull. Cape of Good Hope.
- b. Skeleton.
- *c. Skull.
- d. Skull. Gambia. From the Zoological Society's Collection, as Herpestes urinatrix, A. Smith.
- e. Skull. From the Zoological Society's Collection.

The Short-tailed Ichneumen. Herpestes brachyurus.

Gray, Voy. of the Samarang, no. 5. pl. 4. figs. 1-3, 1849 (skull). Mangusta brachyura, *Blaino.*, Ost. Atl. G. Viverra, pl. 6 (lower jaw).

- *a. Skull. Malacea. The specimen figured in the 'Voyage of the Samarang.'
- b, c. Skulls. From the Zoological Society's Collection.

The Half-collared Ichneumon. Herpestes semitorquatus.

Gray, Voy. of the Samarang, no. 5. pl. 3. figs. 1-3 (1849).

*a. Skull. Borneo. The specimen figured in the 'Voyage of the Samarang.'

The Highland Nyula. Herpestes nepalensis.

- a. Skeleton (imperfect). Nepal. Presented by B. H. Hodgson, Esq.
- b. Skull (imperfect). Nepal. Presented by B. H. Hodgson, Esq.
- c. Skull. India. Presented by S. Sotheby, Esq.
 d. Skull. India. Presented by T. Ingall, Esq.

e.	Skull.	India.	
f.	Skull.	Nepal.	Presented by B. H. Hodgson, Esq.
	h. Skul		

The NYULA. Herpestes nyula.

Cervical vertebræ	
Lumbar Sacral	•
Caudal	

a. Skull. Nepal. Presented by B. H. Hodgson, Esq.

- b. Skeleton (imperfect). Nepal. Presented by B. H. Hodgson, Esq.
- c. Skeleton. Malacca.
- d. Skull. From Mr. Bartlett's Collection.
- e-h. Skulls. Nepal. Presented by B. H. Hodgson, Esq.
- i, j. Skulls. Salt range, India. Presented by Professor Oldham.

The Mungos. Herpestes griseus.

a, b. Skulls. Bengal. Presented by Professor Oldham.

c-j. Skulls. From the Zoological Society's Collection.

The RATLAMUCHI. Herpestes badius.

- a. Skull. S. Africa. Presented by Sir A. Smith.
- b. Skull. S. Africa. Presented by Sir A. Smith. c. Skull. S. Africa. Presented by Sir A. Smith.—Herpestes cawii, A. Smith.

The Red Ichneumon. Herpestes sanguineus.

Rüppell, Fauna Abyssinica, tab. 10 (skull).

The MUTGICELLA. Herpestes mutgigella.

- *a. Skull. Abyssinia.
- *b, c. Skulls.

Mrs. Macarthey's Ichneumon. Herpestes macarthiæ.

Cervical vertebræ	. 7
Dorsal	13
Lumbar	. 7
Sacral	3
Condol	മെ

*a. Skeleton. Ceylon. From the Zoological Society's Collection.

Herpestes ornatus.

Peters, Naturw. reise nach Mossambique, Säugth. i. p. 117. pl. 25. figs. d, e (skull).

Herpestes undulatus.

Peters, Naturw. reise nach Mossambique, Säugth. i. p. 114. pl. 25. figs. d, s (skull).

GALIDIA.

Galidia elegans.

Is.-Geoff. St.-H., Mag. de Zool. 1839, p. 27. pl. 14 et pl. 17. figs. 1-3 (akull).

MANGUSTA.

Mangusta (Galidia) elegans.

Blaine., Ostéog. G. Viverra, pl. 9 (skull).

ICHNEUMIA.

The SLENDER ICHNEUMON. Ichneumia gracilis.

Herpestes gracilis, Rüpp., Fauna Abyssinica, pl. 10 (skull).

Ichneumia albescens.

Is.-Geoff. St.-H., Mag. de Zool. 1839, p. 35. pl. 13. figs. 1-3 (skulls).

GALIDICTES.

Galidictes striata.

Is.-Geoff. St.-H., Mag. de Zool. 1839, pl. 18 et pl. 19. figs. 1-3 (skulls).

HELOGALE, n. g.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-2}{3-3}$;=36.

Helogale parvulus.

- *a. Skull. S. Africa. From M. Sundevall's Collection.
- *b. Skull. Port Natal. From Mr. Warwick's Collection.

Helogale tænionotus.

	Cervical vertebræ 7 Dorsal 14 Lumbar 6 Sacral 3 Caudal 24
a. Skeleton.	S. Africa. Presented by Sir A. Smith.

CYNICTIS.

Teeth:—Incisors $\frac{2-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{3-3}$; Molars $\frac{2-2}{3-4}$; = 38.

The MEERKAT. Cynictis levaillantii.

Cynictis steadmanii, *Ogilby*, Trans. Zool. Soc. i. p. 34. pl. 3 (skull). Mangusta (Cynictis) penicillata, *Blainv.*, Ost. G. Viverra, pl. 5 (skull).

- a. Skull. S. Africa. From the Zoological Society's Collection.
- b. Skeleton. S. Africa. From the Zoological Society's Collection.
- c. Skull: adult. S. Africa. Presented by the Zoological Society.— Cynictis steadmanii, Ogilby.
- d. Skull. Interior of S. Africa. Presented by Sir A. Smith.— Cynicis lepturus, A. Smith.
- e. Skull. Interior of S. Africa. Presented by Sir A. Smith.— Cynictis ogilbyii, A. Smith.

Cynictis melanura.

*a. Skull. W. Africa. Presented by the Earl of Derby.

Cynictis ochraceus.

*a. Skull. Abyssinia. Presented by F. H. Houra, Esq.

CROSSARCHUS.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{4-4}$; Molars $\frac{3-3}{1-1}$; =36.

The Kusimanse. Crossarchus obscurus.

Blainv., Ost. Atl. fasc. 10-16. pp. 49, 99. pl. 12 (dentition).

 Cervical vertebræ
 7

 Dorsal
 13

 Lumbar
 6

 Sacral
 3

*a. Skeleton. From the Zoological Society's Collection.

SURICATA.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{4-4}$; Molars $\frac{2-3}{1-1}$;=36.

The Zenick. Suricata zenick.

Cuv., Dents des Mamm. p. 104. no. 35. figs. 1-3 (teeth).

Mangusta (Suricata) tetradactyla, Blaine., Ost. Atl. G. Viverra,
fasc. 10-16. p. 28. pl. 5 (skulls), pl. 12 (dentition).

 Cervical vertebræ
 7

 Dorsal
 14

Lumbar vertebræ 6 Sacral 3 Caudal 22
a. Skull.
*b. Skull. S. Africa.
e, Skull. S. Africa.
d. Skeleton.
e. Skull (lower jaw wanting).
f. Skull.
ARCTICTES.
Teeth:—Incisors $\frac{3-3}{5-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{5-3}$; Molars $\frac{2-2}{3-2}$;=36.
The BINTURONS. Arctictes bintureng.
Blainv., Ost. Atl. G. Subursus, p. 39. pl. 4 (akeleton).—Cuvier, Dents des Mamm. p. 102 (teeth).—Temm., Mon. Mamm. ii. p. 305. pl. 62. fig. 1 (akeleton), figs. 2, 3 (akull), 1835-41.
Cervical vertebræ

a. Skull. From the Zoological Society's Collection.b. Skeleton. Java. From Mr. Warwick's Collection.

CYNOGALE.

 Lumbar
 6

 Sacral
 3

 Caudal
 33

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{2-3}{2-9}$; =40.

The Marmon. Cynogale bennettii.

Blainv., Ost. Atl. G. Viverra (skeleton, d), pl. 7 (skull), fasc. 10-16. p. 14.—Oven, Odont. pl. 126. figs. 4, 5 (dentition); Odontology, Article in Encycl. Brit. p. 460. fig. 106 (dentition). Potamophilus barbatus, Müller, Verh. Nat. Gesch. pl. 17. figs. 3-6 (skull).

*a. Skull. Borneo.

b. Skull: young. From the Zoological Society's Collection.

PAGUMA.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{3-2}{3-2}$; =40.

The Nepal Paguma. Paguma grayii.

- a. Skeleton (imperfect). Nepal. Presented by B. H. Hodgson, Esq.
 b. Skull. Nepal. Presented by B. H. Hodgson, Esq.
- c. Skull. From the Zoological Society's Collection.

The Masked Paguma. Paguma larvata.

a. Skull, China. Presented by John Reeves, Esq.

Changa'a	Dearmes	Растта	omografi
U/ROSS'S	PAGITMA.	Paonina	Crossii.

	•	
Cervical vertebræ		7
Dorsal		13
Lumbar		7
Sacral		3
Caudal	🖈	3 0

a. Skeleton. Presented by Edward Cross, Esq.

The White-Whiskered Paguma leucomystax.

Blainv., Ost. Atl. G. Viverra, fasc. 10-16. pl. 7 (skull), pl. 12 (dentition).
—Temm., Mon. Mamm: ii. p. 325. pls. 4-6 (skulls).

a. Skull: young. From the Zoological Society's Collection.

The Three-streamed Paguma. Paguma trivirgata.

Paradoxurus trivirgatus, Temm., Mon. Mamm. ii. pl. 63. fig. 1 (skeleton).

PARADOXURUS.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{2-2}{3-3}$; = 40.

The Philippine Paradoxure. Paradoxurus zeylanicus.

*a. Skull. Camigiund. From Mr. Cuming's Collection.

b. Skull. Manilla. From the Zoological Society's Collection.

The Black-fronted Paradoxure. Paradoxurus nigrifrons.

*a. Skull. India. Presented by Edward Cross, Esq. b. c. Skulls. India. From Mr. Bartlett's Collection.

The Bondar or Muchabba. Paradoxurus bondar.

Temm., Mon. Mamm. ii. pl. 65. figs. 4-6 (skulls).

a. Skull. Nepal.)
b. Skull. Nepal.	İ
c. Skull. Nepal.	Presented by
d. Skull and imperfect skeleton.	Nepal. B. H. Hodgson, Esq.
e. Skull: half-grown. Nepal.	-
f. Skull: very young. Nepal.	ſ
g. Skull: young.	-

Paradoxurus aureus.

*a. Skull. Ceylon. Presented by Dr. Kelaart. b, c. Skulls. From the Zoological Society's Collection.

d. Skull.

The Musane. Paradoxurus musanga.

Horsfield, Zool. Researches in Java, G. H. (teeth).—Temm., Mon. Mamm. ii. p. 317. pl. 64. figs. 1-3 (skulls).

- a, b. Skulls. From the Zoological Society's Collection.
- c. Skull: young. From the Zoological Society's Collection.

The Luwack. Paradoxurus typus.

Blaine., Ost. Atl. G. Viverra, pl. 2 (akeleton), pl. 7 (akull), pl. 12 (dentition).

Cervical	٧	e	rt	æ	b	r	æ	١.							7
Dorsal .															14
Lumbar															6
Sacral .															
Caudal															

- a. Skeleton. From the Zoological Society's Collection.
- b, c. Skulls. From the Zoological Society's Collection.
- d, c. Skulls: adult and young. India. Presented by Prof. Oldham.
- f. Skull. From the Zoological Society's Collection.
- g. Skull.

HEMIGALEA.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{2-3}{3-3}$; =40.

The HERIGALE. Hemigalea zebra.

Gray, Voy. de la Bonite, figs. a, b (skull).

Paradoxurus derbyanus, Blaine., Ost. Atl. G. Viverra, pl. 7 (skull), pl. 12 (dentition).

Viverra boiei, Müller, S. Verh. Nat. Gesch. pl. 18. figs. 3-7 (skull and dentition).

Cervical	7	re	r	te	b	r	æ	١.							7
Dorsal .															
Lumbar															7
Sacral .															3
Caudal .															26

*a. Skull.

b. Skeleton. Borneo. From Mr. Low's Collection.

NANDINA.

Teeth:—Incisors $\frac{3-3}{3-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{3-2}{3-2}$; = 40.

The NANDINE. Nandina binotata.

Paradoxurus hamiltonii, Blainv., Ost. Atl. fasc. 10-16. p. 46.—Temm., Mon. Mamm. ii. pl. 65. figs. 7-9 (skull), pl. 12 (dentition).

- *a. Skull. From Mr. Bartlett's Collection.
- b. Skull. From the Zoological Society's Collection.

CRYPTOPROCTA.

Cryptoprocta ferox.

- Bennett (skull described in Trans. Zool. Soc. i. p. 139).—Blainv., Ost. Atl. G. Viverra, fasc. 10-16, pp. 15, 96, pl. 6 (skull), pl. 12 (dentition).
- *a. Skull: immature. Mauritius. From the Zoological Society's Collection.—The specimen figured and described by M. de Blain-

CUON.

Teeth:—Incisors $\frac{3-3}{3-3}$; Camines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{3-3}{3-3}$;=40.

The Cuon. Cuon primævus.

Canis primævus, Blainv., Ost. Atl. G. Canis, fasc. 10-16. p. 49. pl. 8. -Laurent et Bazin, Ann. d'Anat. et Phys. i. pl. 1. 8. fig. 4 (skull).

Cervical	v	e	rí	te	b	r	æ	٠.							7
Dorsal															13
Lumbar															
Sacral															
Caudal															

- a. Skeleton: adult (without skull). b. Skeleton: feetus. c. Skull. *d. Skull.
- e. Skull: foetal. f. Skull: foetal.

g. Skull. Cashmere. From Lieut. Abbott's Collection.

The Kolsun. Cuon dukhunensis.

*a. Skull. Madras. Presented by Colonel Sykes.

b. Skull. From the Zoological Society's Collection.

The SIBERIAN RED WOLF. Cuon alpinus.

*a. Skull. Altai Mountains. From Mr. Brandt's Collection.

The Quao? Cuon sumatrensis.

Cervical vertebræ	7
Dorsal	13
Lumbar	7
Sacral	
Caudal	19 or 20

- a. Skull. Sumatra.
- Presented by A. Charlton, Esq. *b. Skull. Malacca.
- c. Skeleton. Java. From Mr. Warwick's Collection.

Digitized by Google

Nepal. Presented by B. H. Hodgson, Esq.

CANTS.
Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{3-2}{3-3}$;=42.
The Abyssinian Wolf. Canis simensis.
*a. Skull. Abyssinia. From the Frankfort Museum.
The Jackal or Ghidar. Canis aureus.
Blaine., Ost. Atl. G. Canis, pl. 5 (akull).—Blasius, Faun. Wirb. Deutschl. p. 179. figs. 110, 113 (akulls).
Cervical vertebræ 7 Dorsal 13 Lumbar 7 Sacral 3 Caudal (?)
 a, b, c. Three skulls of different-aged specimens. Presented by B. H. Hodgson, Esq. d. Skeleton. e. Skull. Hazareebagh, India. Presented by Professor Oldham. f-i. Skulls. From the Zoological Society's Collection.
The Langdah or Indian Wolf. Canis pallipes. a. Skull. Nepal. b. Skeleton. Nepal. c. Skull. Nepal. d, e. Skulls.
The Doc. Canis familiaris.
 Blaine., Ost. Atl. G. Canis, pl. 7 (skull).—Owen, Odontology, Article in Encycl. Brit. p. 460. fig. 106 (dentition). Chien, Buff., Hist. Nat. v. p. 300. pl. 51 (skeleton).
Cervical vertebræ 7 Dorsal 13 Lumbar 7 Sacral 3 Caudal 20
a. Skulls. Presented by Captain Sir John Ross, R.N. b-d. Three skulls of different ages of the Pariah Dog. e. Skull of a Mongrel Bhotea Dog. f, g. Two skulls of the Bhotea Mastiff. h. Skull of a Cabul Tazee Greyhound. Skull of a Raciliah Greyhound. B. H. Hodg-

i. Skull of an English Greyhound.
j. Skull of an English Spaniel.
k. Skull of an English Spaniel (Mongrel?).
l. Skull of an English Pointer.

B. H. Hodg-

son, Esq.

```
m, n. Two skulls of Chinese Lapdogs, one young.
                                                      Presented by B. H.
o. Skeleton of the Pariah Dog.
p. Skull of the Pariah Dog.
                                                        Hodgson, Esq.
q. Skull of the Tibetan Mastiff.
r. Skull of the Mount St. Bernard Dog. Mount St. Bernard.
s. Skull of the Bulldog. Presented by Mr. Edward Gerrard.
t. Skull of the Bloodhound. Ireland.
u. Skull. England.
v. Skull of a Bulldog.
w. Skull.
x. Skeleton of the Bloodhound.
y. Skull of the Wild Dog. India.
                                        Presented by Captain Boys.
z. Skull of the Terrier. England.
a<sup>2</sup>. Skull. From Mr. Warwick's Collection.
b<sup>2</sup>. Skull of the Water Spaniel. From Mr. Warwick's Collection.
c<sup>2</sup>. Skull of the Terrier.
d2. Skull between Bloodhound and Hound. From the Zoological
     Society's Collection.
e^2. Skeleton of the Beagle.
f. Skull.
g<sup>2</sup>. Skeleton of the Italian Greyhound.
h^2. Skeleton of the Terrier. From Mr. Warwick's Collection.
i<sup>2</sup>. Skeleton of the Australian Greyhound.
j<sup>2</sup>. Skull. Presented by B. H. Hodgson, Esq.
k<sup>2</sup>. Skull of the Esquimaux Dog. Presented by Captain King, R.N.
l^2, m^2. Skulls. n^2, u^3. Skulls of the Esquimaux Dog.
o<sup>2</sup>. Skull of the Wolf Dog.
p<sup>2</sup>. Skull: hybrid between Esquimaux Dog
     and European Wolf.
q<sup>2</sup>. Skull: hybrid between a Dingo and a (From the Zoological
     Common Wolf.
                                                    Society's Collection.
s2. Skull of the Manilla Bloodhound.
t<sup>2</sup>. Skull. Nootka Sound.
v^2, y^2. Skulls of the Chinese Dog.
w^2. Skull of the Pariah Dog.
x^2. Skull of the Barbary Dog.
z^2. Skull of the Italian Greyhound.
                                        From Mr. Yarrell's Collection.
a<sup>3</sup>. Skull of the Pomarine Terrier. From the Zoological Society's
     Collection.
b3. Skull of the Scotch Mastiff. Presented by R. Jennings, Esq.
c3. Skull of the Greyhound. From Mr. Yarrell's Collection.
d', e'. Skulls of the Bengal Pariah Dog. Presented by Prof. Oldham.
f<sup>3</sup>. Skull: male: var. daricus. S. Germany.
g<sup>3</sup>. Skull: male: var. laniarius. S.Germany.
h3. Skull: male: var. rossicus. S. Germany.
                                               From Dr. A. Günther's
i<sup>3</sup>. Skull. Silesia.
                                                    Collection.
j<sup>3</sup>. Skull: female.
                     S. Germany.
k<sup>3</sup>. Skull: young male: var. daricus.
     Germany.
                                                             62
```

P. Skull: young female: var. auricularis. S. Germany. m ² . Skull: young: var. mastivus. S. Germany. n ³ . Skull: young female. o ³ . Skull: female.
The Japan Dog. Canis (familiaris) japonicus.
Temm., Fauna Japonica, pl. 10. figs. 5, 6 (akull).
The Dingo. Canis dingo.
Blainv., Ost. Atl. G. Canis, pl. 7 (skull).
Cervical vertebræ 7 Dorsal 13 Lumbar 7 Sacral 3 Caudal 20 or 21
*a. Skull. Moore's River, Australia. b. Skeleton. From Mr. Warwick's Collection. c-e. Skulls. From the Zoological Society's Collection.
The Wolf. Canis lupus.
Blaine., Ost. Atl. G. Canis, pl. 3 (skeleton).—Blassus, Faun. Wirh. Deutschl. p. 177. figs. 109-111.—Owen, Odont. pl. 125. figs. 1-4 (dentition). Loup, Buffon, Hist. Nat. vii. p. 39. pl. 3 (skeleton).
Cervical vertebræ 7 Dorsal 13 Lumbar 7 Sacral 3 Caudal 20
 a. Skull. Europe. Presented by Sir T. Wilson, Bart. b. Skeleton. From Mr. Brandt's Collection. c. Skeleton: female. From the Zoological Society's Collection.
The American Wolf. Canis occidentalis.
Richardson, Faun. Wirb. Deutschl. p. 180. fig. 111 (skull).—Baird, Mamm. N. America, pl. 31 (skull).
Cervical vertebræ 7 Dorsal 13 Lumbar 7 Sacral 3 Caudal (?)
 a. Skeleton. N. America. Presented by R. King, Esq., R.N. b. Skeleton. N. America. Presented by Dr. Rae. *c. Skull. America.—Black var., C. lycaon, Harlan. d. Skull (imperfect). N.W. America. Presented by Captain Kellett and Lieut. Wood.

e. Skull. Fort Langley, Fraser's River, British Columbia. Presented by Lord J. Russell. Collected by the Boundary Commission.

The Prairie Wolf. Canis latrans.

Blainv., Ost. Atl. G. Canis, pl. 7 (skull).—Baird, Mamm. N. America, pl. 76 (skull).

a. Skull (imperfect).

The DIEB. Canis anthus.

*a. Skull. Algiers. From M. Parzudaki's Collection. b. Skull. Tunis. From Mr. Fraser's Collection.

The BURNT Dog. Canis adustus.

a. Skull: young. Caffraria. From M. Sundevall's Collection.

VULPES.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{2-2}{3-3}$; = 42.

The Sabora. Vulpes niloticus.

- a. Skull. Egypt. Presented by Dr. Turnbull Christie.
- b, c. Skulls. N. Africa. From Mr. L. Fraser's Collection.
- d. Skull. Tangiers. From Mr. Stevens's Collection.

The American Fox or Makkeeshew. Vulpes fulvus.

Baird, Mamm. N. America, pl. 32 (skull).—Bazin et Laurent, Ann. d'Anat. et Phys. iii. pl. 4. figs. 4 & 5 (lower jaw).

Cervical	v	e	r	te	b	r	æ	١.							7
Dorsal .															13
Lumbar															7
Sacral .															3
Candal .															

- a. Skull. N. America. From Dr. Mantell's Collection.
- *b. Skull. N. America. From the Zoological Society's Collection.
- c, d. Skulls. Hudson's Bay. Presented by the Hudson's Bay Company.
- Skeleton. From a black variety. From the Zoological Society's Collection.
- f. Skull. From the Zoological Society's Collection.
- g. Skeleton. N. America. From Mr. Brandt's Collection as C. argentatus, Shaw.

The Fox. Vulpes vulgaris.

Renard, Buffon, Hist. Nat. vii. p. 75. pl. 6 (skeleton).
Canis vulpes, Spir, Cephalogenesis, tab. 6. fig. 17 (skull).—Blaine.,
Canis vulpes, Spix, Cephalogenesis, tab. 6. fig. 17 (skull).—Blains., Ost. Atl. G. Canis, pl. 4 (skeleton).—Blassies, Faun. Wirb. Deutschl.
p. 190. fig. 114 (akull). `

Cervical	₹e	rtı	ьb	r	æ								7
Dorsal .													13
Lumbar													
Sacral .													3
Candal .													

*a. Skull. England.

b. Skull. England. Presented by John Ray, Esq.

c. Skeleton.

d, e. Skulls. From Mr. Argent's Collection.

f. Skull. From Mr. Stevens's Collection.

g. Skeleton. Europe. From Mr. Brandt's Collection.

h-j. Skulls: adult and young. From the Zoological Society's Collection.

k, l. Skulls: males.

m. Skull: young male.

S. Germany. From Dr. A. Günther's Coln. Skull: half-grown. lection.

o, p. Skulls: females.

g. Skull.

The Black-bellied Fox. Vulpes melanogaster.

*a. Skull. Tuscany.

b. Skull. Italy. From the Zoological Society's Collection.

The Kokree or Lomer. Vulpes bengalensis.

a. Skull: adult. Nepal, Tarai. b. An imperfect skull of a young specimen. Presented by B. H.

c. Skull: adult. Nepal. d, e. Two skulls. India. Presented by E. Blyth, Esq.

*f. Skull. From Mr. William's Collection.

٠

g. Skull. From Mr. Argent's Collection.
 h. Skull. From the Zoological Society's Collection.

The HILL Fox. Vulpes montanus.

*a. Skull. Nepal. Presented by the Rev. R. Ewing.

The Persian Fox. Vulpes flavescens.

a, b, c. Skulls. Salt range, India. Presented by Professor Oldham.

The Japan Fox. Vulpes japonicus.

*a. Skull. Japan.

The Kit Fox. Vulpes cinereo-argentatus.

Blainv., Ost. Atl. G. Canis, pl. 4 (skull).

- a. Skull.
- *b. Skull. Texas.
- *c. Skull: young. Brazils.
- *d. Skeleton (imperfect). From the Zoological Society's Collection.
- e. Skull: young. Santa Rosa Island. Presented by Captain Kellett and Lieut. Wood.
- f. Skull: adult. From the Zoological Society's Collection.

The FERNEC. Vulpes zaarensis.

Blainv., Ost. Atl. G. Canis, p. 28 (description of skeleton).

- a. Skull (imperfect): young. Egypt. Presented by J. Burton, Esq.
- b. Skeleton From the Zoological Society's Collection.—The specimen described by M. de Blainville.
- *c. Skull. Algiers. From M. Parzudaki's Collection.

The Pale Fox. Vulpes pallidus.

Canis pallidus, Rüpp., Zool. Atlas, 33. tab. 11.

*a. Skull. Sennaar. From M. Parreyss's Collection.

The Asse. Vulpes caama.

*a. Skull. S. Africa. From Mr. Turner's Collection.

The Agouarachay. Vulpes azarse.

Canis azarse, Burmeister, Faun. Bras. taf. 28. fig. 4, taf. 29. fig. 2 (akull and teeth).—Blainv., Ost. Atl. G. Canis, p. 26. pl. 4 (akull).

Cervical vertebræ	 7
Dorsal	
Lumbar	
Sacral	
Candal	 21

a. Skeleton. *b, c, d. Skulls. Bolivia. From Mr. Bridges' Collection.

e. Skull. From the Zoological Society's Collection.

The CULPEO. Vulpes magellanicus.

Canis magellanicus, Burmeister, Faun. Bras. taf. 26. fig. 3 (skull), fig. 3 b (teeth).

Cervical vertebræ	7
Dorsal	13
Lumbar	7
Sacral	3
Caudal	18 (imperfect).

a, c, e, f. Skulls. b, d. Skeletons. Chili. From Mr. Bridges' Collection.

Vulpes brasiliensis.

Canis brasiliensis, Lund, Copenh. Trans. 1842, pl. (skull).

*a. Skull. Brazils. From Dr. Gardiner's Collection.

Vulpes griseus.

Canis griseus, Burmeister, Faun. Bras. p. 48. taf. 28. fig. 3 (skull).

Vulpes flavicaudus.

Canis flavicaudus, Burmeister, Faun. Bras. p. 40. taf. 18. fig. 2 (skull).

Vulpes vetulus.

Canis vetulus, Burmeister, Faun. Bras. taf. 28. fig. 1 (skull), taf. 29 (side view and teeth).

*a. Skull. Brazils. From Dr. Gardiner's Collection.

b. Skull. Brazils.

Vulpes fulvipes.

Cervical vertebrae	7
Dorsal	13
Lumbar	7
Sacral	3
Caudal	20

a. Skeleton. Chili. From Mr. Brandt's Collection.

Vulpes velox.

Baird, Mamm. N. America, pl. 34 (skull).

a. Skull. Arctic regions. From Sir J. Richardson's Collection.

The Arctic Fox. Vulpes lagopus.

Canis lagopus, Blain., Ost. Atl. G. Canis, p. 23. pl. 5 (skull), pl. 12 (teeth).

Cervical	vertebra	.	 	 	7
Dorsal					
Lumbar			 	 	7
Sacral .			 	 	3
Candal					19

^{*}a. Skeleton. From Mr. Brandt's Collection.

e. Skeleton.

The Scoty Fox. Vulpes fuliginosus.

*a, *b, *c, *d. Skulls. From the Zoological Society's Collection.

^{*}b, c, d. Skulls. From the Zoological Society's Collection.

CHRYSOCYON.

Chrysocyon jubatus.

Canis jubatus, Burmeister, Faun. Bras. taf. 26. figs. 1, 2 (skull).

LYCALOPEX.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{2-2}{4-4}$; = 44.

Lycalopex cancrivorus.

Burmeister, Faun. Bras. taf. 27. figs. 1-4 (skull).—Blaine., Ost. Atl. G. Canis, p. 30. pl. 8 (skull).

a. Skull. The right side of the lower jaw has six tuberculous teeth, five of which stand in a cluster; the left jaw has only two. b, c. Skulls. Brazils.

NYCTEREUTES.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{3-6}{3-3}$; = 42.

The Raccoon Dog. Nyctereutes procyonoides.

Canis (Nyctoreutes) viverrinus, Temm., Fauna Japonica, t. 8 (skull).

—Schrenck, Reise, figs. 2-6.
Canis procyonoides, Schrenck, Säugth. des Amur-Landes, p. 53. taf. 5 (skeleton), 1858.

Cervical	V	er	te	b	r	æ						٠		7
Dorsal .														
Lumbar														7
Sacral .														
Condol														17

- *a. Skull.
- b. Skeleton. Japan. From Mr. Frank's Collection.
- *c. Skull.
- From Mr. Warwick's Collection. d. Skeleton. Japan.

ICTICYON.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{4-4}$; Molars $\frac{3-2}{3-3}$; =38.

The Black-bellied Icticyon. Icticyon venaticus.

- Wagner, Wiegm. Archiv, 1843.—Burmeister, Faun. Bras. p. 1. taf. 18 (skeleton), taf. 19. figs. 1-6 (skulls), taf. 20 (sternum, feet, and atlas), 1856.
- Brazils. From Mr. Brandt's Collection.—The specimen described by Dr. Gray in the Ann. Nat. Hist. 1846, xvii. p. 293.

LYCAON.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{3-2}{3-3}$; = 42.

The Simis or Melbia. Lycaon venations.

Canis pictus, Blaine., Ost. Atl. G. Canis, pl. 8 (skull, imperfect).

- a. Skull (lower jaw wanting). From the Zoological Society's Collection.
- b. Skull. From the Zoological Society's Collection.

OTOCYON.

Teeth:—Incisors $\frac{2-3}{5-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{4-4}{4-4}$; = 48.

The OTOCYON. Otocyon lalandii.

Otoen, Odont. pl. 125. fig. 5 (dentition).
Canis megalotis, Blaine., Ost. Atl. G. Canis, pl. 4 (skull).—Laurent et Bazin, Ann. d'Anat. et de Phys. pl. 1. 8. fig. 1a, b (skull and dentition).

Cervical	V	е	r	te	b	r	æ	١.														7
Dorsal .																						13
Lumbar																						7
Sacral .																						
Candal	·	Ī	٠	Ī	٠	•	Ī	•	٠	٠	٠	Ī	٠	•	Ī	•	٠	٠	•	٠	Ī	19

- *a. Skull. Cape of Good Hope. Presented by the Earl of Derby.
- v. SKUII. S. Africa.
 c. Skeleton. S. Africa.
 From the Zoological Society's Collection.

MARTES.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-1}$; Molars $\frac{1-1}{3-2}$; =38.

The PINE MARTEN. Martes abietum.

Mustela martes, Blasius, Faun. Wirb. Deutschl. p. 212. figs. 121, 122 (skull).

Mustela zibellina, Blaine., Ost. Atl. G. Mustela, pl. 7 (akull).

Cervical vertebrae	 7
Dorsal	 14
Lumbar	 6 .
Sacral	
Candal	

- *a. Skull. Altai Mountains. From Mr. Brandt's Collection.
- b. Skeleton.
- From M. Verreaux's Collection. *c. Skull. Russia.
- d. Skull. Russia. From the Zoological Society's Collection.

h, i. Skulls. From Dr. A. Günther's Collection.j. Skull. From Mr. Yarrell's Collection.

The BEECH MARTEN. Martes foins.

Mustela foina, *Blainv.*, Ost. Atl. G. Mustela, pl. 4 (skeleton), pl. 13 (teeth). Fouine, *Buff.*, Hist. Nat. vii. p. 161. pl. 21 (skeleton).

a-c. Skulls: male.

d. Skull: female.

e, f. Skulls. g, h. Skeletons. S. Germany. From Dr. A. Günther's Collection.

The American Sable. Martes leucopus.

Mustela americana, *Baird*, Mamm. N. America, pl. 36. fig. 2, pl. 37. fig. 1 (skulls).

a, b. Skulls. Hudson's Bay. Presented by the Hudson's Bay Company.

c. Skull.

- d. Skull. From Mr. Argent's Collection.
- e. Skull. From the Zoological Society's Collection.

The Japanese Sable. Martes melanopus.

*a. Skull. Japan. From the Leyden Museum.

The White-cheeked Sable. Martes flavigula.

a. Teeth. Nepal.
b. The front of the jaws. Nepal.
c. d. Skulls of young and half-grown specimens.
e. The skull and bones of the trunk of an adult; the hinder tubercular grinders broader. Nepal.
f. Skull. India.
g. Skull.
h. Skull. Nepal. Presented by B. H. Hodgson, Esq.

The Pekan or Wood Shock. Martes canadensis.

Mustela pennantii, Erzl., Syst. An. 1777.—Baird, Mamm. N. America, pl. 36. fig. 1 (skull and gum-folds).

Cervical vertebræ	7
Dorsal	14
Lumbar	6
Sacral	3
Caudal	20 or 21

- a. Skull. Hudson's Bay. Presented by the Hudson's Bay Company.
- b. Skeleton. N. America. From Mr. Brandt's Collection.
- c, d. Skulls. From the Zoological Society's Collection.

PUTORIUS.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-2}$; Molars $\frac{1-1}{3-2}$;=34.

The Polecar. Putorius feetidus.

Mustels putorius, Blaine., Ostéog. pl. 4 (skeleton), pl. 13 (teeth). Fostorius putorius, Blasius, Wirbelth. p. 68. no. 143; Faun. Wirb. Deutschl. p. 222. fig. 125 (skull), 1857. Putois, Buff., Hist. Nat. vii. p. 199. pl. 24 (skeleton).

utois, Buff., Hist. Nat. vii. p. 199. pl. 24 (skeleton)

Cervical vertebrae	 7
Dorsal	 14
Lumbar	 6
Sacral	
Candal	

a. Skull.

*b. Skull. Siberia.

c. Skull. England. Presented by John Ray, Esq.

d. Skeleton. England.

e−g. Skulls.

h. Skull.
i. Skeleton. From Mr. Warwick's Collection.

j. Skull? From the Zoological Society's Collection.

k. Skull. "Ferret."

1. Skull. "Polecat." From Mr. Yarrell's Collection.

m. Skull.

n. Skull. Nepal. Presented by B. H. Hodgson, Esq.

o-q. Skulls. From Mr. Stevens's sale.

r. Skeleton: male. S. Germany. From Dr. A. Günther's Collection.

VISON.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{1-1}{3-3}$;=34.

The MINK or VISON. Vison lutreola.

Blainv., Ost. Atl. G. Mustela, pl. 13 (teeth).—Baird, Mamm. N. America, pl. 37. figs. 2, 3 (adult and young).

 Cervical vertebrse
 7

 Dorsal
 14

 Lumbar
 6

 Sacral
 3

 Caudal
 17

- a, b. Skulls. Hudson's Bay. Presented by the Hudson's Bay Company.
- c. Skeleton. N. America.
- *d. Skull. *e. Skeleton (imperfect). $\}$ Europe. Presented by Dr. Kaup.

f, g. Skulls. From the Zoological Society's Collection.

h. Skull.

i. Skull. From Mr. Argent's Collection.

MUSTELA.

Teeth:—Incisors $\frac{3-8}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-8}{3-3}$; Molars $\frac{1-1}{3-2}$; =34.

The Weasel. Mustela vulgaris.

Blaine., Ost. Atl. G. Mustela, pl. 7 (skull), pl. 13 (teeth).

Cervical	v	e 1	rt	e	b	r	æ	٠.							7
Dorsal .	:														14
Lumbar															6
Sacral .															
Cendel															

*a. Skull. Siberia.

b. Skull. Siberia; England. Presented by John Ray, Esq.

c. Skull: female. England.

d. Skeleton: male. England. From Mr. Turner's Collection.

e. Skeleton. From Mr. Warwick's Collection.

f. Skull. From Mr. Yarrell's Collection.
g. Skull. From the Zoological Society's Collection.
h. Skull. Erzeroom. From the Zoological Society's Collection.

i. Skull: albino variety.

j. Skull: male. S. Germany. From Dr. A. Günther's Collection.

k. Skull: female. 1. Skeleton: female.

The STOAT or ERMINE. Mustels ermines.

Hermine, Buff., Hist. Nat. vii. pl. 29 (skeleton).

Cervical vertebræ	7 .
Dorsal	14
Lumbar	-
Sacral	•
Caudal	17 or 18

a-c. Three skulls. England.

d. Skull. From Mr. Warwick's Collection.

e. Skeleton. From Mr. Warwick's Collection.f. Skeleton. From Mr. Stevens's sale.

g. Skeleton. England. From Mr. Daniel's Collection.

h, i. Skulls: young. From Mr. Yarrell's Collection.

j-l. Skulls: female. S. Germany. From Dr. A. Günther's

m. Skull: female, young. n, o. Skulls: male? Collection.

The BLACK-PACED WEASEL. Mustels frenats.

Baird, Mamm. N. America, pl. 77. fig. 1 (skull of adult), fig. 2 (skull of young).

Cervical	ŀ	V	e 1	rt	e	b	r	æ								7
Dorsal			•													14
Lumbar																
Sacral																3
Caudal																

a. Skull. Mexico.

*b. Skull. N. America.

c. Skull. From the Zoological Society's Collection.

*d. Skull. New Granada.

e. Skeleton. Mexico. From Mr. E. Gerrard's, Jun., Collection.

The YELLOW-CHEEKED WRASEL. Mustela xanthogenys.

Gray, Voy. of the Sulphur, pl. 17. figs. 4-6 (akull).

 Skull. Presented by Captain Sir E. Belcher, R.N., C.B.—The specimen figured.

The CHOROX. Mustela sibirica.

•a. Skull. Siberia. From the Museum of St. Petersburg.

*b. Skull.

The ALTAIC WEASEL. Mustela alpina.

a, •b, c. Skulls. Altai Mountains. From the Museum of St. Petersburg.

The NAKED-FOOTED WEASEL. Mustela nudipes.

Blainv., Ost. Atl. G. Mustela, pl. 13 (dentition).

*a. Skull. Java.

b. Skull. From the Zoological Society's Collection.

Mustela (Lyncodon) patagonica.

D'Orb., Voy. ix. pl. 13. fig. 4 (skull).

Mustela (Putorius) brasiliensis.

D'Orb., Voy. ix. pl. 13. fig. 3 (skull).

The Cathia. Mustela cathia vel auriventer.

a. Skull. India. Presented by B. H. Hodgson, Esq.

The Nepal Weasel. Mustela subhemachalana.

a. Skull. Nepal. Presented by B. H. Hodgson, Esq.

b. Upper portion of a skull. Nepal. Presented by B. H. Hodgson, Esq.

Mustela itatsi.

Temm., Fauna Japonica, p. 34. pl. 7. fig. 2 (skull).

*a. Skull. Japan. From M. Verreaux's Collection.

ZORILLA.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{1-1}{3-2}$;=34.

The Zorilla striata.

Blainv., Ost. Atl. G. Mustela, pl. 13 (teeth).

Cervical vertebrae		7
Dorsal		15
Lumbar	٠.	5
Sacral		3
Caudal		22

a. Skull: young. Cape of Good Hope.

- b. Skull. N. Africa. From Mr. L. Fraser's Collection.
- c. Skeleton: female.
- d. Skeleton: male.

e. Skull. Trebizond. f. Skeleton: male.

From the Zoological Society's Collection.

GALERA.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{1-1}{3-2}$; =34.

The TAYRA. Galera barbara.

Galictes barbara, Owen, Odont. pl. 128. figs. 1-3 (dentition), text p. 494,

Cervical vertebrae	7
Dorsal	
Lumbar	6
Sacral	
Candal	93 or

- *a. Skull. S. America.
- b. Skeleton. Brazils. From Mr. Brandt's Collection.
- c. Skull (lower jaw wanting). From the Zoological Society's Collection.
- d. Skull: young. S. America.

GRISONIA.

Teeth:—Incisors $\frac{3-3}{3-4}$;	Canines $\frac{1-1}{1-1}$;	Premolars 3-3;	Molars $\frac{1-1}{3-2}$; =34.
-------------------------------------	-----------------------------	----------------	---------------------------------

The Grison or Huron. Grisonia vittata.

Bell, Trans. Zool. Soc. ii. p. 206. pl. 36 (skull).—Blainv., Ost. Atl. G. Mustels, pl. 13 (teeth).

Cervical vertebrae	7
Dorsal	15
Lumbar	
Sacral	3

- a. Skeleton. From Mr. Brandt's Collection.
- b, c. Skeletons. Chili. From Mr. Bridges' Collection.
- d. Skull.
- e. Skull. From the Zoological Society's Collection.
- *f. Skull.
- •g. Skull: young.

MELLIVORA.

Teeth:—Incisors $\frac{2-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{1-1}{1-1}$;=32.

The RATEL or BHARSIAH. Mellivora ratel.

Blaine., Ostéog. G. Mustels, pl. 2 (skeleton), pl. 6 (skull).
Mellivora capensis, Owen, Odont. pl. 128. fig. 10 (dentition of the left side of the lower jaw), text p. 497.

- a, b. Skulls: adult. Nepal. Presented by B. H. Hodgson, Esq.
- c. Skull. Nepal.
- d. Skull. From the Zoological Society's Collection.

GULO.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{1-1}{3-3}$;=38.

The WOLVERENE. Gulo luscus.

Blainv., Ost. Atl. G. Mustela, pl. 7 (akull).
Gulo borealis, Blasius, Faun. Wirb. Deutschl. p. 208. figs. 119, 120.—
Owen, Odont. pl. 128. fig. 7 (dental series, left side of both jaws).

Cervical vertebræ		7
Dorsal		
Lumbar		5
Sacral		
Candal	•	15 or 16

- a. Skull. Altai Mountains. From Mr. Brandt's Collection.
- b. Skeleton. From Mr. Brandt's Collection.
- c. Skeleton: female. From the Zoological Society's Collection.
- *d. Skeleton. From Dr. Rae's Collection.

MEPHITIS.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{1-1}{3-2}$;=34.

The Large-tailed Skunk. Mephitis macroura.

*a. Skull. Mexico. From Mr. Brandt's Collection.

b. Skeleton: female. Mexico.

Mephitis mesomeles.

Licht., Voy. de la Vénus, pl. 7. figs. 2-5 (skull), 1846.

The Skunk. Mephitis varians.

Baird, Mamm. N. America, pl. 60. fig. 2 (skull).

- a. Skull. Mexico. From Mr. Brandt's Collection.
- *b. Skull.
- c. Skull. From Mr. Yarrell's Collection.

Mephitis mephitica.

Baird, Mamm. N. America, p. 195, 1859. Mephitis chinga, Blainv., Ostéog. G. Mustela, pl. 1 (skeleton).

CONEPATUS.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-2}{3-3}$; Molars $\frac{1-1}{3-2}$;=32.

Conepatus chinensis.

Cervical vertebræ	7
Dorsal	16
Lumbar	5
Sacral	3
Candal	18

- *a. Skull. Chili. From Mr. Bridges' Collection.
- b. Skeleton. Chili.
- *c. Skull: young.
- *d. Skull.
- *e. Skull. Chili.

Conepatus humboldtii.

D'Orb., Voy. ix. pl. 4 (skull).
 Mephitis humboldtii, Blainv., Ost. Atl. G. Mustela, pl. 13 (teeth).—
 Owen, Odont. pl. 128. fig. 11 (crowns of the teeth).

a. Skull. From the Zoological Society's Collection.

Ħ

HELICTES.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{1-1}{2-3}$;=38.

The Helictes moschata.

Gray, Proc. Zool. Soc. ii. p. 94. Melogale personata, Is.-Geoff. St.-Hil., Zool. du Voy. Belanger, pl. 5 (dentition).

Presented by J. Reeves, Esq. a. Skull. China.

Helictes orientalis.

From Mr. Argent's Collection.—This skull has *a. Skull. Java. one extra premolar tooth in the right upper jaw.

The NEPAL HELICIES. Helicies nipalensis.

a. Skull (imperfect at the occiput). Nepal. Presented by B. H. Hodgson, Esq.

MYDAUS.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{1-1}{2-2}$;=34.

The STINKARD or TELEDU. Mydaus meliceps.

Horsfield, Zool. Researches in Java, c-g (skull and dentition). Mydaus javanicus, Blainv., Ostéog. G. Subursus, pl. 1 (skeleton).

a. Skull. From the Zoological Society's Collection.

ARCTONYX.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-2}$; Molars $\frac{1-1}{3-2}$; =32.

The Balisaur or Sand Brar. Arctonyx collaris.

Owen, Odont. pl. 128. fig. 12 (dentition).

Cervical	V	81	rt	e	b	r	æ								7
Dorsal															16
Lumbar															4
Sacral															
Candal															

- a. Skull. India. Presented by General Hardwicke.
 b, c. Skeletons. From the Zoological Society's Collection.
- d. Skull. China.

TAXIDEA.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{1-1}{3-2}$;=34.

The Braibo or Lacyotl. Taxidea labradoria.

Waterh., Trans. Zool. Soc. ii. p. 348. pl. 59 (skull).—Baird, Mamm.
N. America, p. 202. pl. 39. fig. 2 (upper jaw), 1859.

- *a. Skull. N. America. Presented by J. Gould, Esq.
- b. Skull: young. N. America. From the Zoological Society's Collection.
- *c. Skull. Texas.—Taxidea berlandieri, Baird, Mamm. N. America, p. 205. pl. 39. fig. 1 a-e (skull), 1859.
- d. Skull. From the Zoological Society's Collection.—The specimen figured in the Trans. Zool. Soc. ii.

MELES.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{4-4}$; Molars $\frac{1-1}{2-2}$;=36.

The BADGER. Meles taxus.

Blainv., Ost. G. Subursus, pl. 2 (skeleton), pl. 6 (skull).—Pander et d'Alton, Vergleichende Osteologie, pl. 7 (skeleton).—Blasius, Faun. Wirb. Deutschl. p. 203. figs. 117, 118 (skull).
Blaireau, Buffon, Hist. Nat. vii. p. 104. pl. 10 (skeleton).

Cervical vertebrae	7
Dorsal	15
Lumbar	5
Sacral	
Candal	

- a. Skeleton.
- b. Skull.
- c. Skull: young. England.
- d, e. Skulls. From the Zoological Society's Collection.
- f. Bones of body.
- g. Skull. From Mr. Argent's Collection.
- h-l. Skulls. From the Zoological Society's Collection.
- m. Skull: male. Silesia. From Dr. A. Günther's Collection.

The Tampha. Meles leucura.

a. Skull. Bhote Plains. Presented by B. H. Hodgson, Esq.

The Japan Badger. Meles anakum.

Temm., Fauna Japonica, tab. 6. figs. 2-6 (skull).

*a. Skull. Japan. From Mr. Frank's Collection.

H 2

LONTRA.

Teeth:—Incisors $\frac{3-3}{3-3}$;	Canines 1-1;	Premolars 44;	Molars $\frac{1-1}{2-2}$;=36.
-------------------------------------	--------------	---------------	--------------------------------

The LONTRA. Lontra brasiliensis.

Cervical vertebrae	7
Dorsal	15
Lumbar	. 5
Sacral	
Candal	93 or 94

- *a. Skull. Brazils.
- b. Skeleton. Brazils. From Mr. Brandt's Collection.
- c. Skeleton: female. Brazils. From Mr. Brandt's Collection.

LUTRA.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{3-3}$; Molars $\frac{1-1}{3-3}$;=36.

The Mountain Otter. Lutra monticola.

- a-c. Three skulls: two adult and one young.

 Nepal.

 Presented by

 A Skull much perrower between the orbits (B. H. Hedgen Fac
- d. Skull, much narrower between the orbits. B. H. Hodgson, Esq. e, f. Skulls. Nepal.

Lutra nais.

 Skull: male, young. Tenasserim. Presented by Professor Oldham.

The OTER. Lutra vulgaris.

Blainv., Ost. Atl. G. Mustela, pl. 5 (akeleton), pl. 7 (akull).—Owen, Odont. pl. 128. figs. 4-6; Odont., Article in Encycl. Brit. p. 461. fig. 108 (teeth of the upper jaw).

Loutre, Buff., Hist. Nat. vii. p. 134. pl. 17 (skeleton).

Cervical vertebræ	. 7
Dorsal	. 14
Lumbar	. 6
Sacral	
Caudal	

- a. Bones of the body. England.
- b. Skeleton (imperfect). From Mr. Stevens's sale.
- c. Skull. From Mr. Argent's Collection.
- d. Skull. From Mr. William's Collection.
- e. Skull: young.
- f. Skeleton: female. From the Zoological Society's Collection. q-k. Skulls.
- g_-k . Skulls. i. Skull: male. m. Skull: young. Silesia. From Dr. A. Günther's Collection.

Lutra chilensis.

Cervical	V	e	rí	te	b	r	æ	٠.							7
Dorsal .															
Lumbar															5
Sacral .															3
Caudal .															28

a. Skeleton. b. c. Skulls. Chili. From Mr. Bridges' Collection.

d. Skull. Chili. From the Zoological Society's Collection.

Lutra pratensis.

Waterh., Voy. of the Beagle, pl. 40. fig. 4a.—D'Orb., Voy. ix. pl. 15. figs. 2-4 (skulls).

a. Skull. Presented by Charles Darwin, Esq.—The specimen figured in the 'Voy. of the Beagle.'

Lutra felina.

Molina, Historia de Chili, pl. 2 (skull and dentition).

Lutra canadensis.

Baird, Mamm. N. America, p. 184. pl. 38 (skull), 1859.

a. Skull. From the Zoological Society's Collection.

Lutra barang.

a. Skull. From the Zoological Society's Collection.

Lutra grayii.

a. Skull. Port Natal, S. Africa. From M. Verreaux's Collection.

AONYX.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{3-3}$; Molars $\frac{1-1}{2-2}$; = 36.

The Nepal Wargul. Acnyx indigitatus.

 a. Front of the jaws of a half-grown animal. Nepal. Presented by B. H. Hodgson, Esq.

Aonyx inunguis.

Blainv., Ost. Atl. G. Mustela, p. 24. pl. 8 (skull).

*a. Skull. Gambia. Presented by the Earl of Derby.

The Wargul. Aonyx leptonyx.

 Skull. From the Zoological Society's Collection. Collected by Sir T. Stamford Raffles.

b. Skull. "Newfoundland" (??). From Mr. Argent's Collection.

ENHYDRA.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{1-1}{3-2}$;=34.
The Kalan or Sea Otter. Enhydra lutris.
Lutra marina, Blainv., Ost. Atl. G. Mustela, p. 24. pl. 8 (skull, young). — Owen, Odont. pl. 128. fig. 12 (crown of the teeth).
Cervical vertebræ 7 Dorsal 14 Lumbar 6 Sacral 3 Caudal 18
*a. Skull: very young. California. Presented by Captain Sir Edward Belcher.
b. Skeleton: adult. California. From the Zoological Society's Collection.
c. Skull. California. Presented by J. H. Gurney, Esq., M.P.
Fam. 2. URSIDÆ.
URSUS.
Teeth:—Incisors $\frac{3-3}{5-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{3-2}{3-3}$;=42.
The Musquau or American Black Brar. Ursus americanus.
Blainv., Ost. Atl. G. Ursus, p. 28. pl. 5 (skulls, adult and young), pl. 12 (dentition).—Cuv., Oss. Foss. iv. p. 380. pl. 22 (skull).—Baird, Mamm. N. America, p. 225. pl. 43. figs. 10-13, 1859.—Oven, Odont.,
Art. in Encycl. Brit. p. 462. fig. 109 (skull), fig. 110 (milk teeth).
Cervical vertebræ
Cervical vertebræ
Cervical vertebræ 7 14 14 14 14 15 15 15 15
Cervical vertebræ

Lumbar vertebræ	
Sacral	_
From the Zoological Society's Colle	

The Spectacled Bear. Ursus ornatus.

Blainv., Ost. Atl. G. Ursus (skeleton), pl. 8 (skulls), pl. 12 (dentition).

The BEAR. Ursus arctos.

Blainv., Ost. Atl. G. Ursus, pl. 3 (skeleton), pl. 7 (skulls, adult and young).—Cuv., Oss. Foss. iv. p. 380. pl. 21 (skull).—Blasius, Faun. Wirb. Deutschl. p. 195. figs. 115, 116 (skull), 1857.—Baird, Mamm. N. America, pl. 43. figs. 1-9 (skull, immature), 1859.—Owen, Odont. pl. 130. figs. 3-6 (dentition), 1840-45; Brit. Foss. p. 77. fig. 24 (skull),

Var., Ursus cadaverinus, Eversm., Bull. Soc. Imp. Mosc. p. 11. tab. 1

Var., Ursus longirostris, Eversm., Bull. Soc. Imp. Mosc. p. 11. tab. 1. fig. 2 (skull), 1840.

Cervical vertebræ	
Dorsal	14
Lumbar	6
Sacral	5
Caudal	

- *a. Skull. Sweden. Presented by the Earl of Selkirk.
- Norway. From Mr. Brandt's Collection.—Ursus norvegicus (Ours brun de Norvége), Blainv., Ost. Atl. pl. 7 (skull).
- d. Skeleton. "Brown Bear." From the Zoological Society's Collection.
- e. Skull. From Mr. Stevens's sale.

The Grizzly Bear. Ursus ferox.

Richardson, Fauna Boreali-Americana, p. 26. pl. 1 (skull), 1829.—
Geoff. St.-Hil., Voy. de la Vénus, i. p. 123. pl. 5 (skeleton), 1855.
—Max. von Wied & Mayer, Verh. K. L. C. Acad. der Naturf. 1857, xxvi. pl. 4 (skull).

Ursus (Arctos) ferox, Blaine., Ost. Atl. pl. 2 (skeleton), pl. 6 (skulls

of adult male and young), pl. 12 (dentition). Ursus horribilis, *Baird*, Mamm. N. America, p. 219. pl. 41 (skull, very old), pl. 40 (skull, young), 1859.

a, b. Skulls.

*a. Skeleton.

The RITCH or DUBB. Ursus isabellinus.

Cervical vertebræ.	 7
Dorsal	 14
Lumbar	 6
Sacral	 5
Caudal	 7 (imperfect).

*a. Skull. From the Zoological Society's Collection.

104 URSIDAS,—ALEDURSUS.
*b. Skull. Syria. From the Zoological Society's Collection. c. Skull: female. d. Skull: male. e. Skull: young. f. Skull. Kasmir. Presented by Professor Oldham. g. Skeleton: male. Syria. From the Zoological Society's Collection. h. Front of lower jaw, with a small piece of skin attached. Thibet. Presented by B. H. Hodgson, Esq.
HELARCTOS.
Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{3-2}{3-3}$; = 42.
The Thibet Bear. Helarctos tibetanus.
Cervical vertebræ 7 Dorsal 14 Lumbar 6 Sacral 5 Caudal 9
 a. Skull of female twenty months old. b. c, d. Three skulls, of different ages. e. Skull of a just-born specimen. f. Skull: adult. g, h. Skulls. i. Skull: young. Darjeeling. Presented by Professor Oldham.— "Ursus (hindaicus) arboreus," Oldham. j. Skeleton: female. From the Zoological Society's Collection.
The Bruanc. Helarctos malayanus.
Blainv., Ost. Atl. G. Ursus, pl. 8 (skull), pl. 12 (dentition).—Cuv., Oss. Foss. iv. pp. 324, 380. pl. 23.
a. Skeleton. From the Zoological Society's Collection.
The Bornean Bruane. Helarctos euryspilus.
 a. Skull. From the Zoological Society's Collection. b. Skull. Sarawak, Borneo. From Mr. Wallace's Collection. c. Skull: half-grown.
MELURSUS.
The Aswall. Melursus lybius.
Ursus labiatus, <i>Blainv.</i> , Ost. Atl. G. Ursus, pl. 8 (skull), pl. 12 (teeth) — Cuv., Oss. Foss. iv. p. 322. pl. 23. figs. 3 & 4 (skulls).
Cervical vertebræ 7 Dorsal 15

Lumbar vertebræ
THALARCTOS.
Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{9-2}{3-8}$; =42.
The Nennook or Polar Bear. Thalarctos maritimus.
Ursus maritimus, Blainv., Ost. Atl. G. Ursus, pl. 1 (skeleton), pl. 5 (skull), pl. 12 (dentition of male).—D'Alton, Vergleichende Osteologie, p. 3 (skeleton).—Spix, Cephalogenesis, taf. 6. fig. 16. —Cuv., Oss. Foss. iv. p. 327. pl. 20, pl. 21. fig. 4 (skulls).—Baird, Mamm. N. America, p. 229. pl. 44, 1859.—Van der Hoeven, Verz. der Platen, pl. 20. fig. 13 (hind foot).—Pallas, Spicil. Zool. ii. fasc. 14 (skull), 1776.
Cervical vertebræ 7 Dorsal 14 Lumbar 6 Sacral 5 Caudal (imperfect).
 a. Skull. Arctic Ocean. From Dr. Mantell's Collection. b, c. Skulls. Greenland. d, e, f. Skulls. North Sea. g. Skull: adult. North Sea. h. Skull. From Mr. Argent's Collection. i. Skeleton. From Mr. Warwick's Collection. j. Skull.
PROCYON.
Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{2-2}{2-2}$;= 40.
The Raccoon. Procyon lotor.
 Blainv., Ost. Atl. G. Subursus, pl. 3 (skeleton), pl. 11 (dentition). Owen, Odont. pl. 129. figs. 2-7 (dentition). Raton, Buff., Hist. Nat. viii. p. 356. pl. 48 (skeleton).
Cervical vertebræ

Lumbar vertebræ6Sacral3Caudal18
a. Skeleton. North America. b. Skull.
*c. Skull: young. S. America. From Mr. Warwick's Collection. d. Skeleton.
 e, f. Skulls. From the Zoological Society's Collection. g. Skull (? fœtus). From the Zoological Society's Collection. h. Skull: male. From Dr. A. Günther's Collection.
The Psora. Procyon psora.
Gray, Zool. Sulphur, pl. 17. figs. 1-3 (skull).
*a. Skull. California. Presented by Captain Sir E. Belcher, R.N., C.B.—The specimen figured.
The Black-footed Raccoon. Procyon hernandezii.
Baird, Mamm. N. America, p. 212. pl. 40.
The Agouara. Procyon cancrivora.
Blainv., Ost. Atl. G. Subursus, pl. 6 (skull), pl. 11 (dentition).—Van der Hoeven, Acad. Exp. xix. tab. 20. figs. 2,3,5 (skull and dentition).
Cervical vertebræ 7 Dorsal 14 Lumbar 6 Sacral 3 Caudal 20 *a. Skull.
b. Skeleton: male. From Mr. Brandt's Collection. c. Skeleton. From the Zoological Society's Collection.
AILURUS.
Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{2-2}{2-3}$;=36.
The WAH. Ailurus fulgens.
Blainv., Ost. Atl. G. Subursus, pl. 7 (skull, imperfect), pl. 11 (dentition).
Cervical vertebræ 7 Dorsal 14 Lumbar 6 Sacral 3 Caudal (imperfect).
 a. Teeth. Nepal. b. The front of the jaws. Nepal. c. Skull. Nepal. Presented by B.H. Hodgson, Esq.

- d, e. Two skulls, differing in the width of the \ Presented by B.·H. muzzle. Nepal. Hodgson, Esq.
- f. Bones of body and limbs. From the Zoological Society's Collection.
- g. Skull. Darjeeling. Presented by Professor Oldham.—Ailurus ochraceus, Oldham.
- h. Skull. From Mr. William's Collection.

· NASUA.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{2-9}{3-3}$; = 40.

The COATI. Nasua rufa.

Cervical vertebræ	7
Dorsal	
Lumbar	6
Sacral	3
Candal	14 (imperfect)

- a. Skull. S. America.
- b. Skull. S. America. From the Zoological Society's Collection.
- c. Skeleton. S. America.
- d. Bones of body.
- e. Skull.
- f. Skeleton: young male. From Dr. A. Günther's Collection.

The Narica or Quasie. Nasua narica.

Blainv., Ost. Atl. G. Subursus, pl. 11.—Van der Hoeven, Acad. Exp. xix. tab. 20. figs. 1, 4, 6 (skull and dentition).—Owen, Odont. pl. 129. figs. 8-13 (dentition).

- a. Skull. Tropical America.
- b. Skeleton. Tropical America.
 c, d. Skulls. From Mr. Bridges' Collection.
- e. Skull: young. From Mr. Warwick's Collection. f, g. Skeletons. From Mr. Cross's Collection.
- h-m. Skulls. From the Zoological Society's Collection.

CERCOLEPTES.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{2-2}{3-3}$; =36.

The Potto or Kinkajou. Cercoleptes caudivolvulus.

Blainv., Ost. Atl. G. Subursus, pl. 5 (skeleton), pl. 7 (skull), pl. 11 (dentition).

Cervical	vertebræ	7
Dorsal .		15
Lumbar		5
Sacral .		3
Candal		25 or 26

- a. Skeleton. From Mr. Frank's Collection.
- b. Skeleton (imperfect). From the Zoological Society's Collection.

Fam. 3. TALPIDÆ.

TALPA.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{3-3}{3-3}$; = 44.

The Mole. Talpa europæa.

Pander und d'Alton, Vergl. Ost. no. xii. pl. 5 (skeleton).—Spix, Cephalogenesis, tab. 7. fig. 3 (skull).—Jacobs, Opuscula Zoologica, p. 419, Talpæ Europææ Anat., figs. 1-28 (skull and skeleton).—Blainv., Ost. Atl. G. Insectiv. pl. 1 (skeleton), pl. 5 (skull), pl. 10 (teeth).—Owen, Odont. pl. 110. fig. 3 (dentition); Brit. Foss. p. 19. fig. 9, 1846.—Blasius, Faun. Wirb. Deutschl. p. 107. fig. 70 (skull), 1857.—Martin, Nat. Hist. p. 84 (skeleton).—Blyth, Journ. As. Soc. Beng. p. 2. pl. fig. 3 (skull), 1850.
Taupe, Buff., Hist. Nat. viii. pl. 12. fig. 2 (skeleton).

Cervical vertebræ	7
Dorsal	
Lumbar	7
Sacral	
Candal	

- a. Skeleton. Europe. Presented by General Hardwicke.
- b. c. Skulls. Europe.
- d. Skull. England.
- e, f. Skeletons: male and female. England. From Mr. Daniel's Collection.
- g, h. Skulls: male. S. Germany. From Dr. A. Günther's Coli. Skull: female. Silesia. lection.
- j. Skeleton. S. Germany.
- k. Skeleton. Near Egham, Surrey. Presented by F. Heis, Esq.

The Short-tailed Mole. Talpa micrura.

Hodgson, Journ. As. Soc. Beng. p. 2. pl. fig. 2 (skull), 1850.

*a. Skull. Nepal. Presented by B. H. Hodgson, Esq.

Talpa leucura.

Blyth, Journ. As. Soc. Beng. p. 215. pl. fig. 1 (skull), 1850.

Cervical vertebræ	 7
Dorsal	 13
Lumbar	 6
Sacral	 6
Caudal	

a. Skeleton. Khasya Hills. From Mr. Bartlett's Collection.

Talpa moorgura.

Siebold, Fauna Japonica, p.	11. figs.	1-6	(skull).
-----------------------------	-----------	-----	----------

Cervical vertebræ	7
Dorsal	14
Lumbar	
Sacral	
Caudal	12

*a. Skull. Japan. From M. Verreaux's Collection. b. Skeleton. Japan. From Mr. Frank's Collection.

ASTROMYCTES.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{3-3}{3-3}$; =44.

The RATIATED MOLE. Astromyctes cristatus.

Talpa (Condylurus) cristatus, Blainv., Ost. Atl. Insectiv. pl. 1 (skeleton), pl. 5 (skull).

UROTRICHUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Canines $\frac{1-1}{0-0}$; Molars $\frac{8-8}{7-7}$;=36.

Urotrichus talpoides.

Temm., Fauna Japonica, pl. 4. fig. 8 (skeleton), figs. 9, 10, 11 (skulls).

Cervical	Ţ	re:	rĺ	e	b	r	æ								7
Dorsal .															13
Lumbar															
Sacral Caudal															

a. Skeleton. Japan. From Mr. Frank's Collection.

Urotrichus gibbsii.

Baird, Mamm. N. America, pl. 28 (skull), 1859.

SCALOPS.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=36.

The Scalops or Shrew Mole. Scalops aquaticus.

Owen, Odont. pl. 110. fig. 2, text p. 414 (dentition).—Blainv., Ost. Atl. Insectiv. pl. 5 (skull).

*a. Skull. N. America.

b, c. Skulls. S. Carolina. From the Zoological Society's Collection.

The Oregon Mole. Scalops townsendii.

Baird, Mamm. N. America, pl. 30. figs. 1, 3 (skulls), 1859.

*a. Skull. N. America. From the Zoological Society's Collection.

The HAIRY-TAILED Mole. Scalops breweri.

Baird, Mamm. N. America, pl. 30. fig. 2 (skull), 1859.

*a. Skull. N. America. From the Zoological Society's Collection.

CHRYSOCHLORIS.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{0-0}{0-6}$; Premolars $\frac{1-1}{2-3}$; Molars $\frac{6-6}{5-5}$; =40.

The CHANGEABLE MOLE. Chrysochloris holosericea.

*a, *b. Skulls. Cape of Good Hope.

*c, d. Skulls. South Africa.

Chrysochloris capensis.

Owen. Odontology, Art. in Encycl. Brit. new edit. p. 450 (dentition).

Chrysochloris aurea.

Blainv., Ost. Atl. pl. 5 (skull).

Chrysochloris obtusirostris.

Peters, Naturw. Reise nach Mossambique, p. 70. pl. 22. figs. 18-23 (skulls).

TUPAIA.

Teeth :—Incisors $\frac{3-2}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=36.

The Bangsring. Tupaia javanica.

Horsfield, Zool. Researches in Java, o-q (dentition).
 Hylogalea javanica, Müller, S. Verh. Nat. Gesch. pl. 27. figs. 11-14 (skulls).

*a. Skull. Java.

*b, c. Skulls. Singapore.

The Tupaia tana.

Horsfield, Zool. Researches in Java, i-l (dentition).
Glisorex tana, Blaine., Ost. Atl. Insectiv. pl. 5 (skull).—Owen,
Odont. pl. 111. fig. 3 (dentition).
Helerales tana Millian S. Verk Not. Geogh. pl. 27 fee. 11. 14 (skulls).

Hylogalea tana, Müller, S. Verh. Nat. Gesch. pl. 27. figs. 11-14 (skulls).

a, *b, c. Skulls.

d. Lower jaw. Sumatra. From Sir T. Stamford Raffles's Collection.

The Press. Tupaia ferruginea.

Horsfield, Zool. Researches in Java, m, n (dentition). Glisorex ferruginea, Blainv., Ostéog. G. Tupais, pl. 3 (skull). Hylogalea ferruginea, Müller, S. Verh. Nat. Gesch. tab. 27. figs. 7, 8 (skulls).

- a. Skull. From Sir T. Stamford Raffles's Collection.
- b. Skeleton. Pinang. Presented by the East India Board.

Tupaia elliottii.

a, *b. Skulls. Madras. Presented by W. Elliott, Esq.

Tupaia murina.

Hylogalea murina, Müller, S. Verh. Nat. Gesch. pl. 27. figs. 17, 18 (skulls).

HYLOMYS.

Hylomys suillus.

Müller, S. Verh. Nat. Gesch. pl. 25, figs. 4, 7 (skull).

PTILOCERCUS.

Teeth:—Incisors $\frac{3-2}{3-3}$; Canines $\frac{0-0}{0-6}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{4-4}{4-4}$;=38.

Ptilocercus lowii.

Gray, Voy. of H.M.S. Samarang, pl. (skull).

*a. Skull: the specimen figured. Borneo. From Mr. Low's Collection.

MACROSCELIDES.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{4-4}{4-4}$;=48.

The Elephant Shrew. Macroscelides proboscideus.

Macroscelides typicus, Smith, Zool. Journ. iv. p. 436; Illustr. Zool. S. Africa, pl. 15. fig. 1 a-d (skulls).—Duvernoy, Mém. de la Soc. d'Hist. Nat. de Strasbourg, i. p. 21. pl. 2. F. E. D. 2 (skull), 1830.

- *a. Skull. Cape of Good Hope. From the Stockholm Museum.
- b. Skull. Cape of Good Hope. Presented by Sir A. Smith.

The Short-nosed Elephant Shrew. Macroscelides brachyrhynchus.

A. Smith, Illustr. Zool. S. Africa, pl. 15. fig. 4 a-c (skull).

a. Skull. S. Africa. Presented by Sir A. Smith.

The Intufi Elephant Shrew. Macroscelides intufi.

- A. Smith, Illustr. Zool. S. Africa, pl. 15. fig. 3 a-c (skull).
- a. Skull. S. Africa. Presented by Sir A. Smith.

The Namaqua Elephant Shrew. Macroscelides rupestris.

Smith, Illustr. Zool. S. Africa, pl. 15. fig. 2 a-c (skull).

a. Skull. S. Africa. Presented by Sir A. Smith.

Macroscelides d'Alger.

Durernoy, Mém. de la Soc. d'Hist. Nat. de Strasbourg, i. pp. 1, 19. pl. 2. fig. D (skeleton).

Macroscelides rozeti.

Blainv., Ost. Atl. Insectiv. pl. 3 (skull).

Macroscelides fuscus.

Peters, Naturw. Reise nach Mossambique, Säugth. i. p. 87. pl. 22. figs. 13-17 (skulls).

PETRODROMUS.

Petrodromus tetradactylus.

Peters, Naturw. Reise nach Mossambique, Säugth. i. p. 92. pl. 22. figs. 3-12 (skulls).

RHYNCHOCYON.

Rhynchocyon cirnei.

Peters, Naturw. Reise nach Mossambique, Säugth. i. p. 106. pl. 22. figs. 1-7 (skulls), pl. 23 (skeleton).

SOREX.

Teeth:—Incisors $\frac{2}{3}$; Canines $\frac{1-1}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{4-4}{3-3}$; =30.

The Montjourou or Sondell. Sorex murinus.

Sorex indicus, Temm., Fauna Japonica, tab. 4. fig. bb (skull).—Geoff. St.-Hil., Mém. du Mus. i. pl. 15. fig. 2 (skull).—Duvernoy, Mém. de la Soc. d'Hist. Nat. de Strasbourg, ii. pl. 2. fig. 1, 1835.

Sorex myosorus, Blainv., Ost. Atl. pl. 2 (skull).

Cervical vertebræ	7
Dorsal	
Lumbar	5
Sacral	4
Candal	17 or 18

a. Skull. India. Presented by W. Elliott, Esq.

b, c. Skulls. Nepal. Presented by B. H. Hodgson, Esq.

- d. Skull. India. Presented by Sir A. Smith.
- e. Skeleton. Ceylon. From Mr. Cuming's Collection.
- f. Skeleton. From Mr. Yarrell's Collection.
- *g. Skull. Japan. From Mr. Frank's Collection.—Sorex sjakonesuma, Temm., Fauna Japonica, p. 26.
- h. Skull. Cevlon.

Sorex rutilus.

*a, *b. Skulls. S. Africa.

Sorex cooperi.

Baird, Mamm. N. America, pl. 26 (skull), 1859.

Sorex vagans.

Baird, Mamm. N. America, pl. 26 (skull), 1859.

Sorex trowbridgii.

Baird, Mamm. N. America, pl. 26 (skull), 1859.

Sorex thompsonii.

Baird, Mamm. N. America, pl. 27 (skull), 1859.

Sorex haydenii.

Baird, Mamm. N. America, pl. 27 (skull), 1859.

Sorex suckleyi.

Baird, Mamm. N. America, pl. 27 (skull), 1859.

Sorex pachyurus.

Baird, Mamm. N. America, pl. 27 (skull), 1859.

Sorex hoyi.

Baird, Mamm. N. America, pl. 27 (skull), 1859.

Sorex platyrhinus.

Baird, Mamm. N. America, pl. 27 (skull), 1859.

Sorex forsteri.

Gapp., Zool. Journ. v. p. 201. pl. 7 (skull), 1835.—Baird, Mamm. N. America, pl. 30. fig. 4 (skull), 1859.

Sorex berlandieri.

Baird, Mamm. N. America, pl. 28 (skull), 1859.

I

The Etruscan Shrew. Sorex etruscus.

Laurent et Bazin, Ann. d'Anat. et Phys. ii. pl. 4 (skull).

Cervical vertebrae	. 7
Dorsal	. 13
Lumbar	. 6
Sacral	
Caudal	

a. Skeleton. Italy.

Sorex platycephalus.

Siebold, Fauna Japonica, pl. 4. fig. a, a (skull).

Sorex kinczumi.

Siebold, Fauna Japonica, pl. 4. fig. c, c (skull).

Sorex gracilis.

Laurent et Bazin, Ann. d'Anat. et Phys. ii. pl. 4. fig. 5 (skull).

BLARIA.

The Mexican Shrew. Blaria mexicana.

*a. Skull. Coban, S. America.

Blaria talpoides.

Baird, Mamm. N. America, pl. 30. fig. 7 (skull), 1859.
Sorex talpoides, Gapp., Zool. Journ. v. p. 202. pl. 8 (skull).—Laurent et Bazin, Ann. d'Anat. et Phys. ii. pl. 5. fig. 7 (skull).

a. Skull.

Blaria exilipes.

Baird, Mamm. N. America, pl. 27 (skull), 1859.

Blaria brevicauda.

Baird, Mamm. N. America, pl. 30. fig. 5 (skull), 1859. Sorex brevicauda, Blainv., Ost. Atl. Insectiv. pl. 5 (skull).

Blaria angusticeps.

Baird, Mamm. N. America, pl. 30. fig. 7 (skull), 1859.

Blaria carolinensis.

Baird, Mamm. N. America, pl. 30. fig. 8 (skull), 1859.

a. N. America.

Blaria cinerea.

Baird, Mamm. N. America, pl. 30. fig. 9 (skull), 1859.

CORSIRA.

The Blackish Shrew. Corsira nigrescens.

*a. Skull. India.

Corsira alpina.

Blasius, Faun. Wirb. Deutschl. p. 124. fig. 82, 1857.

- *a, b. Skulls. St. Gothard. Presented by M. de Selys Longchamps.
- *c. Skull. Helvetia.
- *d. Skull. St. Gothard.
- *e. Skull. Switzerland.

The Erdshrew. Corsira vulgaris.

Gray, Proc. Zool. Soc. 1837, p. 124.

Sorex vulgaris, Blasius, Faun. Wirb. Deutschl. p. 124. fig. 83, p. 129.

fig. 86 (skull), 1857.

Sorex constrictus, Geoff. St.-Hil., Mem. du Mus. i. pl. 15. fig. 7 (skull). Amphisorex hermanii, Duvernoy, Mem. de la Soc. d'Hist. Nat. de Strasbourg, ii. pl. 2. fig. 7 (skull).

Cervical vertebræ	7
Dorsal	
Lumbar	6
Sacral	3
Caudal	14

- a. Skull. England. Presented by Mr. E. Gerrard.
- b. Skeleton. Stratford-on-Avon. Presented by R. F. Tomes, Esq.
- c. Skeleton. England. From Mr. Warwick's Collection.
 d. Skeleton. England. From Mr. Daniel's Collection.
- e. Skull. From Mr. Yarrell's Collection.

The Tropical Shrew. Corsira tropicalis.

*a. Skull. Coban, S. America.

The Rustic Shrew. Corsira rustica.

*a. Skull. St. Gothard.

CROCIDURA.

The White-Bellied Shrew. Crocidura leucodon.

Blasius, Faun. Wirb. Deutschl. pp. 138, 140. figs. 90, 93, 1857.

*a. Skull. From M. Sundevall's Collection.

Crocidura sacralis.

Peters, Naturw. Reise nach Mossambique, Säugth. i. p. 82. pl. 18. fig. 3a (skull), pl. 22. fig. 24 (skull). 1 2

Crocidura annellata.

Peters, Naturw. Reise nach Mossambique, Säugth. i. p. 85. pl. 18. fig. 5a (skull).

Crocidura canescens.

Peters, Naturw. Reise nach Mossambique, Säugth. i. p. 82. pl. 18. fig. 4a (skull).

Crocidura hirta.

Peters, Naturw. Reise nach Mossambique, Sängth. i. p. 78. pl. 18. fig. 2a (skull).

The Shrew Mouse. Crocidura aranea.

Blasius, Faun. Wirb. Deutschl. pp. 138, 144. fig. 94, 1857.—Laurent et Bazin, Ann. d'Anat. et Phys. ii. pl. 5 (skull).—Duvernoy, Mém. de la Soc. d'Hist. Nat. de Strasbourg, ii. pl. 2. fig. 2 (skull).

*a. Skull. Germany.

b. Skull. From Mr. Yarrell's Collection.

CROSSOPUS.

The WATER SHREW. Crossopus fodiens.

Blasius, Faun. Wirb. Deutschl. p. 119. figs. 78, 80 (skull), 1857.—
Laurent et Bazin, Ann. d'Anat. et Phys. ii. pl. 4. fig. 3 (skull).
Hydrosorex fodiens, Duvernoy, Mém. de la Soc. d'Hist. Nat. de Strasbourg, ii. pl. 2. fig. 4 (skull).
Musaraigne d'eau, Buff., Hist. Nat. viii. p. 65. pl. 11 (skeleton).

Cervical	V	eı	rt	е	b	r	æ	١.							7
Dorsal .															
Lumbar															
Sacral .															
Caudal .															

- a. Skull. Epping. Presented by H. Doubleday, Esq.
- b. Skull. England. *c. Skull. Helvetia.
- d. Skeleton. England. From Mr. Warwick's Collection.

GALEMYS.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{0-0}{0-4}$; Premolars $\frac{5-5}{6-5}$; Molars $\frac{3-3}{3-3}$;=44.

The French Daesman. Galemys pyrenaica.

Sorex pyrenaica, Blainv., Ost. Atl. Insectiv. pl. 5 (skull).—Laurent et Bazin, Ann. d'Anat. et Phys. pl. 4. fig. 1 (skull).

*a. Skull. Pyrenees.

GYMNURA.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{3-3}{3-3}$; = 44.

The Bulau or Tikus. Gymnura rafflesii.

Owen, Odont. p. 419. pl. 3. fig. 4 (base of skull); Odontology, Article in Encycl. Brit. new edit. p. 451.
Echinosorex rafflesii, Blainv., Ost. Atl. Ins. pl. 6 (skull), pl. 10 (teeth).

- *a. Skull. Borneo. Presented by J. Brooke, Esq.
- b. Skeleton (imperfect). From the Zoological Society's Collection.
- c. Skull. Borneo. From the Zoological Society's Collection.—From a white variety.

SOLENODON.

The Solenodon paradoxus.

Brandt, Mamm. pl. 2. figs. 1-12 (skull).—Blainv., Ost. Atl. Insectiv. pl. 5 (skull).—Owen, Odont. pl. 3. fig. 1 (dentition).

ERINACEUS.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{6-0}{0-0}$; Premolars $\frac{4-4}{3-2}$; Molars $\frac{3-3}{3-3}$; =36.

The Hedgehog. Erinaceus europæus.

Spix, Cephalog. tab. 7. fig. 3 (skull).—Van der Hoeven, Verz. der Platen, pl. 19. fig. 10 (skull).—Wetter, Erinacei Europæi, tab. 1 (skeleton), 1818.—Cuv., Dents des Mamm. p. 66 (dentition).—Blainv., Ost. Atl. G. Insectiv. pl. 6 (skull), pl. 10 (teeth).—Owen, Odont. pl. 110. fig. 5 (dentition). Hérisson, Buff., Hist. Nat. viii. pl. 9 (skeleton).

Cervical vertebræ	 7
Dorsal	 15
Lumbar	 6
Sacral	
Caudal	 12

- a. Skull.
- England. From Mr. Daniel's Collection. b. Skeleton.
- England. From Mr. Warwick's Collection. c. Skeleton.
- d. Skull. England. From Mr. Yarrell's Collection.
- e. Skull: male. S. Germany.
 f. Skull: female. S. Germany.
 S. Germany.
 From Dr. A. Günther's Collection.
- g. Skeleton: male. England.
- h, i. Skulls. From Mr. Stevens's sale.

The Long-eared Hedgehog. Erinaceus auritus.

D'Alton, Vergleichende Osteologie, no. 12. fig. 3.

Cervical vertebræ..... Dorsal 14

Lumbar	•	V	e	rl	æ	b	r	æ	١.							5
Sacral																3
Caudal																10

a. Skeleton. Siberia. From Mr. Brandt's Collection.

The Collared Hedgehog. Erinaceus collaris.

- a. Skull. Salt-range. Presented by Professor Oldham.
- b. Skull. Nusserabad. Purchased of Mr. Warwick.

ECHINOPS.

The SOKINAH. Echinops telfairii.

Martin, Trans. Zool. Soc. ii. pl. 46. figs. 1-9 (skull and teeth).

a. Lower jaw and bones of body. Mauritius. From the Zoological Society's Collection.—The specimen described by Mr. Martin.

ERICULUS.

Ericulus nigrescens.

Is.-Geoff. St.-H., Mag. de Zool. p. 32. pl. 3, pl. 4. figs. A-D (skull and dentition), 1839.

*a. Skull. Madagascar. From M. Verreaux's Collection.

Ericulus spinosus.

Blanv., Ost. Atl. Insectiv. pl. 6 (skull).

CENTENES.

Teeth:—Incisors $\frac{2-2}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{2-2}$; Molars $\frac{4-4}{4-4}$; =38.

The Tanrec. Centenes ecaudatus.

Spix, Cephalogenesis, tab. 7. fig. 2.—D'Alton, Vergleichende Osteologie, no. 12. pl. 2 (skeleton).—Blaine., Ost. Atl. Insectiv. pl. 4 (skeleton), pl. 7-10 (parts of trunk and dentition).—Oven, Odont. text p. 420. pl. 110. fig. 6 (teeth detached).—Laurent et Bazin, Ann. d'Anat. et Phys. pl. 1. 8. figs. 8, 8 a (dentition).

Cervical vertebræ	. 7
Dorsal	
Lumbar	
Sacral	. 3
Candal	

a. Bones of the body. Mauritius. From the Zoological Society's b, c. Skeletons.

Fam. 4. MACROPIDÆ.

ACROBATA.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{0-0}$; Premolars $\frac{3-3}{2-3}$; Molars $\frac{3-3}{3-3}$; =36.

The Opossum Mouse. Acrobata pygmæa.

Owen, Odont. pl. 100. fig. 5 (lower jaw), text p. 386.—Waterhouse, Nat. Hist. Mamm. i. pl. 19. fig. 5 (skull).

Cervical	V	e	rt	æ	b	r	æ	٠.							7
Dorsal .															14
Lumbar															5
Sacral .															2
Caudal .															29

- *a. Skull. New Holland. From Mr. Gould's Collection.
- b, c. Skulls. From the Zoological Society's Collection.
- d. Skeleton: male. From Mr. Stevens's Collection.

PETAURUS.

Teeth:—Incisors $\frac{3-3}{1-1}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{4-4}{4-4}$; = 40.

The Sugar Squirrel. Petaurus sciureus.

Cervical	V	e	rí	te	b	r	æ	٠.							7
Dorsal .															14
Lumbar															5
Sacral .															2
Caudal .															17

- a. Skeleton. New Zealand. Presented by Captain P. P. King.
 b. Skeleton (imperfect). From the Zoological Society's Collection.

The Short-headed Petaurus. Petaurus breviceps.

Waterhouse, Trans. Zool. Soc. ii. p. 404. pl. 3 (base of skull).

Cervical vertebræ	7
Dorsal	13
Lumbar	6
Sacral	3
Caudal	19 (imperfect).

- a. Skull. Australia.
- b. Skeleton. Australia. From Mr. Prince's Collection.

The ARIEL. Petaurus ariel.

*a. Skull. Port Essington. Presented by Capt. W. Chambers, R.N.

The Hepoona Roo. Petaurus australis.

Owen, Odont. pl. 100. fig. 4 (teeth).

- a. Skeleton. From Mr. Warwick's Collection.
- b. Skull (imperfect). From the Zoological Society's Collection.

PETAURISTA.

The Short-headed Petaurus. Petaurista taguanoides.

Waterhouse, Nat. Hist. Mamm. i. pl. 19. fig. 4 (skull), 1846.

Cervical vertebræ	7	
Dorsal	13	
Lumbar	6	
Sacral	3	
Candal	28 (imperfect).

- *a. Skull. Australia. Presented by Mr. J. Baker.
- b. Skull (white variety). New Holland.
- c. Skeleton. From Mr. Warwick's Collection.
- d. Skull. From the Zoological Society's Collection.

DROMICIA.

Bell's Dromicia gliriformis.

Phalangista gliriformis, Owen, Odont. pl. 100. fig. 3 (skull & teeth).

*a-c. Skulls. W. Australia. From the Zoological Society's Collection.
d. Skull.

The Dromicia nana.

Cervical vertebræ	7	7
Dorsal		
Lumbar	€	j
Sacral	8	
Caudal		

a. Skeleton. Presented by Dr. J. E. Gray.

NEILL'S PHALANGER. Dromicia neillii.

Waterhouse, Nat. Hist. Mamm. i. p. 315. pl. 19. fig. 3 (skull).

MICOUREUS.

Micoureus pusillus.

Castelnau, Amérique du Sud, 1. p. 102. pl. 20. fig. 2 (dentition), 1855.

TARSIPES.

Teeth:—Incisors $\frac{2-2}{3}$; Canines $\frac{0-0}{0-0}$; Molars $\frac{3-3}{3-3}=18$ or more.

The Tarsipes spensers.

Waterhouse, Nat. Hist. Mamm. i. pl. 19. fig. 6 (skull).

a. Skeleton (imperfect). Swan River, W. Australia.

DACTYLOPSILA.

Teeth:—Incisors $\frac{3-3}{1-1}$; Canines $\frac{1-1}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{4-4}{4-4}$; =38.

Dactylopsila trivirgata.

Gray, Proc. Zool. Soc. 1858, p. 110. figs. 1-5 (skull).

*Skull. Aru Island. From Mr. Wallace's Collection.—The specimen figured in Proc. Zool. Soc. 1858.

HEPOONA.

The HEPOONA. Hepoona cookii.

Phalangista cookii, Gray, Trans. Zool. Soc. ii. p. 408. pl. 71. fig. 2 (base of skull).—Owen, Odont. pl. 100. fig. 2 (teeth).

Phalangista (Pseudochirus) cookii, Waterhouse, Nat. Hist. Mamm. i. pl. 19. fig. 2 (skull).

Cervical	ŀ	V	eı	rt	e	b	r	æ								7
Dorsal																
Lumbar																
Sacral																
Caudal																

- a. Skull: female. Port Leschenault. Presented by W.E. Bates, Esq.
- b. Skull: male. From Mr. Warwick's Collection.
- c. Skull: young. From the Zoological Society's Collection.

PHALANGISTA.

Teeth:—Incisors $\frac{3-3}{1-1}$; Canines $\frac{1-1}{0-0}$; Premolars $\frac{2-2}{3-2}$; Molars $\frac{4-4}{4-4}$; =34.

The SOOTY PHALANGER. Phalangista fuliginosa.

Cervical vertebræ	7
Dorsal	
Lumbar	6
Sacral	
Condal	94 (important)

Caudal 24 (imperfect).

a. Skeleton.

The VULPINE PHALANGER. Phalangista vulpina.

Waterhouse, Nat. Hist. Mamm. i. pl. 19. fig. 1 (akull), 1846.—Owen, Odont. pl. 100. fig. 1 (teeth).

Cervical vertebræ	7
Dorsal	13
Lumbar	6
Sacral	2
Candal	

a, b, c. Skulls. Port Essington. From Mr. Gould's Collection.
d. Skull.

 $\{e, f. \}$ Skeleton. $\{g, h. \}$ From the Zoological Society's Collection.

The Phalanger. Phalangista ——?

a, b. Skulls. S. Australia. Presented by Captain Sir G. Grey.

The Long-eared Phalanger. Phalangista canina.

*a. Skull. Richmond River. From Mr. Gould's Collection.

Phalangista viverrina.

*a. Skull. New South Wales. *b. Skull. Swan River. } From Mr. Gould's Collection.

CUSCUS.

Teeth:—Incisors $\frac{3-3}{1-1}$; Canines $\frac{1-1}{3-2}$; Premolars $\frac{3-3}{4-4}$; Molars $\frac{4-4}{4-4}$; =40.

Cuscus maculatus.

Phalangista maculata, *Temm.*, Mon. Mamm. i. p. 14. pl. 3. figs. 1–6 (adult and young skulls).

- *a. Skull. Aru Islands. From Mr. Wallace's Collection.
- c. Skull. \(\)\ East coast of New Guinea. Presented by J. B.

d. Lower jaw. Jukes, Esq.

- e. Skull. Presented by J. Macgillivray. Esq.
- c, d, e. Var. Cuscus chrysorrhos, Temm.

The Ursing Phalanger. Cuscus ursinus.

Phalangista ursina, Temm., Mon. Mamm. i. p. 10. pl. 1. figs. 1-3 (skull of the adult), pl. 2. figs. 1-5 (skull of intermediate age), pl. 4 (skeleton).—Lesson, Centurie Zoologique, p. 40. pl. 10 (skull), 1830.

- *a. Skull: adult. Celebes.—The specimen described in Water-house's Nat. Hist. of Mamm. i. p. 269, 1846.
- *b. Skull: half-grown. Celebes.
- *c. Skull. Indian Islands. From the Zoological Society's Collection.

Cuscus cavifrons.

Phalangista cavifrons, *Temm.*, Mon. Mamm. i. p. 17. pl. 1. figs. 7-9 (skull, adult), pl. 2. figs. 7-10 (skull, very young).

Cuscus quoyii.

*a. Skull. Isle of Waigiou. From M. Verreaux's Collection.

Cuscus brevicaudatus.

*a. Skull: young. Cape York. Presented by J. Macgillivray, Esq.
—The specimen described in Proc. Zool. Soc. 1858, p. 103.

Cuscus ornatus.

*a. Skull. Island of Batchian. From Mr. Wallace's Collection.

Cuscus celebensis.

- a. Skull: the bones and teeth separated. Isle of San Christoval, Soloman's Islands. Presented by the Lords of the Admiralty.
- b. Skeleton: female. Isle of San Christoval, Soloman's Group.
- c. Skull: "female, two-thirds grown. San Christoval, Dec. 1854,
 A. M°G." From the voyage of H.M.S. Herald.

PHASCOLARCTUS.

Teeth:—Incisors $\frac{3-3}{1-1}$; Canines $\frac{1-1}{0-0}$; Premolars $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$; = 30.

The Koala or Native Bear. Phascolarctus cinereus.

Fischer, Trans. Zool. Soc. ii. p. 406. pl. 59 (skull).—Owen, Odont. pl. 100. fig. 6 (teeth); Odontology, Article in Encycl. Brit. (new edit.) p. 449. fig. 77 (teeth).—Waterhouse, Nat. Hist. Mamm. i. p. 259. pl. 20. figs. 5, 5a (skull).

Lipurus cinereus, Schreb. Säugth. iii. pl. 105A (skull).

*a. Skull: adult. New Holland.

b. Bones of the body and limbs. From the Zoological Society's Collection.

DENDROLAGUS.

The TREE KANGAROO. Dendrolagus inustus.

Müller, S. Verh. Nat. Gesch. tab. 23. figs. 4-6 (skull), tab. 24. fig. 4 (base of skull), figs. 5, 6 (limbs).

Dendrolagus ursinus.

Müller, S. Verh. Nat. Gesch. tab. 23. figs. 1-3 (skull), tab. 24. fig. 1 (base of skull), figs. 2, 3 (limbs).

MACROPUS.

Teeth:—Incisors $\frac{3-3}{1-1}$; Canines $\frac{6-0}{0-0}$; Premolars $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$; =28.

The KANGAROO. Macropus major.

Owen, Odont. pl. 102. figs. 1, 2 (teeth).— Waterhouse, Nat. Hist. Mamm.
i. pl. 5. figs. 1, 2 (incisor teeth).
Didelphys gigantea, G. Fischer, Anat. des Makis, p. 189. tab. 18, 1804.

Cervical	V	e	rt	æ	b	r	æ	٠.							7
Dorsal .															
Lumbar															6
Sacral .															
Candal .															

- a. Skull. Australia.
- b. Skeleton: Australia.
- *c. Skull: female. *d. Skull: male. S. Australia. Presented by Capt. Sir G. Grey.
- e. Skull. From Mr. Stevens's sale.
- f. Skeleton (without the limbs). From the Zoological Society's Collection.

The Woolly Kangaroo. Macropus laniger.

Cervical	ve	eri	æ	b	n	æ										7
Dorsal .																13
Lumbar																6
Sacral .																2
Caudal .	_		_	_	_	_	_	_		_	_	_	_			22

- *a. Skull. S. Australia. Presented by Capt. Sir G. Grey.
- *b. Skeleton: male. From the Zoological Society's Collection.

The Swan-River Kangaroo. Macropus ocydromus.

- a. Skull: male. Weight of animal 160 lbs.
- b. Skull: male. Weight of animal 70 lbs. Tooday.
- c. Skull: male.
- d. Skull: female. Weight of animal 45 lbs. Northam.
- e. Skull: female. Weight of animal 40 lbs. Moore's River.
- f. Skull: mature female. Weight of animal 50 lbs. Northam.
- g. Skull: female, with second year's young. Weight of animal 40 lbs. Moore's River.
- h. Skull. Flying Doe of one year, or before breeding. Weight of animal about 30 lbs. Moore's River.
- i. Skull: male (of the first year). Weight of animal 25 lbs. Killed between the Vasse and Augusta.

From Mr. Gould's Collection. The CRESCENT-MARKED KANGAROO. Macropus lunatus.

a. Teeth of upper and lower jaw (left side):
female.
b. Skull. Australia.

From Mr. Gould's
Collection.

o. okun. Austrana.

HALMATURUS.

Teeth like Macropus.

The Tasmanian Bush Kangaroo. Halmaturus bennettii.

Waterhouse, Nat. Hist. Mamm. i. pl. 5. fig. 9 (teeth); Trans. Zool. Soc. ii. p. 388. pl. 71. fig. 5 (base of skull).

- a. Skull. Van Diemen's Land.
- b. Skeleton. From Mr. Leadbeater's Collection.
- c. Skeleton: adult. From the Zoological Society's Collection.

The Short-tailed Thylogale. Halmaturus (Thylogale) brevicaudatus.

- *a. Skull. West Australia.
- b. Skull. From Mr. Gould's Collection.

The SLENDER KANGAROO. Halmaturus gracilis.

*a, *b, *c. Skulls. Australia. From Mr. Gould's Collection.

The AGILE KANGAROO. Halmaturus agilis.

Waterhouse, Nat. Hist. Mamm. i. pl. 5. fig. 13 (teeth).

- *a. Skull. Port Essington.
 *b. Skull: female.

 Presented by Sir J. Richardson.
- *c. Skull: young. Presented by the Earl of Derby.

The THETIS. Halmaturus thetidis.

Waterhouse, Nat. Hist. Mamm. i. pl. 3. figs. 2-5 (skull and teeth).

Cervical vertebræ	 7
Dorsal	 13
Lumbar	 6
Sacral	 2
Caudal	 22

- a. Skull. Musquito Island. Presented by J. Macgillivray, Esq.
- b. Skull. From Mr. Gould's Collection.
- c. Skeleton: male. From Mr. Warwick's Collection.

The WHALLABEE. Halmaturus ualabatus.

Waterhouse, Nat. Hist. Mamm. i. pl. 5. fig. 12 (teeth).

Cervica	l	٧	e	rl	æ	b	r	æ	٠.								7
Dorsal				_				_		_		_					13

Lumbar vertebræ. 6 Sacral 2 Candal 25 a. Skull. Musquito Island. Presented by J. Macgillivray, Esq. b. Skeleton. Australia. From the Zoological Society's Collection.
The Red-necked Kangaroo. Halmaturus elegans.
Orr's Circle of the Sciences, i. p. 253. fig. 44 (skeleton), 1854.
The Tasmanian Whallabee. Halmaturus billardieri.
Waterhouse, Nat. Hist. Mamm. i. p. 161. pl. 5. fig. 11 (teeth).
Cervical vertebræ 7 Dorsal 13 Lumbar 6 Sacral 2 Caudal 20
a. Skull. Van Diemen's Land?
 b. Skeleton. c. Skeleton: female. From Mr. Warwick's Collection. d. Skeleton. e. Skeleton: young. From the Zoological Society's Collection.
• The Philander. Halmaturus asiaticus.
Hypsiprymnus brunii, <i>Müller</i> , S. Verh. Nat. Gesch. tab. 23. figs. 7, 8 (skull), tab. 24. figs. 7-9 (base of skull and limbs).
The Dama Whallabee. Halmaturus dama.
Waterhouse, Nat. Hist. Mamm. i. pl. 5. fig. 7 (teeth).
lacktriangleta a. Skull: male $lacktriangleta b.$ Skull: female. Australia. $lacktriangleta c.$ Skull.
Houtman's Kangaroo. Halmaturus houtmanii.
Waterhouse, Nat. Hist. Mamm. i. pl. 15. fig. 6 (teeth).
 a, b, d. Skulls: male. Houtman's Abrolhos. From Mr. Gould's c, e. Skulls: female. Collection. f. Skull: male, one year old. Weight 5 lbs. East Wallaby Island, Houtman's Abrolhos. g. Skull: female. Weight 8 lbs. East Wallaby Island, Houtman's Abrolhos.
LORD DERBY'S KANGAROO. Halmaturus derbianus.
Cervical vertebræ 7 Dorsal 13

Lumba	r	V	e	rt	e	b	r	æ								6
Sacral																
Caudal																21

a. Skeleton. From Mr. Cross's Collection.

b-d. Skulls.

Skull: young.

Hummock Island, Bass's Straits. Collected by F. H. Rayner, Esq., during the voyage of H.M.S. Herald. Presented by the Lords of the Admiralty.

The BLACK-LINED KANGAROO. Halmaturus dorsalis.

Waterhouse, Nat. Hist. Mamm. i. pl. 5. fig. 14.

 $\left. \begin{array}{ll} a. \ \, \text{Skull.} & \text{Brezi, New South Wales.} \\ b. \ \, \text{Skull.} & \text{Port Essington.} \end{array} \right\} \text{From Mr. Gould's Collection.}$

Captain Grey's Kangaroo. Halmaturus greyii.

*a, b. Skulls. South Australia. Presented by Captain Sir G. Grey-

The Black-handed Kangaroo. Halmaturus irma.

a. Skull: male.	Weight of animal 19 lbs.	Australia.) From
b. Skull: male.	Australia.		Mr. Gould's
c. Skull: female.	Australia.		Collection.

The KANGAROO. Halmaturus ---- ?

a. Port Essington. Presented by Sir J. Richardson.

Parby's Kangaroo. Halmaturus parryii.

Waterhouse, Trans. Zool. Soc. i. p. 295. pl. 37 (teeth), 1835.

•a. Skull. Presented by T. Ingall, Esq.

b. Skull. New South Wales. From the Zoological Society's Collection.

OSPHRANTER.

Teeth like Macropus.

The BLACK WALLAROO. Osphranter robustus.

a. Skull. Australia.
*b. Skull. West Australia.
From Mr. Gould's Collection.

The Osphranter. Osphranter antilopinus.

Waterhouse, Nat. Hist. Mamm. i. pl. 5. fig. 15 (incisor teeth). a. Skull. Australia.

PETROGALE.

The Short-rared Rock Kangaroo. Petrogale brachyotis.

Waterhouse, Nat. Hist. Mamm. i. pl. 5. fig. 16 (skull), fig. 16 a (incisor teeth).

a. Skull: male. Weight of animal 7 lbs. Australia. From Mr. Gould's Collection.

The Side-streamed Rock Kangaroo. Petrogale lateralis.

a. Skull: male, nearly adult.
 b. Skull: male. Swan River, Australia.

From Mr. Gould's Collection.

The Rock Kangaroo. Petrogale penicillata.

Waterhouse, Nat. Hist. Mamm. i. pl. 5. fig. 10 (incisor teeth).

Cervical vertebræ	7
Dorsal	13
Lumbar	6
Sacral	2
Caudal	23 or 24

a. Skull

b. Skeleton.
c. Skeleton: female.

The YELLOW-FOOTED ROCK WALLABY. Petrogale xanthopus.

*a. Skull. Flinders range, S. Australia.

BETTONGIA.

Teeth:—Incisors $\frac{3-3}{1-1}$; Canines $\frac{1-1}{0-0}$; Premolars $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$; =30.

Bettongia cuniculus.

Waterhouse, Nat. Hist. Mamm. i. pl. 10. fig. 2 (skull).

Cervical	,	V	eı	rt	æ	b	r	æ								7
Dorsal .																
Lumbar																
Sacral																2
Caudal															_	21 or 22

- a. Skeleton. Purchased of Mr. Warwick.
- b. Skull. From the Zoological Society's Collection.
- c. Skull. Presented by J. B. Jukes, Esq.

The FIELD BETTONG. Bettongia campestris.

Waterhouse, Nat. Hist. Mamm. i. pl. 6. fig. 2 (skull).

a. Skull: old male. b, c. Skulls. From Mr. Gould's Collection.

The Brush-tailed Bertong. Bettongia penicillata. Waterhouse, Nat. Hist. Mamm. i. pl. 6. figs. a, b, c (skull).

a. Skull. The specimen figured by Mr. Waterhouse.

b. Skeleton. From the Zoological Society's Collection.

WHITE'S BETTONG. Bettongia whitei.

Hypsiprymnus hunteri, Owen, Trans. Zool. Soc. ii. p. 406. pl. 71 (base of skull).

a. Skull: male. Australia. From Mr. Gould's Collection.

Gray's Bettong. Bettongia grayii.
Waterhouse, Nat. Hist. Mamm. i. pl. 10. fig. 3.
Cervical vertebræ 7 Dorsal 13 Lumbar 6 Sacral 2 Caudal 21
a, b, d. Skulls: female. c. Skull: male. e. Skeleton: female. From Mr. Warwick's Collection. W. Australia. Collected by F. W. Rayner, Esq., during the voyage of H.M.S. Herald. Presented by the Lords of the Admiralty. i. Skeleton. From Mr. Warwick's Collection. j. Skull and bones of body. From the Zoological Society's Col- k. Skeleton. lection. lection. lection.
Ocilby's Bettongia ogilbii.
a. Skull: male. Australia. b-d. Skulls: female. Australia. From Mr. Gould's

The Rusty Bettongia rufescens.

e. Skull: adult: lower jaw wanting. Swan River. Collection.

Waterhouse, Nat. Hist. Mamm. i. pl. 10. fig. 1 (skull).

f. Skull. From the Zoological Society's Collection.

Cervical vertebræ	7
Dorsal	13
Lumbar	6
Sacral	
Caudal	21 or 22

a. Skull: male. Australia.

b. Skeleton.

ĸ

HYPSIPRYMNUS.

Teeth:—Incisors $\frac{3-3}{1-1}$; Canines $\frac{1-1}{0-6}$; Premolars $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=30.

The KANGAROO RAT. Hypsiprymnus minor.

Waterhouse, Nat. Hist. Mamm. i. pl. 8. fig. 2 (skull).

Cervical	٧	e	rí	te	b	r	æ	٠.									7
Dorsal .	: .																13
Lumbar																	
Sacral																	
Candal .					_	_	_		_	_	_	_				_	24

- a. Skeleton. Australia.
- *b. Skull. Australia.
- c. Skull: female. New South Wales. From Mr. Gould's Collection.
- d. Skeleton: female. Australia.
- e. Skull. From the Zoological Society's Collection.
- f. Skeleton: young.

GILBERT'S KANGAROO RAT. Hypsiprymnus gilbertii.

Waterhouse, Nat. Hist. Mamm. i. pl. 8. fig. 1 (skull).

- From Mr. Gould's Collection. b. Skull: female. W. Australia.
- ?c. Skeleton. From Mr. Warwick's Collection.

The Flat-eyed Kangaroo Rat. Hypsiprymnus platyops.

*a. Skull. Walyema Swamps (forty miles N.E.), W. Australia. From Mr. Gould's Collection.

LAGORCHESTES.

Teeth:—Incisors $\frac{3-3}{1-1}$; Canines $\frac{1-1}{3-1}$; Premolars $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=30.

The KANGAROO HARE. Lagorchestes leporoides.

Waterhouse, Nat. Hist. Mamm. i. pl. 5. fig. 17 (skull), fig. 17 a (incisor teeth).

- *a. Skull: adult. South Australia. Presented by Captain Sir G. Grey.
- *b. Skull: young.
- *b. Skull: young.
 *c. Skull: female. S. Australia. From Mr. Gould's Collection.
- e, f. Skulls. S. Australia.

The Speckled Kangaroo Hare. Lagorchestes conspicillatus.

a. Skull: adult male. From Mr. Gould's Collection.

The Hairy Kangaroo Hare or Wooroom. Lagorchestes hirsutus. Waterhouse, Nat. Hist. Mamm. i. pl. 5. fig. 5 (incisor teeth).

*b. Skull. York, W. Australia. From Mr. Gould's Collection. a. Skull: male.

*c. Skull.

The Banded Kangaroo Hare. Lagorchestes fasciatus.

Waterhouse, Nat. Hist. Mamm. i. pl. 5. fig. 4 (teeth).

- *a. Skull. Vicinity of York, W. Australia. From Mr. Gould's Collection.
- *b. Skull. Wougan Hills.
- c. Skull. From Mr. Gould's Collection.

PHASCOLOMYS.

Teeth:—Incisors $\frac{2}{6}$; Canines $\frac{6}{6}$; Premolars $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4}$; =24.

The Wombat. Phascolomys ursinus.

Owen, Odont. pl. 100. fig. 9 (teeth); Trans. Zool. Soc. ii. p. 406. pl. 68 (side view of the skeleton), pl. 71 (base of the skull), vol. iii. p. 306. pl. 37. figs. 1–3 (skull); Odont., Art. in Encycl. Brit. (new edit.) p. 449. fig. 79 (dentition).—Waterhouse, Nat. Hist. Mamm. i. pl. 3. fig. 1 (skull and teeth).—Cuv., Dents des Mamm. p. 139. no. 44 (dentition).

Cervical	V	61	rt	е	b	r	æ	١.				•		•		7
Dorsal .																15
Lumbar																3
Sacral .																
Caudal .																11

- a. Skull. From Mr. Yarrell's Collection.
- b. Skull. Australia.
- c. Skeleton. Australia. Antarctic Expedition. Presented by the Lords of the Admiralty.
- d. Skull. Australia. Presented by J. B. Jukes, Esq.

. The Broad-fronted Wombat. Phascolomys latifrons.

Owen, Trans. Zool. Soc. iii. p. 306. pl. 37. figs. 4-7 (skull).

New Holland. a. Skull: from an adult animal weighing 80 lbs. Presented by Allan Cunningham, Esq., F.L.S. ĸ 2

PERAMELES.

Teeth:—Incisors $\frac{5-5}{5-5}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{5-3}$; Molars $\frac{4-4}{4-4}$; =48.

The Saddle-backed Perameles. Perameles myosurus. Mag. Nat. Hist. i. p. 385. pl. 20. fig. 3 (skull).

*a, *b. Skulls. York, W. Australia. From Mr. Gould's Collection.

The THICK-TAILED BANDICOOT. Perameles macroura.

*a. Skull. Australia. From Mr. Gould's Collection.

The Bandicoot. Perameles ----?

a. Skull, and fore and hind foot. Adelaide. Presented by C. D. E. Fortnum, Esq.

Gunn's Bandicoot. Perameles gunnii.

*a, *b. Skulls. S. Australia. Presented by Captain Sir G. Grey.

The Banded Bandicoot. Perameles fasciata.

a. Skull. W. Australia. From Mr. Gould's Collection.

The SPINY BANDICOOT. Perameles obesula.

Waterhouse, Nat. Hist. Mamm. i. pl. 20. fig. 2 (skull).

Cervical vertebræ	7
Dorsal	13
Lumbar	6
Sacral	2
Candal	

- a. Skull: adult. Van Diemen's Land?b. Skull: young. Van Diemen's Land?
- c, d. Skulls. From Mr. Gould's Collection. e. Skeleton: male. From Mr. Warwick's Collection.
- f. Skull. Port Leschenault. From Mr. Bates's Collection.
- g. Skull.

The Brown-bellied Bandicoot. Perameles fusciventer.

*a. Skull. Perth, W. Australia. From Mr. Gould's Collection.

The Long-nosed Perametes. Perameles nasuta.

a. Skull. From the Zoological Society's Collection.

CHŒROPUS.

Teeth:—Incisors $\frac{6-5}{2-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{8-3}{2-3}$; Molars $\frac{4-4}{4-4}$; =48.

The Cheropus castanotus.

Waterhouse, Nat. Hist. Mamm. i. pl. 20. fig. 4 (skull), 1846.

a, b. Skulls, and bones of body. Three miles off Muda, Australia. Presented by Sir T. Mitchell.

PERAGALEA.

Teeth:—Incisors $\frac{5-5}{8-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{4-4}{4-4}$;=48.

The Peragalea lagotis.

Perameles lagotis, *Reid*, Trans. Zool. Soc. i. pl. 71. fig. 1 (base of skull).—*Owen*, Odont. ii. pl. 98. fig. 5 (skull and teeth).

Perameles (Macrotis) lagotis, *Waterhouse*, Nat. Hist. Mamm. i. pl. 20. fig. 1 (base of skull).

- a. Skull, limbs, and caudal vertebræ. Presented by Mr. J. Baker.
 b. Skull: young. Port Leschenault. Presented by W. E. Bates, Esq.
- c. Skull. From the Zoological Society's Collection.
- d. Skull. Gawler Plains, Australia. From Mr. Stevens's Collection.

PERACYON.

Teeth:—Incisors $\frac{4-4}{8-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{8-3}$; Molars $\frac{4-4}{4-4}$;=46.

The Tasmanian Wolf. Peracyon cynocephalus.

Thylacinus harrisii, Owen, Trans. Zool. Soc. ii. p. 406. pl. 70 (skull).—
Laurent et Bazin, Ann. d'Anat. et Phys. iii. pl. 4. fig. 6 (lower jaw).
—Temm., Mon. Mamm. pl. 7. figs. 1, 2, 3, & 4 (skull).—Owen,
Odont. pl. 98. fig. 1 (teeth).—Van der Hoeven, Verz. der Platen,
pl. 19. fig. 8, 1833.—Lesson, Centurie Zoologique, p. 14. pl. 2a, b

Thylacinus cynocephalus, Waterhouse, Nat. Hist. Mamm. i. pl. 21. fig. 3 (base of skull).

Cervical vertebræ	7
Dorsal	13
Lumbar	6
Sacral	2
Caudal	

- a. Skull. Van Diemen's Land. From Mr. Gould's Collection.
- b. Limbs. From the Zoological Society's Collection.
- c, d. Skulls. Van Diemen's Land. Presented by G. R. Gunn, Esq.
- e. Skeleton (the tail and feet imperfect). From the Zoological Society's Collection.

DIABOLUS.

Teeth:—Incisors $\frac{4-4}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{9-2}{3-3}$; Molars $\frac{4-4}{4-4}$;=42.

The Tasmanian Devil. Diabolus ursinus.

Dasyurus ursinus, Temm., Mon. Mamm. i. p. 68. pl. 8 (skull).—Laurent et Bazin, Anat. et Phys. iii. pl. 4. fig. 2 (lower jaw).—Owen, Trans. Zool. Soc. ii. pl. 70 (base of skull); Odont. pl. 98. fig. 2 (dentition); Odont., Art. in Encycl. Brit. (new edit.) p. 447 (dentition). Dasyurus (Sarcophilus) ursinus, Waterhouse, Nat. Hist. Mamm. ii. p. 448. pl. 21. fig. 4 (skull).

- a. Lower jaw. Australia. Presented by J. B. Jukes, Esq.
- b. Skeleton (imperfect). From the Zoological Society's Collection.

- From the Haslar Hospital Collection. d. Skull (imperfect).
- e. Skeleton (imperfect). From the Zoological Society's Collection.
- f. Skull. Tasmania. Presented by Dr. Milligan.

DASYURUS.

Teeth:—Incisors $\frac{4-4}{8-8}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{3-2}$; Molars $\frac{4-4}{4-4}$; =42.

Geoffroy's Dasyurus geoffroyii.

*a, *b. Skulls. W. Australia.

The THUMBED DASYURE. Dasyurus hallucatus.

- *a, *b. Skulls. Port Essington. From Mr. Gould's Collection.
- c. Skull. Cape York. From the Voyage of the 'Rattlesnake.' Presented by the Lords of the Admiralty.

The Dasyure. Dasyurus viverrinus.

Owen, Trans. Zool. Soc. ii. pp. 408, 408. pl. 70. fig. 2 (base of skull). Dasyurus maugei, Temm., Mon. Mamm. i. p. 71. pl. 7. figs. 5–8 (skulls).

Cervical	vertebræ		• • • • •	7 .
Dorsal .			13	3
· Lumbar			(8
Sacral .				2
Caudal	18	8 (imperfect).

- *a. Skull. New South Wales.
- b. Skeleton. Purchased of Mr. Bartlett.
- c, d. Skulls.
- e. Skeleton. From the Zoological Society's Collection. f. Skull.
- g. Skull: male. Port Leschenault. From Mr. Bates's Collection.
- h. Skull: male. From Mr. Gould's Collection.
- i. Skull. Port Jackson. Collected during the voyage of H.M.S. Herald. Presented by the Lords of the Admiralty.

The Spotted-tailed Dasyure. Dasyurus maculatus.

Waterhouse, Nat. Hist. Mamm. i. pl. 21, fig. 2 (skull).

Cervical	1	7(81	rt	e	b	r	æ							 7
Dorsal .															
Lumbar															
Sacral .															
Candal															 23 or 24

- a. Skeleton: female. From Mr. Warwick's Collection.
- b. Skull. From the Haslar Hospital Collection.

PHASCOGALE.

Teeth:—Incisors $\frac{4-4}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{4-4}{4-4}$; = 46.

The Phascogale penicillata.

Temm., Mon. Mamm. i. p. 58. pl. 7. figs. 9-12 (skulls).—Oven, Odont. pl. 98. fig. 3 (teeth).—Waterhouse, Nat. Hist. Mamm. i. pl. 21. fig. 5 (skull).

Cervical		V	e	rí	е	b	Γ	æ								7
Dorsal																13
Lumbar	,															6
Sacral																2
Caudal																

- *a. Skull. S. Australia. Presented by Captain Sir G. Grey.
- b. Skull.c. Skeleton.From Mr. Gould's Collection.
- $\left. egin{array}{ll} d. & {
 m Teeth.} \\ e. & {
 m Skull.} \end{array}
 ight\}$ From the Zoological Society's Collection.
- f. Skeleton. N. Australian Expedition. Presented by Dr. J. R. Elsey.

Phascogale melas.

Müller, S. Verh. Nat. Gesch. tab. 25. figs. 2, 3 (skull, imperfect).

The Woolly Phascogale lanigera.

*a. Skull.

The ELEGANT PHASCOGALE. Phascogale calurus.

*a. Skull. Williams River, W. Australia. From Mr. Gould's Collection.

The THICK-TAILED POUCHED MOUSE. Phascogale crassicaudata.

- *a. Skull. Williams River, W. Australia. From Mr. Gould's Collection.
- *b. Skull. Darling River. Presented by Captain Sturt.
- c-e. Skulls. W. Australia. From Mr. Gould's Collection.

The Large-Tailed Pouched Mouse. Phascogale macroura.

a. Skull. Darling Downs. From Mr. Gould's Collection.

The MURINE PHASCOGALE. Phascogale (Antechinus) murina.

a. Skull. From the Zoological Society's Collection.

ANTECHINUS.

Teeth:—Incisors $\frac{4-4}{3-8}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-8}{3-8}$; Molars $\frac{4-4}{4-4}$; = 46.

The Pencilled Pouched Mouse. Antechinus apicalis.

- *a. Skull. Australia. From Mr. Brandt's Collection.
- c. Skull. W. Australia. From Mr. Gould's Collection.

GREY'S POUCHED MOUSE. Antechinus affinis.

Cervical vertebræ	7
Dorsal	13
Lumbar	6
Sacral	
Candal	

*a, *b. Skulls. Perth, W. Australia. From Mr. Gould's Collection. c. Skeleton. Van Diemen's Land. Presented by R. Gunn, Esq.

The WHITE-BELLIED POUCHED MOUSE. Antechinus leucogaster.

- a. Skull. Victoria Plains. From Mr. Gould's Collection.
- b, c. Skulls. King George's Sound. Presented by G. R. Waterhouse, Esq.

The YELLOW-FOOTED POUCHED MOUSE. Antechinus flavipes.

- *a. Skull. S. Australia. Presented by C. D. E. Fortnum, Esq.
- *b, *c. Skulls. S. Australia. Presented by Captain Sir G. Grey.
- d. Skull. Bass's Straits. Collected during the voyage of H.M.S. Herald. Presented by the Lords of the Admiralty.

The WHITE-FOOTED POUCHED MOUSE. Antechinus leucopus.

- *a. Skull. Van Diemen's Land.
- *b. Skull, King George's Sound. From M. Parzudaki's Collection.

Swainson's Phascogale. Antechinus swainsonii.

a. Skull. Van Diemen's Land. Presented by G. R. Waterhouse, Esq.

The Pouched Mouse. Antechinus ——?

a, b. Skulls. W. Australia. From Mr. Gould's Collection.

Antechinus albipes.

- *a, *b. Darling Downs, New South Wales. From Mr. Gould's Collection.
- c. Skull. Presented by G. R. Waterhouse, Esq.

Antechinus unicolor.

a. Skull.

Antechinus minutissimus.

*a. Skull.

MYOÏCTIS.

Teeth:—Incisors $\frac{4-4}{3-8}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{3-8}$; Molars $\frac{2-2}{3-8}$;=36.

Myoictis wallacii.

Gray, Proc. Zool. Soc. 1848, p. 112. figs. 1-4 (skull); Ann. & Mag. Nat. Hist. ii. 1858, p. 223. figs. 6-9 (skull).

*a. Skull. Aru Island. From Mr. Wallace's Collection.—The specimen figured in Proc. Zool. Soc.

MYRMECOBIUS.

Teeth:—Incisors $\frac{4-4}{3-3}$; Canines $\frac{1-1}{1-1}$; Molars $\frac{8-8}{3-6}$; = 52.

The Myrmecobius fasciatus.

Waterhouse, Trans. Zool. Soc. ii. p. 149. pl. 28 (skull); Nat. Hist. Mamm. i. p. 394. pl. 21. fig. 1a, b (skull).—Owen, Odont. i. p. 377, ii. pl. 98. fig. 4 (skull); Odont., Art. in Encycl. Brit. p. 448. fig. 74 (dentition).

- a. Skull.
- a. Skull. Swan River. From Mr. Gould's Collection.
 b. Skull. Swan River. From the Zoological Society's Collection. The specimen figured by Mr. Waterhouse in Trans. Zool. Soc. ii.

DIDELPHIS.

Teeth:—Incisors $\frac{5-5}{4-4}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-5}{3-3}$; Molars $\frac{4-4}{4-4}$;=50.

The Opossum. Didelphis virginiana.

Burmeister, Faun. Bras. taf. 5. fig. 1 (skull), 1856.—Oven, Odont. pl. 98. fig. 6 (teeth), 1840-5; Odont., Art. in Encycl. Brit. (new edit.) p. 448. fig. 76 (dentition).—Gervais in Castelnau, Amérique du Sud, p. 97. pl. 20. fig. 7 (dentition).

Sarigue, Buff., Hist. Nat. x. p. 334. pl. 51 (skull and cervical vertebræ).

Cervical	V	e	r	te	b	r	æ	,							7
Dorsal .															
Lumbar															6
Sacral .															2
Caudal .					٠.										2 6

a. Skull.

 $\left. egin{aligned} b, c. & \text{Skeletons.} \\ d, e. & \text{Skulls.} \end{aligned} \right\}$ From the Zoological Society's Collection.

f. Skeleton. From Mr. Stevens's sale.

The CRAB-EATING OPOSSUM. Didelphis cancrivora.

Temm., Mon. Mamm. i. p. 34. pl. 5 (skeleton).—Waterhouse, Nat. Hist. Mamm. i. p. 472. pl. 22. fig. 1 (skull).—Burm., Faun. Bras. tab. 5. fig. 2 (skull).

- *a. Skull. Brazils.
- *b. Skull.
- c. Skull. Purchased at Mr. Stevens's sale.

Azara's Opossum. Didelphis azaræ.

Gervais in Castelnau, Amérique du Sud, p. 100. pl. 20. fig. 8 (dentition), 1855.

*a. Skull: young. Bolivia. From Mr. Bridges' Collection.
b. Skull: adult. Bolivia. From Mr. Bridges' Collection.

The Californian Opossum. Didelphis californica.

a. Skull. From the Zoological Society's Collection.

Didelphis derbiana.

Gervais in Castelnau, Amérique du Sud, p. 100. pl. 20. fig. 4 (skull), 1855.

Didelphis albiventris.

Burm., Faun. Bras. taf. 5. figs. 4, 5, taf. 6. fig. 4 (skull).

Didelphis aurita.

Burm., Faun. Bras. taf. 5. fig. 3 (skull).

HEMIURUS.

Hemiurus hunteri.

Gervais in Castelnau, Amérique du Sud, p. 101. pl. 20. fig. 1 b (skull), 1855.

PHILANDER.

Teeth:—Incisors $\frac{5-5}{4-4}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{4-4}{4-4}$; =50.

The CINEREOUS OPOSSUM. Philander cinereus.

- a. Skull. South America.
- b, c. Skulls. Bolivia. From Mr. Bridges' Collection.

The Quica. Philander quica.

Metachirus quica, Burm., Faun. Bras. taf. 11. fig. 2 (skull), 1856.

Cervical vertebræ	. 7
Dorsal	13
Lumbar	
Sacral	
Candal	31

- *a. Skull. Coban, Tropical America.—The specimen described in Waterh. Nat. Hist. Mamm. i. p. 481, 1846.
- *b. Skull. Santa Cruz, Bolivia. From Mr. Bridges' Collection. *c. Skull. From Mr. Stevens's sale.
- d. Skull. From Mr. Yarrell's Collection.
- e. Skull. Chico. From the Zoological Society's Collection.
- f. Skeleton: male. Brazil. From M. Verreaux's Collection.

The PHILANDER. Philander opossum.

Metachirus opossum, Burm., Faun. Bras. taf. 11. fig. 1 (skull). Didelphys philander, Gerrais in Castelnau, Amérique du Sud, p. 100. pl. 20. fig. 5 (dentition).

Sarigue, Buff., Hist. Nat. x. p. 334. pl. 50 (skeleton).

The Naked-tailed Opossum. Philander nudicaudatus.

*a. Skull. Brazils. From Mr. Brandt's Collection.

The CRAB-EATER. Philander marsupialis.

Cayopillan, Buff., Hist. Nat. x. p. 362. pl. 57. fig.1 (skeleton), figs. 2, 3

- *a. Skull. Tropical America.
- *b. Skull. From Mr. Bartlett's Collection.
- *c. Skull.
- *d. Skull: young. Presented by the Earl of Derby.

Philander crassicaudatus.

Didelphys crassicaudata, Waterhouse, Zool. of H.M.S. Beagle, Mamm. p. 94. pl. 30. fig. 25 a-d (skull); Nat. Hist. Mamm. i. p. 497.

- *a. Skull.
- b. Skeleton. La Plata. From M. Bravand's Collection.
- c. Skull. From the Zoological Society's Collection.

Sarigue, Buff., Hist. Nat. x. p. 334. pl. 51 (skull and cervical vertebræ).

Cervical vertebræ	7
Dorsal	13
Lumbar	6
Sacral	2
Caudal	26

a. Skull.

 $\left. egin{aligned} b, c. & \text{Skeletons.} \\ d, e. & \text{Skulls.} \end{aligned} \right\}$ From the Zoological Society's Collection.

f. Skeleton. From Mr. Stevens's sale.

The CRAB-EATING OPOSSUM. Didelphis cancrivora.

Temm., Mon. Mamm. i. p. 34. pl. 5 (skeleton).—Waterhouse, Nat. Hist. Mamm. i. p. 472. pl. 22. fig. 1 (skull).—Burm., Faun. Bras. tab. 5. fig. 2 (skull).

- *a. Skull. Brazils.
- *b. Skull.
- c. Skull. Purchased at Mr. Stevens's sale.

AZARA'S OPOSSUM. Didelphis azaræ.

Gervais in Castelnau, Amérique du Sud, p. 100. pl. 20. fig. 8 (dentition), 1855.

*a. Skull: young. Bolivia. From Mr. Bridges' Collection.

b. Skull: adult. Bolivia. From Mr. Bridges' Collection.

The Californian Opossum. Didelphis californica.

a. Skull. From the Zoological Society's Collection.

Didelphis derbiana.

Gervais in Castelnau. Amérique du Sud, p. 100. pl. 20. fig. 4 (skull), 1855.

Didelphis albiventris.

Burm., Faun. Bras. taf. 5. figs. 4, 5, taf. 6. fig. 4 (skull).

Didelphis aurita.

Burm., Faun. Bras. taf. 5. fig. 3 (skull).

HEMIURUS.

Hemiurus hunteri.

Gervais in Castelnau, Amérique du Sud, p. 101. pl. 20. fig. 1 b (skull), 1855.

PHILANDER.

Teeth:—Incisors $\frac{5-5}{4-4}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{4-4}{4-4}$;=50.

The CINEREOUS OPOSSUM. Philander cinereus.

- a. Skull. South America.
- b, c. Skulls. Bolivia. From Mr. Bridges' Collection.

The QUICA. Philander quica.

Metachirus quica, Burm., Faun. Bras. taf. 11. fig. 2 (skull), 1856.

Cervical vertebræ	7
Dorsal	13
Lumbar	6
Sacral	2
Candal	31

- *a. Skull. Coban, Tropical America.—The specimen described in Waterh. Nat. Hist. Mamm. i. p. 481, 1846.
- *b. Skull. Santa Cruz, Bolivia. From Mr. Bridges' Collection.
- *c. Skull. From Mr. Stevens's sale.
- d. Skull. From Mr. Yarrell's Collection.
- e. Skull. Chico. From the Zoological Society's Collection.
- f. Skeleton: male. Brazil. From M. Verreaux's Collection.

The PHILANDER. Philander opossum.

Metachirus opossum, Burm., Faun. Bras. taf. 11. fig. 1 (skull). Didelphys philander, Gerrais in Castelnau, Amérique du Sud, p. 100. pl. 20. fig. 5 (dentition).

Sarigue, Buff., Hist. Nat. x. p. 334. pl. 50 (skeleton).

The Naked-tailed Opossum. Philander nudicaudatus.

*a. Skull. Brazils. From Mr. Brandt's Collection.

The CRAB-EATER. Philander marsupialis.

Cayopillan, *Buff.*, Hist. Nat. x. p. 362. pl. 57. fig.1 (skeleton), figs. 2, 3 (skull).

- *a. Skull. Tropical America.
- *b. Skull. From Mr. Bartlett's Collection.
- *c. Skull.
- *d. Skull: young. Presented by the Earl of Derby.

Philander crassicaudatus.

Didelphys crassicaudata, *Waterhouse*, Zool. of H.M.S. Beagle, Mamm. p. 94. pl. 30. fig. 25 a-d (skull); Nat. Hist. Mamm. i. p. 497.

- *a. Skull.
- b. Skeleton. La Plata. From M. Bravand's Collection.
- c. Skull. From the Zoological Society's Collection.

The Marmose. Philander murinus.

Cervical	ve	rt	eb	r	æ								7
Dorsal .													13
Lumbar													6
Sacral .													2
Candal .													37

*a. Skull. S. America.

b. Skeleton: male. Brazil. From M. Verreaux's Collection.

MERRIAN'S OPOSSUM. Philander dorsigerus.

*a. Skull. Para. Presented by R. Graham, Esq.

*b. Skull.

MICRODELPHYS.

Microdelphys tristriata.

Burm., Faun. Bras. taf. 11. fig. 7 (skull).

THYLAMYS.

Teeth:—Incisors $\frac{5-5}{4-4}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{4-4}{4-4}$;=50.

The Elegant Painted Mouse. Thylamys elegans.

Waterhouse, Nat. Hist. Mamm. i. pl. 22. fig. 3 (skull).

a*-*d. Skulls. Chili. From Mr. Bridges' Collection.

e, f. Skeletons. Chili. From Mr. Bridges' Collection.

Thylamys agilis.

Grymæomys agilis, Burm., Faun. Bras. taf. 11. fig. 6 (skull).

CHIRONECTES.

Teeth:—Incisors $\frac{5-5}{4-4}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{4-4}{4-4}$;=50.

The YAPOCK. Chironectes variegatus.

Didelphys palmata, Burm., Faun. Bras. p. 74. taf. 11. fig. 3 (skull).— Gervais in Castelnau, Amérique du Sud, p. 101. pl. 20. fig. 3 (dentition), 1855.

*a. Skull. Brazils.

*b. Skull. Brazils. From Mr. Brandt's Collection.

Fam. 5. PHOCIDÆ.

LOBODON.

Teeth:—Incisors $\frac{2-2}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-2}{3-2}$; = 32.

The CRAB-EATING SEAL. Lobodon carcinophaga.

Gray, Zool. Erebus and Terror, Mamm. ii. tab. 1, tab. 2 (skull); Cat. Mamm. Brit. Mus. pt. ii. Seals, p. 9. fig. 2 (skull), 1850; Voy. Pole Sud, tab. (skull).

Halichœrus antarcticus, Peale, U.S. Explor. Exped. 30. tab. 5 (skull).

*a. Skull, three-parts grown. Antarctic Seas, Antarctic Expedition. Presented by the Lords of the Admiralty.—The specimen figured in the 'Voyage of the Erebus and Terror.'

 Skull: adult. Antarctic Seas, Antarctic Expedition. Presented by the Lords of the Admiralty.

c, d, e. Skulls: adult. Antarctic Seas, Antarctic Expedition. Presented by Lieutenant Smith, R.N.

f. Skull: young. Antarctic Seas, Antarctic Expedition. Presented by the Lords of the Admiralty.

? g. Skeleton. h. Skull. h. Presented by the Lords of the Admiralty.

STENORHYNCHUS.

Teeth:—Incisors $\frac{2-2}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{2-2}{2-2}$;=32.

The SEA LEOPARD. Stenorhynchus leptonyx.

F. Cuv., Dents des Mamm. p. 118. tab. 38 (teeth).—Blainv., Ost. Atl. G. Phoca, pl. 5 (skull and teeth).—Gray, Zool. Erebus and Terror, Mamm. tab. 4 (skull); Cat. Mamm. Brit. Mus. pt. ii. Seals, p. 12. fig. 3 (skull).

Phoca leptonyx, Cuv., Oss. Foss. v. p. 208. Seal from Georgia, Home, Phil. Trans. 1822, p. 240. tab. 29 (skull).

Cervical	v	e	rt	æ	b	r	æ								7
Dorsal .															
Lumbar															6
Sacral .															3
Candal															12

- a. Skull. Antarctic Seas, Antarctic Expedition. Presented by the Lords of the Admiralty.—The specimen figured in the 'Voyage of the Erebus and Terror.'
- Skull. Antarctic Expedition. Presented by the Lords of the Admiralty.
- c. Skeleton. Port Nicholson, New Zealand. Presented by Dr. Frederick Knox.
- d. Skull. Antarctic Seas. Antarctic Expedition. Presented by the Lords of the Admiralty.

- e. Skull, and bones of body. Antarctic Seas, Antarctic Expedition. Presented by the Lords of the Admiralty.
- f. Skull.

g, h. Skulls. New Zealand. Presented by His Excellency Sir G. Grey.

 Skull. Lord Howe's Island. Collected during the voyage of H.M.S. Herald. Presented by the Lords of the Admiralty.

LEPTONYX.

Teeth:—Incisors $\frac{2-2}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{2-2}{2-2}$;=32.

The False Sea Leopard. Leptonyx weddellii.

Gray, Zool. Erebus and Terror, tab. 6 (skull); Cat. Mamm. Brit. Mus. pt. ii. Seals, p. 15. fig. 4 (skull), 1850.

*a, *b. Skulls. River Santa Cruz, east coast of Patagonia. Presented by Captain Fitzroy.

*c. Skull. Antarctic Seas, Antarctic Expedition.

—The specimen figured in the 'Voyage of the Erebus and Terror.'

Presented by the Lords of the Admiralty.

*d. Skull. Antarctic Seas, Antarctic Expedition.

MONACHUS.

The Monk Seal. Monachus albiventer.

Phoque à ventre blanc, Cuv., Oss. Foss. v. p. 208. tab. 17. fig. 1 (akeleton), fig. 2. p. 345 (skull).—Gray, Cat. Mamm. Brit. Mus. pt. ii. Seals, fig. 5 (akull).

Pelagios monachus, F. Cuv., Mém. du Mus. xi. p. 193. tab. 13 (skull).

OMMATOPHOCA.

Teeth:—Incisors $\frac{2-2}{2-3}$; Canines $\frac{1-1}{1-1}$; Molars $\frac{6-6}{5-5}$;=34.

Ross's Antarctic Seal. Ommatophoca rossii.

Gray, Zool. Erebus and Terror, Mamm. tab. 8 (skull and teeth); Cat. Mamm. Brit. Mus. pt. ii. Seals, p. 19. fig. 6 (skull).

Cervical	V	е	r	tε	b	r	æ	١.							7
Dorsal .															14
Lumbar															5
Sacral .															
															(imperfect).

- a. Skeleton. Antarctic Seas, Antarctic Expedition. Presented by the Lords of the Admiralty.
- *b. Skull. Antarctic Seas, Antarctic Expedition. Presented by the Lords of the Admiralty.—The specimen figured in the 'Voyage of the Erebus and Terror.'

CALLOCEPHALUS.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-5}{3-3}$; Molars $\frac{2-9}{3-3}$; =34.

The SEAL. Callocephalus vitulinus.

F. Cuv., Dict. Sci. Nat. xxxix. p. 544.—Gray, Cat. Mamm. Brit. Mus.

pt. ii. Seals, p. 21. fig. 7 (skull).

Phoca vitulina, Blainv., Ostéog. Atl. pl. 2 (skeleton), pl. 5 (skull).—
Gaimard, Voy. Isl. Mamm. tab. 11 (skull).—Blasius, Faun. Wirb.
Deutschl. p. 248. figs. 136, 137 (skull), 1857.—D'Alton, Vergl.
Osteol. no. 9. pl. 4 (skeleton).—Spix, Cephalogenesis, tab. 21 (skull).

—Cuv., Dents des Mamm. p. 117. pl. 38 (dentition).—Ball, Trans.
Roy. Irish Acad. xviii. p. 11. pl. 5. figs. 14, 15, 16 (skull and dentition). dentition).

Var. ? Phoca communis octonotata, Kutorga, Bull. Soc. Imp. Nat.

Mosc. 1839, tab. 18. figs. 1-4 (skull). Phoque, *Buff.*, Hist. Nat. xiii. p. 414. pl. 52 (skeleton).

Cervical	Ĺ	v	е	r	te	b	r	æ	٠.							7
Dorsal																
Lumbar																
Sacral																
Caudal																12

- a. Skeleton. From Dr. Mantell's Collection.
- b. Skull. Greenland.
- *c. Skull.
- d. Skeleton. Purchased of Mr. Bartlett.
- From Mr. Warwick's Collection. e. Skeleton. Greenland. "Phoca hispida or P. annulata," Warwick.

The RINGED SEAL. Callocephalus fœtidus.

Phoca annellata, Ball, Sketches of British Seals, tab. 2. fig. 36 (skull). Phoca fœtida, Blasius, Faun. Wirb. Deutschl. p. 251. figs. 138, 139 (skull), 1857.

- *a, *b. Skulls. North Sea. Collected by Dr. Robertson during the voyage of H.M.S. Investigator. Presented by the Lords of the Admiralty.
- *c. Skull. North Sea. From Mr. Argent's Collection.
- d. Skull. From Mr. Argent's Collection.
- e. Skull.

Callocephalus hispidus.

F. Cuv., Mém. du Mus. xi. p. 189. tab. 12. fig. 3 g, h, i (skull).— Gaimard, Voy. Isl. Mamm. pl. 2. figs. 1, 2 (skull).—D'Alton, Vergl. Osteol. no. 9. pl. 4 d, e (skull).

HELIOPHOCA.

Teeth:—Incisors $\frac{3-3}{2-2}$; Canines $\frac{1-1}{1-1}$; Molars $\frac{5-5}{5-5}$; =34.

Heliophoca atlantica.

nenophoca atlantica.
Gray, Ann. & Mag. Nat. Hist. xiii. p. 201, 1854.
Cervical vertebræ 7 Dorsal 15 Lumbar 5 Sacral 3 Caudal 10
*a. Skull (imperfect). *b. Teeth. *Burkered of W. Verrenne ("The reliable "Control of the New York of the Ne
c. Skeleton. Algiers. Purchased of M. Verreaux.—" Phoca leporina."
PAGOPHILUS.
Teeth:—Incisors $\frac{3-3}{2-2}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{2-2}{2-2}$;=34.
The ATAK or HARP SEAL. Pagophilus grænlandicus.
Gray, Cat. Mamm. Brit. Mus. pt. ii. Seals, p. 25. fig. 8 (skull). Phoca greenlandica, Fabr., Faun. Greenl. p. 11. 7; Skrivt. Nat. Selsk. i. pp. 87, 157, ii. tab. 12. fig. 1 (skull).—Thienem., Bull. Sci. Nat. v. p. 261. tab. 15 & 18, tab. 19 (skull).—Ball, Sketches of British Seals, tab. 2. figs. 33, 35 (skull??).—Blasius, Faun. Wirb. Deutschl. p. 253. figs. 140, 141 (skull), 1857.—Blainv., Ost. Atl. G. Phoca, pl. 5 (skull).
Young: Phoca lagura, Cuv., Oss. Foss. v. p. 206.—Gaimard, Voy. Isl. Mamm. tab. 2. fig. 6 (skull). Grey-bearded Seal from Orkney, Home, Phil. Trans. 1828, tab. 28 (skull).—D'Altòn, Vergl. Osteol. no. 9. pl. 4 b, c (skull).
Cervical vertebræ 7 Dorsal 15 Lumbar 5 Sacral 3 Caudal (?)
a, b, c, d, *e. Skulls: adult. Greenland. From Dr. Möller's Col-
lection. f. Skeleton. Purchased of Mr. Frank. g. Skull: "two years old." Hudson's Bay. Presented by G. Barnston, Esq. h, i. Skulls. j. Skull: young. k. Skull. Greenland. From Dr. Möller's Collection.
PHOCA.
The Bearded Seal. Phoca barbata.
Fabr., Skrivt. Nat. Selsk. i. pp. 139–159. tab. 13. fig. 3 (skull).—Blaine., Ost. Atl. G. Phoca, pl. 9 (dentition).—Thienem., Nat. Bemerk. i. tab. 1, 2, 3, tab. 4 (skull).—Gray, Cat. Mamm. Brit. Mus. pt. ii. Seals, p. 27. fig. 9 (skull).
Cervical vertebræ

Lumbar	•	V	e 1	rt	e	b	r	Ð								5
Sacral																3
Caudal																12

a. Skeleton: length 8 feet. North Sea. From Mr. Brandt's Collection.

b. Skull.

HALICHŒRUS.

Teeth:—Incisors $\frac{3-3}{3-2}$; Canines $\frac{1-1}{1-1}$; Molars $\frac{5-5}{5-5}$; =34.

The GREY SEAL. Halicherus gryphus.

Ball, Trans. Roy. Irish Acad. xviii. tab. 1. figs. 2, 3 (skull, teeth, &c.).—
Gray, Cat. Mamm. Brit. Mus. pt. ii. Seals, p. 30. fig. 10 (skull).—
Blasius, Faun. Wirb. Deutschl. p. 256. figs. 143, 144 (skull).
Seal from South Sea, Home, Phil. Trans. 1822, tab. 27 (skull).

*a. Skull: adult. Fern Island.

*b. Skull: young. Fern Island. Presented by J. P. Selby, Esq.

TRICHECHUS.

Teeth:—Incisors $\frac{1-1}{6-6}$; Molars $\frac{3-3}{4-4}$;=16.

The Morse or Walrus. Trichechus rosmarus.

Blaine., Ost. Atl. pl. 1 (skeleton).—Gray, Cat. Mamm. Brit. Mus. pt. ii. Seals, p. 31. fig. 11 (skull), 1850.—Blasius, Faun. Wirb. Deutschl. p. 261. fig. 148 (adult skull), p. 262. figs. 149, 150 (skulls), 1857.—Oven, Odont. pl. 132. fig. 8 (dentition); Odont., Article in Encycl. Brit. p. 463. fig. 112 (skull), 1854; Orr's Circle of the Sciences, i. p. 230. fig. 27 (skeleton), 1854.

Morse, Buff., Hist. Nat. xiii. p. 424. pl. 55 (skull).

a. Skull.

b. Skull. Presented by General T. Hardwicke.

c. Skull: young.

- d. Tooth, longitudinally divided. Presented by Dr. J. E. Gray.
- e-g. Tusks. N.W. coast of America. Presented by Capt. Kellett and Lieut, Wood.
- h. Skeleton.
- i. Skull: young. Presented by the Linnean Society.

MORUNGA.

Teeth:—Incisors $\frac{2-2}{1-1}$; Canines $\frac{1-1}{1-1}$; Molars $\frac{5-5}{5-5}$;=30.

The SEA ELEPHANT. Morunga elephantina.

Gray, Cat. Mamm. Brit. Mus. pt. ii. Seals, p. 33. fig. 12 (skull). Phoca proboscidea, Cuv., Oss. Foss. v. tab. 18. fig. 1.—F. Cuv., Mém.

du Mus. xi. tab. 14. fig. 1 (skull); Dents des Mamm. p. 124. no. 39 a. — Owen, Odont. pl. 132. fig. 7 (dentition).

Phoca leonina, Blaine., Ost. Atl. G. Phoca, pl. 5 (skull).

Cervical	٧	re	r	te	b	r	æ	٠.							7
Dorsal .															15
Lumbar															5
Sacral .															
Caudal .															(?)

a. Skull: very young.

- *b. Skull and skeleton. Antarctic Seas, Antarctic Expedition. Presented by the Lords of the Admiralty.—The specimen figured in the 'Voyage of the Erebus and Terror.'
- c. Skull and skeleton. Antarctic Seas, Antarctic Expedition. Presented by the Lords of the Admiralty.
- d. Skull and imperfect skeleton. Purchased of Mr. Bartlett.

CYSTOPHORA.

Teeth:—Incisors $\frac{2-3}{1-1}$; Canines $\frac{1-1}{1-1}$; Molars $\frac{5-5}{5-5}$; =30.

The CLAPNUTZ or CRESTED SEAL. Cystophora cristata.

Nilsson, Vet. Akad. Handl. 1837.—Gray, Cat. Mamm. Brit. Mus. pt. ii. Seals, p. 36. fig. 13 (skull).—Blasius, Faun. Wirb. Deutschl. p. 258. figs. 145-147 (skulls).

Phoca cristata, Blainv., Ost. Atl. G. Phoca, tab. 5 (skull), tab. 9 (teeth).
— Cuv., Oss. Foss. v. p. 210. tab. 18. fig. 3.—F. Cuv., Dents des Mamm. p. 122. tab. 39, tab. 38 B (teeth).

- a, *b, *c. Skulls: adult. Greenland.
- d. Skull: lower jaw wanting.
- e. Skull: half-grown.
- f. Skull: very young.
- g. Skull: female. Greenland.
- h. Skull. Norway. From Dr. A. Günther's Collection.

The West Indian Hooded Seal. Cystophora antillarum.

Gray, P. Z. S. 1849, p. 93; Cat. Mamm. Brit. Mus. pt. ii. Seals, p. 38.

a. Skull of a very young specimen. West Indies.

ARCTOCEPHALUS.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Molars $\frac{6-6}{5-5}$;=36.

Dr. Hooker's Eared Seal. Arctocephalus hookeri.

Gray, Zool. Erebus and Terror, pl. (skull); Cat. Mamm. Brit. Mus. pt. ii. Seals, p. 40. fig. 15 (skull).

a. Skull and skeleton: adult. Falkland Islands, Antarctic Expedition. Presented by the Lords of the Admiralty.—The specimen figured in the 'Voyage of the Erebus and Terror.'

b. Skull and skeleton.
 c, *d. Skulls (imperfect).
 Antarctic Expedition. Presented by the Lords of the Admiralty.

The Australian Eared Seal. Arctocephalus lobatus.

Gray, Zool. Erebus and Terror, pl. (skull).

- *a. Teeth: adult. Houtman's Abrolhos, Australia. From Mr. Gould's Collection.—The specimen figured in the 'Voyage of the Erebus and Terror.'
- *b. Lower jaw. \ Houtman's Abrolhos, Australia. From

*c, *d. Teeth: very young. Mr. Gould's Collection.

*e. Skull: adult. North-west Australia. Presented by Captain Sir G. Grey.

Arctocephalus falklandicus.

Gray, Cat. Mamm. Brit. Mus. pt. ii. Seals, p. 42, 1850. ? Otaria chilensis, J. Müller, Wiegm. Arch. 1841, p. 333 (skull).

 a. Skull: very young. Antarctic Ocean. Presented by Sir J. Richardson.

Arctocephalus delalandii.

Gray, Proc. Zool. Soc. 1859, p. 107. pl. 69 (skull). Otaria delalandii, Cuv., Oss. Foss. v. p. 220. tab. 18. fig. 15 (skull).

*a, *b. Skulls. Cape of Good Hope.

Arctocephalus gillespii.

Macbain, Rep. Phys. Soc. Edinb. 1858.—Gray, Proc. Zool. Soc. 1859, p. 110. pl. 70 (skull).

a. Plaster cast from the original specimen. California.

Arctocephalus nigrescens.

Gray, Zool. Erebus and Terror, tab. . fig. (skull).

- *a. Skull. Falkland Islands.—The specimen figured in the 'Voyage of the Erebus and Terror.'
- *b. Teeth. | Collected by Mr. Macgillivray. Presented by the Lords c. Skull. | of the Admiralty.

d. Skull. From the Zoological Society's Collection.

The Northern Fur Seal. Arctocephalus ursinus.

Gray, Proc. Zool. Soc. 1859, pp. 103, 108. pl. 68 (skull).

*a. Skull. Behring's Straits.

L 2

Arctocephalus monteriensis.

Gray, Proc. Zool. Soc. 1859, p. 358. pl. 72 (skull).

a. Skull: adult. California. Presented by J. H. Gurney, Esq., M.P. —The specimen figured in Proc. Zool. Soc. 1859.

b. Skull: young. California. Presented by J. H. Gurney, Esq., M.P.

OTARIA.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Molars $\frac{5-5}{5-5}$; =34.

The SEA LION. Otaria leonina.

Gray, Cat. Mamm. Brit. Mus. pt. ii. Seals, p. 47. Phoca jubata, Blainv., Ost. Atl. G. Phoca, pl. 6 (skull).

- *a. Teeth of lower jaw. S. America. Presented by Captain Fitzroy. R.N.
- b. Skull: half-grown. S. America. Purchased of Mr. Bridges.
- c. Skull: adult. Purchased of Mr. Argent.
- d. Skull.
- e. Skull: three-parts grown.) From the Zoological Society's Collection.
- f. Skull.

 *g. Skull: imperfect. Chili. Purchased of Mr. Brandt.
- h. Skull.—The specimen figured in the 'Voyage of the Erebus and Terror.'
- i, j, k. Skulls. **I. Skull: adult. Falkland Islands.

Order III. CETE.

Fam. 1. BALÆNIDÆ.

BALÆNA.

The Northern Whale. Balæna mysticetus.

Gray, Zool. Erebus and Terror, pp. 15 & 47. tab. 1. fig. 4 (baleen); Cat. Mamm. Brit. Mus. pt. i. Cetacea, p. 12. pl. 2. fig. 1 (skull).—Cuv., Oss. Foss. v. p. 361. tab. 25. figs. 9-11, tab. 26. fig. 25 (skull).—D'Alton, Vergl. Osteol. no. x. pl. 4 (skull).

a. Skull and lower jaw. North Sea.

b, c. Two plates of baleen. Greenland. Presented by Messrs. Smith and Simmonds.—The specimen figured in the 'Voyage of the Erebus and Terror,' p. 47. tab. 1. fig. 4.

d. One plate of whalebone. Greenland.

The Western Australian Whale. Balsena marginata.

Gray, Zool. Erebus and Terror, p. 48. tab. 1. fig. 1 (baleen).

a, b, c. Three plates of baleen. Length 20 inches; width at the base 2 inches 6 lines. W. Australia. Presented by Mr. Warwick.

The CAPE WHALE. Balsens australis.

Gray, Zool. Erebus and Terror, pp. 15 & 48. tab. 1. fig. 3 (baleen).
 Baleine du Cap, Cuc., Oss. Foss. v. p. 368. tab. 24, tab. 25. figs. 1-8, tab. 26.

Vertebræ 52 (Warwick).

a. Bone of fore-arm. Cape of Good Hope.

b, c. Two plates of "South Sea whalebone." Pacific Ocean? Presented by Messrs. Smith and Simmonds.—The specimen figured in the 'Voyage of the Erebus and Terror,' p. 48. tab. 1. fig. 3.

d, c. Two plates of whalebone.

The Japan Whale. Balæna japonica.

Gray, Zool. Erebus and Terror, pp. 15 & 47. tab. 1. fig. 2 (baleen).

a, b. Two plates of "North-west Coast whalebone." N.W. coast of America.—The specimens figured in the 'Voyage of the Erebus and Terror,' p. 47. tab. 1. fig. 2.

Arctocephalus monteriensis.

Gray, Proc. Zool. Soc. 1859, p. 358. pl. 72 (skull).

- a. Skull: adult. California. Presented by J. H. Gurney, Esq., M.P.
 —The specimen figured in Proc. Zool. Soc. 1859.
- b. Skull: young. California. Presented by J. H. Gurney, Esq., M.P.

OTARIA.

Teeth:—Incisors $\frac{3-3}{3-4}$; Canines $\frac{1-1}{1-1}$; Molars $\frac{5-5}{5-5}$; = 34.

The SEA LION. Otaria leonina.

Gray, Cat. Mamm. Brit. Mus. pt. ii. Seals, p. 47. Phoca jubata, Blain., Ost. Atl. G. Phoca, pl. 6 (skull).

- *a. Teeth of lower jaw. S. America. Presented by Captain Fitzroy, R.N.
- b. Skull: half-grown. S. America. Purchased of Mr. Bridges.
- c. Skull: adult. Purchased of Mr. Argent.
- d. Skull.
- e. Skull: three-parts grown. \ From the Zoological Society's Col-
- f. Skull. lection.
- *g. Skull: imperfect. Chili. Purchased of Mr. Brandt.
- b. Skull.—The specimen figured in the 'Voyage of the Erebus and Terror.'
- i, j, k. Skulls.
- *1. Skull: adult. Falkland Islands.

Order III. CETE.

Fam. 1. BALÆNIDÆ.

BALÆNA.

The Northern Whale. Balsena mysticetus.

Gray, Zool. Erebus and Terror, pp. 15 & 47. tab. 1. fig. 4 (baleen); Cat. Mamm. Brit. Mus. pt. i. Cetacea, p. 12. pl. 2. fig. 1 (skull).—Cwv., Oss. Foss. v. p. 361. tab. 25. figs. 9-11, tab. 26. fig. 25 (skull).—D'Alton, Vergl. Osteol. no. x. pl. 4 (skull).

a. Skull and lower jaw. North Sea.

b, c. Two plates of baleen. Greenland. Presented by Messrs. Smith and Simmonds.—The specimen figured in the 'Voyage of the Erebus and Terror,' p. 47. tab. 1. fig. 4.

d. One plate of whalebone. Greenland.

The Western Australian Whale. Balæna marginata.

Gray, Zool. Erebus and Terror, p. 48. tab. 1. fig. 1 (baleen).

a, b, c. Three plates of baleen. Length 20 inches; width at the base 2 inches 6 lines. W. Australia. Presented by Mr. Warwick.

The Cape Whale. Balsens sustralis.

Gray, Zool. Erebus and Terror, pp. 15 & 48. tab. 1. fig. 3 (baleen).
 Baleine du Cap, Cuc., Oss. Foss. v. p. 368. tab. 24, tab. 25. figs. 1-8, tab. 26.

Vertebræ 52 (Warwick).

a. Bone of fore-arm. Cape of Good Hope.

b, c. Two plates of "South Sea whalebone." Pacific Ocean? Presented by Messrs. Smith and Simmonds.—The specimen figured in the 'Voyage of the Erebus and Terror,' p. 48. tab. 1. fig. 3.

d, c. Two plates of whalebone.

The JAPAN WHALE. Balæna japonica.

Gray, Zool. Erebus and Terror, pp. 15 & 47. tab. 1. fig. 2 (baleen).

a, b. Two plates of "North-west Coast whalebone." N.W. coast of America.—The specimens figured in the 'Voyage of the Erebus and Terror,' p. 47. tab. 1. fig. 2.

MEGAPTERA.

Johnston's Humpbacked Whale. Megaptera longimana.

Gray, Zool. Erebus and Terror, p. 51. Balsens longimans, *Rudolphi*, Abh. der Berl. Acad. 1829, p. 132. pl. 1 (skeleton), pls. 2, 3 (skull).

- a. Skull of adult. Greenland.
 b. Baleen of a.
 c. Skeleton.

 From Professor Eschricht's Collection.
 - The Porskop or Cape Humpback. Megaptera poeskop.

Rorqual du Cap, Cuv., Oss. Foss. v. p. 370. tab. 26. figs. 1-4 (akull), figs. 19-21 (vertebræ), figs. 9 & 22 (fins), fig. 24 (pelvis), tab. 25. fig. 15 (tongue-bones).

BALÆNOPTERA.

The Pike Whale. Balmnoptera rostrata.

Gray, Zool. Erebus and Terror, p. 50. tab. 2 (skull), tab. 1. fig. 3 (baleen); Cat. Mamm. Brit. Mus. pt. i. Cetacea, p. 32. pl. 2. fig. 2 (skull).—
D'Alton, Vergl. Osteol. no. x. pl. 2 (skeleton).—Rudolphi, Abh. der Berl. Acad. 1820, pl. 1 (skeleton), pls. 2, 3 (skull).
Balæna boops, Albers, Icon. Anat. Comp. tab. 1 (skeleton), 1818.

a. Skeleton. South Greenland. From Mr. Brandt's Collection.
 b. Plates of baleen. Thames, at Deptford.

PHYSALUS.

The RAZOB-BACK. Physalus antiquorum.

Rorqual de la Méditerranée, Cuv., Oss. Foss. v. p. 370. tab. 26. fig. 5 (skull).

Cervical	V	91	t	e	b	r	æ	٠.							•	7
Dorsal .																13
Lumbar																
Candal																17

- a. Two plates of baleen. Needles, coast of Hampshire. From the skeleton at Black-gang Chine.
- Several plates of baleen united together. Greenland. From M. Müller's Collection.
- c. Skeleton: 74½ feet long. Plymouth.

Physalus (Rorqualus) boops.

Balæna boops, D'Alton, Vergl. Osteol. no. x. pl. 3. Balænoptera boops, Owen, Odont. pl. 87 a. fig. 1, figs. 2-6 (teeth); Orr's Circle of the Sciences, i. p. 228. fig. 25 (skeleton), 1854.

a. Skeleton. Coast of Wales.

Fam. 2. CATODONTIDÆ.

CATODON.

The Northern Sperm Whale. Catedon macrocephalus.

Gray, Cat. Mamm, Brit. Mus. pt. i. Cetaces, pl. 2. fig. 49 (skull). Physeter macrocephalus, Pander und D'Alton, Vergl. Osteol. no. x. pl. 5 (scapula).—Owen, Odont. pl. 89. fig. 1 (lower jaw and teeth).—F. Cuv., Cétacés, 1836, p. 286. pl. 19. figs. 2-5 (skull).—Anderson, Camb. Phil. Trans. ii. tab. 18, 14 (skull).

- a. Skull. North Sea.
- b. Lower jaw. Presented by Colonel Cobb.
- c. Lower jaw of young.
- d. Ear-bones. Presented by H. H. Russell, Esq.
- e. Teeth, various.
- f. Section of a tooth.
- g. Lower jaw. South Sea, between Cape Howe and New Zealand. Presented by Louis Nathan, Esq.

The Australian Sperm Whale. Catodon australis.

Wall, Hist. New Sperm Whale, Sydney, 1851, tab. 1 (skeleton of male).

KOGIA.

The SHORT-HEADED WHALE. Kogia breviceps.

Gray, Zool. Erebus and Terror, p. 22.

Physeter breviceps, Blainv. in Laurent et Bazin, Ann. d'Anat. et Phys.

ii. pl. 10 (skull). Emphyseter grayii, *Wall*, Hist. New Sperm Whale, 1851, p. 37. tab. 1

& 2 (skeleton). Head of foetal Cachalot, Cat. Coll. Surg. p. 442. no. 2417.

Fam. 3. DELPHINIDÆ.

HYPEROODON.

Teeth $\frac{0-0}{2-0} = 4$.

The THICK-HEADED HYPEROODON. Hyperoodon latifrons.

Gray, Zool. Erebus and Terror, tab. 4 (akull); Cat. Mamm. Brit. Mus. pt. i. Cetaces, pl. 3. fig. 1 (akull).

a. Skull and skeleton (imperfect). Orkney.

The Bottle-Head. Hyperoodon butzkopf.

Gray, Zool. Erebus and Terror, p. 20. tab. 8–5 (skull).—D'Atton, Vergl. Osteol. no. x. pl. 5 (skull).

The Braked Hyperoodon. Hyperoodon rostratum.

Hyperodon, Cuv., Oss. Foss. v. p. 322. tab. 24. figs. 19, 21 (akull).— F. Cuv., Cétacés, pl. 9. figs. 1-3 (akull), 1836. Hyperodon bidens, Owen, Odont. p. 847. pl. 88. fig. 1 (end of the upper jaw of the young, showing the teeth).

a. Skeleton.
 b. A portion of a very young skeleton.

Whitstable, Kent.

BERARDIUS.

Berardius arnuxii.

Duvernoy, Ann. Sci. Nat. 1851, p. 51. tab.

ZIPHIUS.

Ziphius sowerbiensis.

Gray, Zool. Erebus and Terror, p. 572.figs. 3, 4, cop. from Blaine. drawing, p. 53. tab. (skull); Cat. Mamm. Brit. Mus. pt. i. Cetacea, pl. 3. fig. 2 (skull).

 a. Plaster cast of the skull described by Sowerby. Presented by Dr. Acland.

DELPHINORHYNCHUS.

BLAINVILLE'S WHALE. Delphinorhynchus micropterus.

Dumortier, Mém. Acad. Brux. xii. tab. 2 (akeleton).—F. Cw., Cétacés, p. 114. tab. 7 (akull).

a. Plaster cast of skull. Presented by Professor Van der Hoeven.

MONODON.

The Narwhal. Monodon monoceros.

Camper, Cet. tab. 29, 31 (skull).—Home, Lect. Comp. Anat. tab. 42. fig. 1.—Cuv., Oss. Foss. v. tab. 22. fig. 7.—D'Alton, Vergl. Osteol. no. ix. pl. 6 (skeleton), no. x. pl. 5 (skull).—Bonnat., Enc. Méth. pl. (skull with two tusks), 1809.—Albers, Icon. Anat. Comp. pls. 2, 3 (skull with two tusks).—Bijdragen tot de Dierkunde, p. 21. pl. fig. 1 (skull with one tusk), fig. 2 (with two tusks), 1848.—Owen, Odontology, Art. in Encycl. Brit. p. 444. fig. 62 (skulls of male and female).—F. Cuv., Cétacés, pl. 17. fig. 3 (skull), 1836.

Cervical vertebræ											7
Dorsal											11
Lumbar and Caudal											33

- a. The tooth. North Sea.
- b. Skull: female: not in good state. North Sea.
- c. Skeleton.

BELUGA.

Teeth $\frac{9-9}{8-0} = 35$.

The Northern Beluga. Beluga catodon.

Delphinus leucas, Cuv., Oss. Foss. v. p. 287. tab. 22. figs. 5, 6 (akull). — D'Alton, Vergl. Osteol. no. vii. (akull).—F. Cuv., Cétacés, pl. 16. figs. 2, 3 (akull), 1836.

Cervical v	vertebræ	 	 	 	 	 7
Dorsal .		 ٠.	 	 	 	 11
Lumbar.						

- a. Skeleton: length 15 feet. Greenland.
- b. Skull. Greenland.
- c. Skull. Eschscholtz Bay, Behring's Straits. Presented by Captain Kellett, R.N., and Lieut. Wood, R.N.

The Australian Beluga. Beluga kingii.

Gray, Zool. Erebus and Terror, p. 30. tab. 7 (skull); Cat. Mamm. Brit. Mus. pt. i. Cetacea, pl. 4. fig. 3 (skull).

a. Skull. New Holland. Presented by Capt. P. P. King, R.N.

NEOMERIS.

Teeth $\frac{16}{16}$ or $\frac{20}{19}$ = 32 or 39.

The NEOMERIS. Neomeris phocenoides.

Gray, Cat. Mamm. Brit. Mus. pt. i. Cetacea, p. 80. pl. 4. fig. 2 (skull). Delphinus melas, *Temm.*, Fauna Japonica, tab. 25 (teeth).

PHOCÆNA.

Teeth: $-\frac{20-20 \text{ to } 23-23}{20-20 \text{ to } 23-23} = 80 \text{ to } 92.$

The Porpoise. Phocsens communis.

Delphinus phocæna, Cuv., Oss. Foss. v. tab. 21. figs. 1 & 2 (skull).— Lacép., Cét. tab. 20. fig. 2 (skeleton).—Gray, Cat. Mamm. Brit. Mus. pt. i. Cetacea, pl. 4. fig. 3 (skull).—D'Atton, Vergl. Osteol. no. vii. a, b (skull), no. x. pl. 1 (skeleton).

Cervical	vert	ebre	e.									 	7	
Dorsal .													13	
Lumbar.													43.	

- a. Skull. From Dr. Mantell's Collection.
- b. Four vertebræ.
- c. Skeleton. England.
- d. Skeleton. Polperro.

GRAMPUS.

Teeth: $-\frac{6-6}{5-5}$ to $\frac{6-6}{5-5}=4$ to 10.

CUVIER'S DOLPHIN. Grampus cuvieri.

Gray, Cat. Mamm. Brit. Mus. pt. i. Cetacea, pl. 5. fig. 1 (akull). Delphinus griseus, Cuv., Oss. Foss. v. tab. 22. figs. 1, 2.—F. Cuv., Dents des Mamm. 1825, no. 101 (dentition).

a. Skull. Isle of Wight. Presented by the Rev. C. Bury.

b. Lower jaw. Presented by the Haslar Hospital Museum.

Grampus richardsonii.

Gray, Cat. Mamm. Brit. Mus. pt. i. Cetacea, p. 85, 1850.

a. Lower jaw. Presented by the Haslar Hospital Museum.

GLOBIOCEPHALUS.

Teeth: $-\frac{10-10 \text{ to } 14-14}{10-10 \text{ to } 14-14} = 40$ to 56.

The PILOT DOLPHIN. Globiocephalus svineval.

Gray, Zool. Erebus and Terror, p. 32.
Delphinus globiceps, Cuv., Oss. Foss. v. p. 285. tab. 21. figs. 11-13.—
F. Cuv., Hist. Nat. Cétacés, p. 190. pl. 14. figs. 1-3 (skull); Dents des Mamm. p. 244.—Gray, Proc. Zool. Soc. 1861, fig.

 Cervical vertebræ
 7

 Dorsal
 10

 Lumbar, Sacral, and Caudal
 42

a. Skull. Orkneys. Presented by Professor Traill.

b. Lower jaw: half-grown.

c. Skull (lower jaw wanting). Dredged from the bed of the Thames.

d. Skull.

e, f. Lower jaw.

g. Skull (imperfect). South Sea. Presented by Dr. Milligan.

h. Skeleton. Coast of Ireland.

Globiocephalus incrassatus.

Gray, Proc. Zool. Soc. 1861, figs. 1, 2.

 Skull (the lower jaw wanting). Bridport, Presented by the Rev.-H. Beecham.

The NAIS-GOTA. Globiocephalus sieboldii.

Gray, Zool. Erebus and Terror, p. 32.—Siebold, Faun. Japon. tab. 27 (skull, &c.).

ORCA.

Teeth: $-\frac{13-13}{19,19} = 50$.

The KILLER. Orca gladiator.

Gray, Cat. Mamm. Brit. Mus. pt. i. Cetacea, p. 92.—Ciec., Oss. Foss. v. tab. 22. figs. 3, 4.

Cervical vertebrae	7
Dorsal	11
Lumbar, Sacral, and Caudal	32 or 33

- a. Skull. Coast of Essex. From Mr. Cross's Collection.
 b. Skeleton: 20 feet long. Weymouth. Presented by R. Pearce, Esq.
- c. Skull. From Mr. Turner's Collection.
- d. Skull. From Mr. Stevens's sale.
- e. Lower jaw: three-parts grown.

The Cape Killer. Orca capensis.

Gray, Zool. Erebus and Terror, p. 34. tab. 9 (skull); Cat. Mamm. Brit. Mus. pt. i. Cetacea, p. 95. pl. 5. (skull).

- a. Skull. Northern Pacific Ocean. Presented by the Zoological Society of London.—The specimen figured in the 'Voyage of the Erebus and Terror.'
- b. Skull. Cape of Good Hope. Purchased of Mr. Viney.

The SMALL KILLER. Orca intermedia.

Gray, Zool. Erebus and Terror, p. 34. tab. 8 (skull).

a. Skull.—The specimen figured in the 'Voyage of the Erebus and Terror.'

Orca tethyos.

Gervais, Bull. Soc. Herault, 1853, p. 140. tab. 1. figs. 1-4 (skull).

LAGENORHYNCHUS.

Teeth:
$$-\frac{28-28}{25-25} = 106$$
.

The Asia. Lagenorhynchus asia.

Gray, Zool. Erebus and Terror, tab. 14 (skull).

a. Skull, wanting teeth.—The specimen figured in the 'Voyage of the Erebus and Terror.'

The Electra. Lagenorhynchus electra.

Gray, Zool. Erebus and Terror, p. 35. tab. 13 (skull).

a. Skull.—The specimen figured in the 'Voyage of the Erebus and Terror.'

The White-sided Bottle-Nose. Lagenorhynchus leucopleurus. Gray, Zool. Erebus and Terror, tab. 12 (skull). Cervical vertebræ..... Dorsal 14 Lumbar, Sacral, and Caudal 60 a. Skeleton. Greenland. From Mr. Brandt's Collection.—The specimen figured in the 'Voyage of the Erebus and Terror.' The White-braked Bottle-nose. Lagenorhynchus albirostris. Gray, Zool. Erebus and Terror, tab. 11 (skull); Cat. Mamm. Brit. Mus. pt. i. Cetacea, pl. 6. fig. 2 (skull). Cervical vertebræ..... Lumbar, Sacral, and Caudal 60 a. Skeleton. Yarmouth.—The skull figured in the 'Voyage of the Erebus and Terror,' tab. 11. p. 35.

Lagenorhynchus clanculus.

Gray, Zool. Erebus and Terror, tab. 35 (skull).

b. Skeleton. From Mr. Stevens's sale.

a. Skull. Pacific Ocean. From Mr. Dickie's Collection.

Lagenorhynchus thicolea.

Gray, Zool. Erebus and Terror, tab. 36 (skull).

a. Skull (imperfect). From Mr. Dickie's Collection.

DELPHINAPTERUS.

Péron's Dolphin. Delphinapterus peronii.

Lesson, Voy. Coq. i. p. 217. tab. 1. Dauphin de Péron, Cuv., Oss. Foss. v. tab. 21. figs. 5, 6 (skull).

DELPHINUS.

Teeth: $-\frac{42-42 \text{ to } 48-48}{42-42 \text{ to } 48-48} = 168 \text{ to } 192.$

The Dusky Dolphin. Delphinus obscurus.

Gray, Zool. Erebus and Terror, p. 37. tab. 16 (skull).
Delphinus bivittatus, D'Orb., Amér. Mérid. Mamm. tab. 21 (skull).
Delphinus cruciger, Quoy et Gaimard, Voy. Astrolabe, ix. pl. 21.
figs. 1, 2 (skull).

- a. Skull. Cape of Good Hope?
- b. Skull. Cape of Good Hope.

The Bottle-Nosed Whale. Delphinus tursio.

Delphinus truncatus, Montague, Wern. Trans. iii. tab. 5. fig. 3 (skull), cop. Bell's Brit. Quadr. 472. fig.—Cuv., Oss. Foss. v. tab. 21. figs. 3, 4, tab. 23. figs. 18, 22, 23, 29 (skull and parts of skeleton).—Camper, Cetac. tab. 35, 40.—Schlegel, Abh. tab. 4. fig. 9, tab. 5. figs. 1, 2.

- a. Skull: bad state. From the Montague Museum.
- b. Skull: bad state. From Dr. Mantell's Collection.
- Skull: bad state (semi-fossil). The cliff, Herne Bay. Presented by J. S. Bowerbank, Esq.

The EUTROPIA. Delphinus eutropia.

Gray, Zool. Erebus and Terror, tab. 34 (skull).

a. Skull. Pacific Ocean; Chili. From Dr. Dickie's Collection.

The EURYNOME. Delphinus eurynome.

Gray, Zool. Erebus and Terror, tab. 17 (skull).

a. Skull. North Sea?—The specimen figured in the 'Voyage of the Erebus and Terror.'

The Metis. Delphinus metis.

Gray, Zool. Erebus and Terror, tab. 18 (skull).

a. Skull.—The specimen figured in the 'Voyage of the Erebus and Terror.'

The Cymodoce. Delphinus cymodoce.

Gray, Zool. Erebus and Terror, tab. 19 (skull).

a. Skull.—The specimen figured in the 'Voyage of the Erebus and Terror.'

The STYX. Delphinus euphrosyne.

Delphinus styx, Gray, Zool. Erebus and Terror, pl. 20.

a. Skull.

The CLYMENE. Delphinus clymene.

Gray, Zool. Erebus and Terror; Cat. Mamm. Brit. Mus. pt. i. Cetacea, p. 115.

a. Skull.

The Doris. Delphinus doris.

Gray, Zool. Erebus and Terror, tab. 20 (skull).

- a. Skull.—The specimen figured in the 'Voyage of the Erebus and Terror.'
- b. Skull. From Haslar Hospital.

c, d, c. Skulls. From Mr. Argent's Collection. f. Skull. Jamaica. Presented by J. H. Gurney, Esq., M.P.
The NEW-ZEALAND DOLPHIN. Delphinus nove-realandies.
Quoy et Gaim., Voy. Astrolabe, tab. 28.—Gray, Zool. Erebus and Terror, p. 41.
Cervical vertebræ 7 Dorsal 12 Lumbar, Sacral, and Caudal 46 or 47
 a. Skull. From the Antarctic Expedition. b, c. Skeletons. Antarctic Seas. Presented by the Lords of the Admiralty.
The Alors. Delphinus alope.
a. Skull. From Mr. Warwick's Collection.
The Dolphin. Delphinus delphis.
Schlegel, Abh. i. p. 20. tab. 4. fig. 2 (teeth).—Cuv., Oss. Foss. v. p. 275. tab. 21. figs. 9, 10 (skull).—Gray, Cat. Mamm. Brit. Mus. pl. 6. fig. 3 (skull).—Pander u. D'Alton, Vergl. Osteol. pl. 7 d (skull and dentition).—Bonnat., Enc. Méth. pl. 9. fig. 1 (skeleton).—Owen, Odontology, Art. in Encycl. Brit. p. 445. fig. 64 (teeth); Odontography, pl. 88. fig. 2 (teeth).—F. Cuv., Cétacés, pl. 9. figs. 4, 5 (skull), 1836; Dents des Mamm. 1825, p. 241. no. 98 (dentition). Delphinus vulgaris, Lavép., Cét. 250. tab. 14 (skull).
Cervical vertebræ
 a. Skull (large). b. Skull (smaller). Presented by Allan Cunningham, Esq. c. Skull. St. Helena. Presented by A. Pearson, Esq. d. Skull. Presented by J. J. Bennett, Esq. e-p. Skulls. q, r. Skeletons. English Coast. Presented by Messrs. Grove & Son.
The SMALL-HEADED DOLPHIN. Delphinus microps.
Gray, Zool. Erebus and Terror, tab. 25 (skull).
a. Skull. From the Haslar Museum.—The specimen figured in the 'Voyage of the Erebus and Terror.'b. Skull.
The Large Delphinus lenive

The Janua. Delphinus janira.

Gray, Zool. Erebus and Terror, tab. 23 (skull).

Delphinus cæruleo-albus.

Schreb., Säugth. vii. pl. 364 (akull).

Delphinus pseudodelphis.

Schreb., Säugth. vii. pl. 858 (skull).

STENO.

Teeth: $-\frac{28-23 \text{ to } 25-25}{23-23 \text{ to } 26-25} = 92 \text{ to } 100.$

The LARGE-TOOTHED DOLPHIN. Steno frontatus.

Gray, Zool. Erebus and Terror. tab. 43 (skull); Cat. Mamm. Brit. Mus. pt. i. Cetacea, pl. 7. fig. 4 (skull).

- a. Part of the upper jaw: teeth large.
- b. Bones of the ear. India. Presented by General Hardwicke.
- c. Skull. India.
- d, e. Skulls.
- f. Skull. From Mr. Argent's Collection.

The Compressed-beaked Dolphin. Steno compressus.

Gray, Zool. Erebus and Terror, tab. 27 (skull).

- a. Skull. The specimen figured in the 'Voyage of the Erebus and Terror.'
- b, c, e. Skulls.
- d. Skull. South Sea. Antarctic Expedition. Presented by the Lords of the Admiralty.

The SHARP-BEAKED DOLPHIN. Steno attenuatus.

Gray, Zool. Erebus and Terror, p. 43. tab. 28 (skull).

- a. Skull. India? Presented by Mrs. Ince.
- b. Skull. The specimen figured in the 'Voyage of the Erebus and Terror.'
- c. Skull. 9° N. Lat. Presented by A. Pearson, Esq.

Steno tucuxi.

a, b. Skulls. Male and female. Amazon River. Collected by Mr. Bates.—The original specimens described by Dr. Gray.

Steno hamatus.

Delphinus hamatus, Schreb., Säugth. vii. pl. 369 (skull).

PONTOPORIA.

The Pontoporia blainvillii.

Groy, Zool. Erebus and Terror, tab. 29 (skull); Cat. Mamm. Brit.
Mus. pt. i. Cetacea, pl. 7. fig. 4 (skull).
Delphinus (Stenodelphis) blainvillii, Gervais et D'Orbigny, Voy.
Amér. Mérid. Mamm. tab. 23 (skull).

INIA.

Teeth: $-\frac{33-34}{84-34} = 135$.

The INIA. Inia geoffroyii.

Gray, Cat. Mamm. Brit. Mus. pt. i. Cetacea, p. 135. pl. 7. fig. 3 (akull). Inia boliviensis, D'Orbigny, N. Ann. Mus. vii. tab. 22; Voy. Amér. Mérid. Mamm. tab. 22 (akull).—F. Cuv., Hist. Nat. Cétacés, pl. 2. figs. 1, 2 (skull), 1836.

a, b. Skulls. From Mr. Bates's Collection.

PLATANISTA.

Teeth: $-\frac{27-26}{28-26} = 107$.

The Susue. Platanista gangetica.

Gray, Illust. Ind. Zool.; Cat. Mamm. Brit. Mus. pt. i. Cetacea, pl. 7. fig. 2 (skull).—Owen, Odont. pl. 87. figs. a, b (teeth).—F. Cw., Hist. Nat. Cétacés, p. 225. pl. 18. figs. 1–3 (skull), 1836. Delphinus gangeticus, Cw., Oss. Foss. v. tab. 22. figs. 8, 10 (skull).

a. Skull: young (end of nose nearly straight). India (Ganges).

b. Skull: adult (end of nose recurved). India. Presented by Gibson Rowe, Esq.

Fam. 4. HALICORIDÆ.

HALICORE.

Teeth:—Incisors $\frac{2-2}{3-3 \text{ or } 4-4}$; Canines $\frac{6-6}{0-6}$; Molars $\frac{5-5}{5-5}$;=30 or 32.

The Ducone. Halicore dugong.

Daubenton, Buffon, Hist. Nat. xiii. (skull).—Home, Phil. Trans. 1821, tab. 20.—Pander u. d'Alton, Vergl. Osteol. tab. 5 (akeleton), figs. a-h (skull and details of akeleton).—Cuv., Oss. Foss. v. p. 259. tab. 19 & 20 (akeleton and skull).—Spiz, Cephalog. xxiii. (skull).—Blainv., Ost. Atl. G. Manatus, pl. 2 (skeleton), pl. 4 (skull).—Schreb., Säugth. vii. pl. 380. figs. 5, 6 (skull), pl. 383 (skeleton).

Halicore indicus, Owen, Odont. pls. 92-95 (dentition); Odont., Art. in Encycl. Brit. (new edit.) p. 448. figs. 6, 7 (section of teeth and jaws).—F. Cuv., Hist. Nat. Cétacés, p. 29. pls. 4-7 (skeleton and skull). 1836

skull), 1836.

Cervical vertebræ	7
Dorsal	
Lumber Secret and Candal	21

- a. Skull: adult. India. Presented by Walter Elliott, Esq.
- b. Skeleton. India.
 c. Skeleton (imperfect).

 From the Zoological Society's Collection.

The Australian Dugong. Halicore australis.

Owen, Voy. Fly, ii. p.	325. fig. 1,	p. 327.	fig. 3, p.	328. fig. 5;	Orr's
Owen, Voy. Fly, ii. p. Circle of the Science	es, i. p. 229.	fig. 26 ((akeleton), 1854.	

Cervical vertebræ	 7
Dorsal	 19
Lumbar, Sacral, and Caudal	 33

- a. Skeleton. Australia. Purchased of Mr. Strange.
- b, c. Two upper jaws. N.E. coast of New Holland. Presented by J. B. Jukes, Esq.
- d. Skull. Presented by J. B. Jukes, Esq.
- e. Skull. Darnley Island, Torres Straits. Presented by the Earl of Derby.
- f, g. Two skulls. Moreton Bay. Presented by Captain Stanlev. Voyage of H.M.S. Rattlesnake.
- h. Skeleton. Moreton Bay. Presented by J. Harris, Esq.

Fam. 5. MANATIDÆ.

MANATUS.

Teeth:—Incisors $\frac{1-1}{6-6}$; Canines $\frac{6-6}{9-6}$; Molars $\frac{8-8}{9-6}$; = 34.

The Manate. Manatus australis.

Lamantin d'Amérique, Cuv., Oss. Foss. v. p. 242. tab. 19. figs. 2, 3, 9, 10, 11, 14-19 (skull, &c.).—Blainv., Ost. Atl. G. Manatus (latirostris), pl. 1 (skeleton), pl. 2 (skull), pl. 3 (skull).

Manatus americanus, Spix, Cephalog. tab. 7 & 24 (skull).—Owen, Odont. pl. 96. figs. 1-5 (dentition).—F. Cuv., Dents des Mamm. p. 236. no. 96 (dentition); Hist. Nat. des Cétacés, pl. 2. figs. 1, 2 (skull), pl. 3 (skeleton), 1836.—Vrolik, Bijdragen tot de Dierkunde, p. 53. pl. 3 (skeleton, &c.), pl. 4 (skull, adult and young), pl. 5 (dentition), 1848.—Schreb., Säugth. vii. pl. 380. figs. 1, 2 (skull).—Mobius. Arch. Nature, 1861. xxvii. p. 149. t. 7 (valate). Mobius, Arch. Naturg. 1861, xxvii. p. 149. t. 7 (palaté).

- a. Skull. South America?
- b. Skull. Jamaica. From Mr. Gosse's Collection.
- c. Skeleton (imperfect). Cuba. Presented by H. Christy, Esq.
- d. Skull. W. Indies.

The LAMANTIN. Manatus senegalensis.

Desm., Mamm. 508.—Schreb., Säugth. tab. 381 (skull).—Cw., Oss. Foss. v. tab. 17. figs. 2, 3 (skull).—Blainv., Ost. Atl. G. Manatus, pl. 3 (skull).—Schreb., Säugth. vii. pl. 380. fig. 1 (upper surface of skull), figs. 3, 4 (skull).

Manatus vogelii, Owen, Proc. Zool. Soc. 1851, p. 33. pl. 51 (skull).

a-c. Skeletons. W. Africa. Purchased of Mr. Du Chaillu.

Order IV. GLIRES.

Fam. 1. MURIDÆ.

MUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{3-8}{9-3}$; =16.

The BANDICOOT or Pig Rat. Mus bandicota.

Mus giganteus, Waterhouse, Mag. Nat. Hist. 1839, p. 12. figs. a, b, c (skull).

a. Skull. Madras. Presented by Walter Elliott, Esq.

b, c, d, e. Skulls. India.

f. Skull. Nepal. Presented by B. H. Hodgson, Esq.

The BLACK RAT. Mus rattus.

Pander und D'Alton, Vergl. Osteol. no.vi. pl. 5a, b (akull).—Fischer,
Prodr. Cran. Comp. pl. 2. fig. 3 (skull), 1811.
Rat, Buff., Hist. Nat. vii. p. 278. pl. 36 (skeleton).

Cervical vertebræ	 7
Dorsal	 13
Lumbar	
Sacral	
Caudal	

a, b. Skulls.

*c. Skull. Cambridgeshire.—Mus hibernicus.

- d. Skeleton. England. From Mr. Daniel's Collection.
- c. Skull. Cambridgeshire. Presented by Mr. Baker.

f. Skull: young. Chili.

*g.? Skull. Jamaica. From Mr. Gosse's Collection.

h. Skeleton. Germany. From Dr. A. Günther's Collection.

i. Skull. Egypt. From Dr. Christie's Collection.j. Skull: adult. Chili.

- k. Skeleton: young. Brought into the Museum alive, with the Nineveh marbles: said to be the Rat of the country from which they came. Presented by Mr. J. Saunders.
- 1. Skeleton. From the Zoological Society's Collection.

The Wirok. Mus setifer.

Cervical vertebræ	7
Dorsal	
Lumbar	5
Sacral	
Caudal	

a. Skeleton. Pinang. Presented by the East India Board.

1 10 75 5

The Norway Rat. Mus decumanus.

Civ., Oss. Foss. v. pl. 1. fig. 3 (teeth).—Owen, Odont. pl. 105. figs. 9, 10 (teeth).—Blassus, Faun. Wirb. Deutschl. p. 310. fig. 171 (skull), figs. 172, 173 (dentition), 1857.

Surmulot, Buff., Hist. Nat. viii. p. 218. pl. 27 (skeleton).

Cervical vertebræ	7
Dorsal	13
Lumbar	6
Sacral	4
Caudal	27

- a-d. Skulls. India. Presented by B. H. Hodgson, Esq.
 Skull. England. Presented by G. R. Gray, Esq.

f. Skull. From Dr. Mantell's Collection.

g. Skull.

- h. Skeleton. England. From Mr. Turner's Collection.
- i. Skeletons: J. England. From Mr. Daniel's Collection.
- j, k. Skulls: 5. S. Germany. From Dr. A. Günther's Collection. l. Skull: Q.
- m. Skull. From the voyage of H.M.S. Herald.
- n. Skull. W. Falkland. Presented by C. Darwin, Esq. o, p. Skulls. N. America. Presented by Dr. Backman.
- q. Skull: from a red variety. N. Africa.) From the Zoological So-
- r. Skull: from a white variety. ciety's Collection.
- *s. Skull. "Mus decumanoides." India. Presented by the East India Company.
- *t. Skull: young. New Zealand. Presented by Sir G. Grey.

The Alexandrine Rat. Mus alexandrinus.

- *a. Skull. Port Natal, S. Africa. From the Stockholm Museum.
- Port Natal. *b. Skull.
- *c. Skull. Cape of Good Hope.
- *d. Skull.
- *e. Skull: young. Cape of Good Hope.

Mus pilorides.

Cervical vertebræ	7
Dorsal	13
Lumbar	6
Sacral	4
Candal	32 or 33

St. Lucia. From the Zoological Society's Collection. b. Skeleton.

The WHITE-BELLIED RAT. The Roof RAT. Mus tectorum.

Baird, Mamm. N. America, p. 441. pl. 52. fig. 6 (skull).

The Indian Rat. Mus indicus.

- a, b, c. Skulls. India. Presented by B. H. Hodgson, Esq.
- d. Skull. India. Purchased of Mr. Turner.
- e. Skull. India. Presented by the East India Company.
- f. Skeleton. Presented by General Hardwicke.
- *q. Skull.
- h. Skull: adult. "Long-tailed Rat."
- i. Skull: adult. "House Rat."

The Cape Rat. Mus verreauxii.

a. Skull. South Africa. From the Stockholm Museum.

The Pencilled Rat. Mus penicillatus.

New Holland. From Mr. Gould's Collection. *a. Skull.

The BUFF-FOOTED RAT. Mus cervinipes.

a. Skeleton.) Shadbrook Island, Australia. From Mr. Gould's Col-*b. Skull. | lection.

The Brown-footed Mouse. Mus fuscipes.

*a, *b. Skulls: var. S. Australia. Presented by Captain Sir G. Grey. c. Skull. Darling Downs. From Mr. Gould's Collection.

The Allied Rat. Mus assimilis.

- *a. Skull. Swan River. Presented by Sir J. Richardson.
- *b. Skull. W. Australia.
- c, d. Skulls. Australia.) From Mr. Gould's
- *e. ? Skull. Victoria Plains, W. Australia. Collection.

The Mouse. Mus musculus.

Fischer, Prodr. Cran. Comp. tab. 1. fig. 7 (skull), 1811. Souris, Buff., Hist. Nat. vii. p. 309. pl. 39 (skeleton).

Cervical vertebræ	7
Dorsal	13
Lumbar	6
Sacral	3
Candal	28 or 29

- a. Skeleton.
- b. Skull. London. Presented by Mr. J. Baker.
- c. Skull. Epping. Presented by John Ray, Esq.
- d, e. Skulls.
- f. Skeleton. England. Purchased of Mr. Warwick.
- g. Skeleton. England. Purchased of Mr. Daniel.
- h. Skull. S. Germany. From Dr. A. Günther's Collection.
 i. Skull. S. Australia. Presented by Captain Sir G. Grey.
- j, k. Skulls. From Mr. Yarrell's Collection.

The Grevish-white Mouse. Mus albo-cinereus.

*a, *b. Skulls. Perth, West Australia.

*c. Skull. Swan River. Presented by Dr. Richardson. d-f. Skulls. West Australia. From Mr. Gould's Collection. g. Skull. Lake Albert.

Gould's Mouse. Mus gouldii.

*a. Skull. Swan River. Presented by Dr. Richardson.

*b, *c. Skulls. Victoria Plains.

d-g. Skulls. W. Australia. From Mr. Gould's Collection.

The LINEOLATED MOUSE. Mus lineolatus.

Darling Downs. From Mr. Gould's Collection. b. Skull. S. Australia. Presented by Captain Sir G. Grey.

The New-Holland Field Mouse. Mus nove hollandise.

a. Skull. From Mr. Gould's Collection.

The Flavescent Mouse. Mus flavescens.

Waterhouse, Voy. of the Beagle, pt. ii. Mamm. pl. 34. fig. 5a (first and second molar teeth of lower jaw).

*a. Skull. Bolivia.

*b, *c. Skulls. Bolivia. From Mr. Bridges' Collection.

The Wood Mouse. Mus sylvaticus.

Cervical vertebrae	. 7
Dorsal	
Lumbar	
Sacral	. 3
Candal	. 31

- a. Skull. England. Presented by J. Ray, Esq.
 *b. Skull. St. Gothard.
- c. Skull. S. Germany. From Dr. A. Günther's Collection.
- d, e. Skulls. St. Gothard.
- f. Skeleton. England.
- g, h. Skulls. From Mr. Yarrell's Collection.

The White-footed Mouse. Mus albipes.

a. Skull. Abyssinia. From Dr. Rüppell's Collection.

The ORIENTAL MOUSE. Mus orientalis.

a. Skull. Egypt. From the Stockholm Museum.

The MINUTE MOUSE. Mus minutoides.

a. Skull. S. Africa. From the Stockholm Museum.

The NATAL MOUSE. Mus natalensis.

a. Skull. Port Natal. From the Stockholm Museum.

Mus limbatus.

*a. Skull. Kordofan.

The Delicate-coloured Mouse. Mus delicatulus.

*a. Skull. Port Essington. From Mr. Gould's Collection.

The Tazamaca. Mus tazamaca.

a. Skull. Coban, Tropical America.

Mus nezumi.

Temm., Fauna Japonica, pl. 15. figs. 6, 7 (skull).

Mus akanezumi.

*a. Skull. Japan.

*b. Skull: young. Japan.

c. Skull. Japan.

Mus speciosus.

Temm., Fauna Japonica, pl. 16. fig. 3 (skull).

*a. Skull. Japan.

Mus bactrianus.

*a. Skull. Candahar. Presented by Captain Hutton.

Mus minimus.

Peters, Naturw. Reise nach Mossambique, Säugth. p. 152. pl. 35. fig. 8 (skull).

Mus arborarius.

Peters, Naturw. Reise nach Mossambique, Säugth. p. 152. pl. 35. fig. 7 (skull).

Mus microdon.

Peters, Naturw. Reise nach Mossambique, Säugth. p. 149. pl. 35. figs. 5, 6 (skull).

Mus rupestris.

Gervais, Histoire de Chili, pl. 6. fig. 1 (skull), fig. 1 a, b (dentition).

Mus lutescens.

Gervais, Histoire de Chili, pl. 6. fig. 4 c (skull), a, b (dentition).

Mus galapagoensis.

a. Skull.

HESPEROMYS.

The Great-Nailed Mouse. Hesperomys megalonys. *a, *b. Skulls. Chili. From Mr. Bridges' Collection.

Hesperomys anguya.

Hesperomys anguya, Schreb., Säugth. iii. pl. 239. fig. (dentition).

The Long-tailed Mouse. Hesperomys boylii.

Hesperomys boylii, Baird, Mamm. N. America, p. 471. pl. 52. fig. (akull).

The RICE-FIELD MOUSE. Hesperomys palustris.

Hesperomys (Oryzomys) palustris, *Baird*, Mamm. N. America, p. 482. pl. 52. fig. 4 (skull), 1859.

The HAMSTER MOUSE. Hesperomys myoides.

Hesperomys myoides, Baird, Mamm. N. America, p. 472, 1859. Cricetus myoides, Gapp., Zool. Journ. v. p. 205. tab. 10 (skull).

Hesperomys texanus.

Hesperomys texanus, *Baird*, Mamm. N. America, p. 464. pl. 52. fig. 5 a, b (dentition).

Hesperomys typus.

*a. Skull. Paraguay.—" Mus longitarsus," Rengg.

The Great-eared Mouse. Hesperomys californicus.

*a. Skull. California.

The CHILIAN MOUSE. Hesperomys longicaudatus.

Mus longicaudatus, Waterhouse, Voy. of the Beagle, Mamm. p. 39. pl. 34. fig. 1 (skull).

a-h. Skulls. Chili. From Mr. Bridges' Collection.

Hesperomys macrourus.

Hesperomys macrourus. Castelnau, Amérique du Sud, p. 111. pl. 16. fig. 1 d (teeth).

ABROTHRIX.

The LONG-HAIRED MOUSE. Abrothrix longipilis.

Waterhouse, Voy. of the Beagle, Mamm. p. 55. pl. 33. figs. 6 a, 6 b (molar teeth).

a, b, c. Skulls. Chili. From Mr. Bridges' Collection.

The SAND MOUSE. Abrothrix arenicola?

a, b, c. Skulls. From Mr. Bridges' Collection.

The Dusky Mouse. Abrothrix obscurus.

*a, *b. Skulls. Chili. From Mr. Bridges' Collection.

The OLIVACEOUS MOUSE. Abrothrix olivaceus.

a-f. Skulls. Chili. From Mr. Bridges' Collection.

CALOMYS.

The ELEGANT MOUSE. Calomys elegans.

*a. Skull.

The American Field Mouse. Calomys leucopus. *a. Skull.

PHYLLOTIS.

DARWIN'S MOUSE. Phyllotis darwinii.

Waterhouse, Voy. of the Beagle, Mamm. p. 64. pl. 23, pl. 34. figs. 17 & 17 a (teeth of upper jaw).

*a, *b, *c, e. Skulls. Chili. From Mr. Bridges' Collection.

*d. Teeth. Chili. From Mr. Bridges' Collection.

The Bolivian Mouse. Phyllotis boliviensis.

*a. Skull. Bolivia. From Mr. Bridges' Collection.

Phyllotis ---- ?

*a, *b. Skulls. Bolivia. From Mr. Bridges' Collection.

STEATOMYS.

Steatomys edulis.

Peters, Naturw. Reise nach Mossambique, Säugth. i. p. 163. pl. 35. fig. 11 (skull).

PELOMYS.

Pelomys fallax.

Peters, Naturw. Reise nach Mossambique, Säugth. i. p. 157. pl. 35. fig. 9 (skull).

SACCOSTOMUS.

Saccostomus lapidarius.

Peters, Naturw. Reise nach Mossambique, Säugth. i. p. 166. pl. 35. fig. 12 (skull).

Saccostomus fuscus.

Peters, Naturw. Reise nach Mossambique, Säugth. i. p. 168. pl. 35. fig. 13 (skull).

HOLOCHILUS.

The Sharp-wosed Rat. Holochilus nasutus.

*a. Skull (imperfect). Bahia, S. America.

The Brazilian Rat. Holochilus brasiliensis.

*a, *b. Skulls. Bahia.

Holochilus cephalotis.

a. Skull. From M. Verreaux's Collection.

b. Skull. Bahia. Presented by F. de Castelnau, Esq.

Holochilus vulpinus.

*a. Skull. Brazil.

Holochilus physodes.

*a. Skull. Brazil. From Mr. Brandt's Collection.

Holochilus scalops.

Oxymycterus scalops, Gervais, Histoire de Chili, pl. 6. fig. 3 a, b (dentition).

GOLUNDA.

The Meltada. Golunda meltada.

a-e. Skulls. India. Presented by Walter Elliott, Esq.

f, g. Skulls: lower jaws wanting. India. Presented by Walter Elliott, Esq.

The SMALL-TOOTHED MOUSE. Golunda microdonta.

a, b. Skulls. India. Presented by Walter Elliott, Esq.
c. Skull. Cape of Good Hope.

The GOLUNDA. Golunda elliotti.

a, b. Skulls. India. Presented by Walter Elliott, Esq.

The BARBARY MOUSE. Golunda barbara.

Mus barbarus, Duvernoy, Mém. de la Soc. d'Hist. Nat. de Strasbourg, ii. pl. 3. figs. 1-9 (skull).

*a. Skull. N. Africa.

LEGGADA.

The Buduga. Leggada booduga.

a, b. Skulls. India. Presented by Walter Elliot, Esq.

The LEGGADE. Leggada platythrix.

Gray, Mag. Nat. Hist. 1836.

 $\left. \begin{array}{l} a,\ b.\ \ \text{Skulls.} \\ c.\ \ \text{Skull.} \end{array} \right. \begin{array}{l} \text{India.} \\ \text{Esq.} \end{array} \text{Presented by Walter Elliott,}$

NESOKIA.

The Kox. Nesokia kok.

a-c. Skulls. Nepal. Presented by B. H. Hodgson, Esq.

*d. Skull. India.

*e. Skull. India. From Captain Boys's Collection.

f-h. Skulls. India.

The WATER NESOKIA. Nesokia hydrophila.

a, b. Skulls (imperfect). Presented by B. H. Hodgson, Esq.

Hodeson's Mouse. Nesokia hodgsonii.

*a. Skull: young. Nepal. Presented by B. H. Hodgson, Esq.

HARDWICKE'S NESOKIA. Nesokia hardwickii.

a. Lower jaw. India. Presented by General Hardwicke.

CRICETOMYS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{3-3}{5-3}$; = 16.

Cricetomys gambianus.

Mus goliath, Rüppell, Mus. Senckenb. tab. 10. fig. 1 a, b, c (skull).

Cervical vertebræ	7
Dorsal	13
Lumbar	6
Sacral	
Caudal	34 or 35

*a. Skull. W. Africa. From Mr. Fraser's Collection.

b. Skeleton. From the Zoological Society's Collection.

DENDROMYS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{3-3}{3-3}$; = 16.

The Tree Mouse. Dendromys typicus.

Smith, Illustr. Zool. S. Africa, Mamm. pl. 21. fig. 2 a-e (skull).

a. Skull. From Sir A. Smith's Collection.

HAPALOTIS.

Teeth:—Incisors $\frac{1-1}{11}$; Molars $\frac{3-3}{3-3}$;=16.

The Large-eared Hapalotis. Hapalotis macrotis.

- Australia. *a. Skull.
- *b. Skull. Moore's River, W. Australia.
- c. Skull. S. Australia. Presented by Captain Sir G. Grey.

The Long-tailed Haralotis. Hapalotis longicaudata.

- *a. Skull. Victoria Plains.
- *b. Skull.

The RABBIT RAT. Hapalotis albipes.

- a. Skull. Adelaide. Presented by C. D. E. Fortnum, Esq.
- b. Skull. S. Australia. Presented by Captain Sir G. Grey.
- c. Skull. S. Australia. From Mr. Gould's Collection.

The WHITE-TIPPED HAPALOTIS. Hapalotis apicalis.

*a. Skull. From Mr. Gould's Collection.

RICHARDSON'S HAPALOTIS. Hapalotis richardsonii. *a. Skull. Swan River. Presented by S. Richardson, M.D.

The MURINE HAPALOTIS. Hapalotis murina.

- a. Skull. Lake Albert, S. Australia.

 *b. Skull. Plains of Namoi, S. Australia. | From Mr. Gould's Collection.
- ? c. Skull. Australia.

The FAWN-COLOURED HAPALOTIS. Hapalotis cervina. *a. Skull. Australia. From Mr. Gould's Collection. b, c. Skulls.

Gould's Rabbit Rat. Hapalotis gouldii.

Cervical vertebrae	7
Dorsal	13
Lumbar	7
Sacral	3
Caudal	36 or 37

a. Skeleton. Port Essington. From Mr. Gould's Collection. b. Skull.

CRICETUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{3-3}{5-3}$; = 16.

The HAMSTER. Cricetus frumentarius.

Cricetus vulgaris, Pander und D'Alton, Vergleichende Osteologie, pl. 7 (skeleton), pl. 8 (skull).—Cwv., Oss. Foss. v. pl. 1. fig. 5 (teeth, young).—Blasius, Faun. Wirb. Deutschl. p. 305. figs. 169, 170 (skull).
—F. Cuv., Dents des Mamm. p. 170. no. 61 (dentition).—Fischer, Prodr. Cran. Comp. tab. 2. fig. 9 (skull), 1811.
Hamster, Buff., Hist. Nat. xiii. p. 134. pl. 17 (skeleton).

Cervical vertebræ	7
Dorsal	
Lumbar	
Sacral	
Candal	16 or 17

*a. Skull. Europe.
b. Skull. From the Zoological Society's Collection.

c. Skeleton. From Mr. Warwick's Collection.

d. Skull. From the Zoological Society's Collection.

e. Skeleton. f, g. Skulls: o Q. Silesia. From Dr. A. Günther's Collection.

h. Skull. From the Zoological Society's Collection.

The Katuguna. Cricetus songarus.

*a. Skull. Siberia.

The Golden Hamster. Cricetus auratus.

Waterhouse, Proc. Zool. Soc. 1839; Mag. Nat. Hist. 1839, p. 13, fig. e (skull).

*a. Skull. Aleppo. From the Zoological Society's Collection.

Cricetus cinereus.

*a. Skull. Erzeroom. From the Zoological Society's Collection.

Cricetus arenarius.

Cervical vertebræ	7
Dorsal	13
Lumbar	6
Sacral	3
Caudal	14

a. Skeleton. Crimea. Presented by E. J. Smith, Esq.

SMINTHUS.

Sminthus vagus.

Blasius, Faun. Wirb. Deutschl. p. 302. figs. 165–168 (dentition), 1857.

—Brandt, Mém. Sci. Nat. de St. Pétersbourg, tab. 7. figs. 15–20 (skull), 1854.

Sminthus loriger.

Demidoff, Voy. Russie Mérid. tab. 4. fig. 1 a, b, c (skull and dentition).

EURYOTIS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{3-3}{3-3}$;=16,

The VLEY MIRIS. Euryotis irroratus.

Smith, Illustr. Zool. S. Africa, Mamm. pl. 25. fig. 1 a-f (skull and dentition).

- *a. Skull. Caffraria, S. Africa.
- *b. Skull. From M. Sundevall's Collection.
- *c. *d. Skulls. Port Natal. Purchased of Mr. Warwick.
- e. Skull. S. Africa. Presented by Sir A. Smith.

Euryotis unisulcatus.

Smith, Illustr. Zool. S. Africa, Mamm. pl. 25. fig. 2 a-g (skull and dentition).—Schreb., Säugth. iv. pl. 239 p. fig. 16 (dentition).

a. Skull. S. Africa. Presented by Sir A. Smith.

Euryotis brantsii.

Smith, Illustr. Zool. S. Africa, Mamm. pl. 24, pl. 25. fig. 3 a-g (skull and dentition).

Cervical	V	eı	rt	æ	b	r	æ	١.								7
Dorsal .																
Lumbar																6
Sacral .									,						٠.	3
Caudal .		•														24

a. Skeleton.
b. Skull.
S. Africa. Presented by Sir A. Smith.

SIGMODON.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{3-3}{3-3}$;=16.

The Sigmodon hispidum.

a. Skull. From the Zoological Society's Collection.
 b. Skull.

The Texas Cotton Rat. Sigmodon berlandieri.

Baird, Mamm. N. America, p. 504. pl. 52. figs. 6, 7 (skull), pl. 84. fig. 3 (skull), 1859.

Sigmodon ---- ?

*a. Skull.

LASIUROMYS.

Lasiuromys villosus.

E. Deville, Rev. et Mag. de Zool. 1852, iv. p. 557. pl. 16. figs. 5 & 5 & (teeth).—Castelnau, Amérique du Sud, p. 109. pl. 17. figs. 2, 3, 4 (skull and dentition).

PHLÆOMYS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{3-3}{3-3}$;=16.

The Phlæomys cumingii.

Vaillant, Voy. de la Bonite, pl. figs. 3-5 (skull).

a. Skull. Manilla. From the Zoological Society's Collection.

HETEROMYS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

The SPINY-POUCHED RAT. Heteromys anomalus.

a. Skull. S. America. Presented by J. D. Sowerby, Esq.

PEROGNATHUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

Percenathus monticola.

Baird, Mamm. N. America, p. 422. pl. 51. fig. 3 (skull), 1859.
*a, *b. Skulls. Honduras. From Mr. Dyson's Collection.

Perognathus hispidus.

Baird, Mamm. N. America, p. 421. pl. 51. fig. 3 (skull), 1859.

DIPODOMYS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

The POUCHED JERBOA MOUSE. Dipodomys phillipsii.

Macrocolus altaicus, *Wagner*, Phys. Abhandl. der K. B. Akad. zu München, v. pl. 7 (skeleton and skull), 1848.

Cervical	V	e	rl	te	b	r	æ	١.							7
Dorsal .															
Lumbar															7
Sacral .															
Caudal .															

a. Skeleton. California. Presented by J. H. Gurney, Esq., M.P.

The Kangaroo Rat. Dipodomys ordii.

Baird, Mamm. N. America, p. 410. pl. 51. fig. 1, pl. 83. figs. 3, 4 (skull), 1859.

MERIONES.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{3-3}$; =18.

The KATSE. Meriones labradorius.

F. Cuv., Dents des Mamm. p. 187. no. 75 (dentition), 1825.

a. Skull. North America.

b, c. Skulls. Albany. Presented by G. Barnston, Esq.

Meriones rufirostris.

*a. Skull. Kordofan.

Meriones limbatus.

*a, *b. Skulls. Kordofan.

Meriones leucogaster.

Peters, Naturw. Reise nach Mossambique, Säugth. p. 145. taf. 33. fig. 1, taf. 35. fig. 4.

Gerbillus brevicaudatus, *Waterhouse*, Mag. Nat. Hist. 1839, p. 13. fig. c (skull).

Meriones caffér, Licht. in Schreb., Säugth. iv. pl. 239 p. fig. 13 (dentition).

NEOTOMA.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{3-3}{3-3}$;=16.

The NEOTOMA. Neotoma floridana.

Geoffroy, Voy. de la Vénus, pl. 13. a, c (akull).—Baird, Mamm. N. America, p. 487. pl. 53. fig. 2 (akull), pl. 54. no. 978 (teeth), 1859.

a. Teeth of right lower jaw.

*b. Skull. California.

The Mexican Bush Rat. Neotoma mexicana.

Baird, Mamm. N. America, p. 490. pl. 54. no. 1674 (teeth), pl. 84 (skull), 1859.

The Brown-footed Rat. Nectoma fuscipes.

Baird, Mamm. N. America, p. 495. pl. 53. fig. 1 (skull), pl. 54. no. 939 (teeth), 1859.

The Hairy-tailed Rat. Neotoma occidentalis.

Baird, Mamm. N. America, p. 498. pl. 53. fig. 3 (skull), 1859.

TEONOMA.

The Teonoma. Teonoma drummondii.

Neotoma cinerea, *Baird*, Mamm. N. America, p. 499. pl. 53. fig. 5 (akull), pl. 54. no. 1694 (teeth), 1859.

REITHRODON.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{3-3}{3-3}$; =16.

The RABBIT-LIKE REITHBODON. Reithrodon cuniculoides.

a. Skull. Santa Cruz. From the Zoological Society's Collection.

The CHINCHILLA-LIKE REITHRODON. Reithrodon chinchilloides.

a. Skull. Tierra del Fuego. From the Zoological Society's Collection.

The REITHRODON. Reithrodon typicus.

 Right side of lower jaw. Maldonado. From the Zoological Society's Collection.

Reithrodon montanus.

Baird, Proc. Acad. Nat. Sc. Philad. vii. p. 335, 1855; Mamm. N. America, p. 449. pl. 54. no. 1306 (teeth), 1859.

CTENODACTYLUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{3-3}{3-3}$; = 16.

The Gundi. Ctenodactylus massonii.

Schreb., Säugth. iv. pl. 239. fig. 12 (dentition).—Brandt, Mém. Acad. St. Pétersb. vii. pl. 8. figs. 1-8 (skull).

Cervical vertebræ	7
Dorsal	12
Lumbar	7
Sacral	3
Candal	11 or 12

- a. Skull. Mount Matamata. From Mr. Fraser's Collection.
- b. Skull. From the Zoological Society's Collection.
- c. Skeleton. Algiers. Purchased of M. Parzudaki.

ARVICOLA.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{8-3}{3-3}$; = 16.

The WATER RAT. Arvicola amphibius.

Cuv., Oss. Foss. v. (teeth).—Owen, Odont. pl. 105. fig. 12 (teeth).—Blasius, Faun. Wirb. Deutschl. p. 344. figs. 183-189 (dentition).—Brandt, Mém. Acad. St. Pétersb. vii. tab. 3. figs. 1-8 (skull). Rat d'eau, Buff., Hist. Nat. vii. p. 348. pl. 43 (skeleton).

Cervical	V	61	rt	e	b	n	æ								7
Dorsal															
Lumbar															6
Sacral															3
Candal															23

- *a. Skull. Altai Mountains.
- b-d. Skulls.
- e, f. Skulls. Stockholm. Presented by Professor Sundevall.
- g. Skull. From the Zoological Society's Collection.
- h-k. Skulls. S. Germany. From Dr. A. Günther's Collection.
- 1. Skull. Italy.—Arvicola terrestris.
- m. Skull. Pyrenees.—Arvicola monticola, De Selys.
- n. Skull.—Arvicola destructor, Savi.
- o. Skeleton. England. From Mr. E. Gerrard's, Jun., Collection.

Arvicola savii.

Blasius, Faun. Wirb. Deutschl. p. 394. figs. 220, 221 (dentition).
Var. b. Arvicola incertus, De Selys, Rev. et Mag. de Zool. 1854, vi. p. 360. pl. 11. fig. 1 a, b (skull and teeth).—Blasius, Faun. Wirb. Deutschl. p. 394. fig. 222 (dentition), 1857.

*a. Skull. Milan.

The Alpine Arvicole. Arvicola nivalis.

Martins, Rev. Zool. 1842, p. 331.—Blasius, Faun. Wirb. Deutschl. p. 359. figs. 193, 194 (dentition).

Var. 1. Arvicola leucurus, Gerbe, Rev. Zool. ii. p. 260. pl. 14. figs. 5-7

(skull), 1852.—*Blasius*, *i. c.* p. 360. figs. 197, 198. Var. 2. Arvicola petrophilus, *Wagner*, Münch. Gel. Anz. 1853, no. 38. p. 307.—Blasius, l. c. p. 360. figs. 195, 196 (dentition), 1857.

*a, b, c. Skulls. St. Gothard. From the Stockholm Museum.

Arvicola ratticeps.

Keys. u. Blas., Mém. Acad. St. Pétersb. iv. p. 333, 1841.—Blasius, Faun. Wirb. Deutschl. p. 336. figs. 199-201 (dentition), 1857.

*a. Skull. Russia. From Mr. Brandt's Collection.

b-e. *Skulls (A. medius). Sweden. Presented by Professor Sundevall.

Arvicola lacepedii.

Blasius, Faun. Wirb. Deutschl. p. 330. fig. 176 (skull), 1857.

The Bank Campagnol. Arvicola glareolus.

Blasius, Faun. Wirb. Deutschl. p. 337. figs. 177-179 (dentition), figs. 181, 182 (teeth of Arvicola nageri), 1857.

Cervical vertebræ	7
Dorsal	13
Lumbar	6
Sacral	
Candal	

- *a. Skull. Isle of Wight. Presented by the Rev. C. Bury.
- b. Skull. Epping. Presented by John Ray, Esq.
- c, d. Skulls. England. Presented by Mr. Edward Gerrard.
- *e. Skull. Stockholm. Presented by Professor Sundevall.
- f. Skeleton. England. Purchased of Mr. Warwick.
 g. Skeleton. England. Presented by Mr. Edward Gerrard.
- h. Skeleton. Berlin. From Dr. A. Günther's Collection.
- i, *j, k. Skulls. St. Gothard.—Arvicola rufescens, De Selys. Campagnols de Liége.
- *1. *m. Skulls: var. A. rutilus. Sweden. Presented by Professor Sundevall.
- n. Skull. From Mr. Yarrell's Collection.
- Germany.—Hypudæus hercynicus, Mehlis, in Schreb. *o. Skull. Säugth.

The Campagnol. Arvicola arvalis.

Blasius, Faun. Wirb. Deutschl. p. 379. figs. 209, 210 (dentition), 1857. Arvicola arenicola, De Selys, et Arvicola rufescenti-fuscus, Schinz, in Blasius, l.c. p. 380. figs. 211-214 (dentition).
Campagnol, Buff., Hist. Nat. vii. p. 360. pl. 48 (skeleton).

a. Skeleton. England?

- b. Skull. England?
- c. Skull. Epping. Presented by J. Ray, Esq.
- d-f. Skulls. England. Presented by Mr. Edward Gerrard.
- g, h. Skeletons. England. Purchased of Mr. Turner.
 i-k. Skulls. S. Germany. From Dr. A. Günther's Collection.
- 1. Skeleton. England. From Mr. Warwick's Collection.
- m, n. Skulls. From the Zoological Society's Collection.

The SAXIN. Arvicola saxatilis.

Schrenck, Säugth. des Amur-Landes, p. 137. taf. 5. fig. 3 (dentition),

- *a. Skull. Siberia.
- *6. Skull.

Arvicola (Hypudæus) amurensis.

Schrenck, Säugth. des Amur-Landes, p. 129, pl. 6. fig. 2 a.b (dentition), 1858.

Arvicola maximowiczii.

Schrenck, Säugth. des Amur-Landes, p. 141. pl. 6. fig. 5 a, b (dentition), 1858.

The Reddish-grey Arvicole. Arvicola rufo-canus.

*a. Skull. Sweden. From the Stockholm Museum.

Arvicola agrestis.

Blasius, Faun. Wirb. Deutschl. p. 369. figs. 202-205 (dentition). Arvicola britannicus, Selys, in Blasius, Faun. Wirb. Deutschl. p. 369. fig. 206 (dentition), 1857.

*a. Skull: var. A. neglecta, Thomps. Pyrenees.

b, c. Skulls. From Mr. Yarrell's Collection.

Arvicola campestris.

Blasius, Anz. der Baier. Akad. der Wiss. zu München, 1853, p. 107; Faun. Wirb. Deutschl. p. 375. figs. 207, 208 (dentition), 1857.

Arvicola gregalis.

Mus gregalis, Pallas, Glires, i. tab. 27. fig. xvii. 20 (skull), 1778.

Arvicola lagurus.

*a. Skull.

Arvicola alliarius.

Mus alliarius, Pallas, Glires, i. p. 252. tab. 27. fig. xvii. 22 (skull), 1778.

Arvicola subterraneus.

Blasius, Faun. Wirb. Deutschl. p. 388. figs. 215, 216 (dentition), 1857

•a. Skull. Var. b. A. pyrenaicus. Pyrenees.

Arvicola cinnamoneus.

Baird, Mamm. N. America, p. 541. pl. 54. no. 1714 (teeth), 1859.

The Oregon Ground Mouse. Arvicola townsendii.

Baird, Mamm. N. America, p. 527. pl. 54. no. 1595 (teeth), 1859.

The Prairie Meadow Mouse. Arvicola austerus.

Leconte, Proc. Acad. Nat. Sc. Philad. vi. p. 405, 1854.—Baird, Mamm. N. America, p. 539. pl. 54. no. 1587 (teeth), 1859.

The UPLAND MOUSE. Arvicola pinetorum.

Baird, Mamm. N. America, p. 544. pl. 54. no. 1719 (teeth). a. Skull. From the Zoological Society's Collection.

The Red-backed Mouse. Arvicola gapperii.

Vigors, Zool. Journ. v. p. 204. tab. 9 (teeth).—Baird, Mamm. N. America, p. 518.

The AWINNAK or Northern Meadow Mouse. Arvicola borealis.

Brachyurus blumenbachii, Fischer, Prod. Cran. Comp. pl. 2. fig. 2 (skull), 1811.

ELLOBIUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{3-3}{3-3}$;=16.

The TALPINE RAT. Ellobius talpinus.

Brandt, Mém. Acad. St. Pétersb. vii. pl. 5. figs. 1-6 (skull). Chthonoërgus talpinus, Nordmann, Voy. Demidoff, iii. Spalax talpinus, Fischer, Syn. Mamm. p. 302. Lemmus talpinus, Griffith, Anim. Kingd. v. 555. 4.

*a. Skull. Ural. From Mr. Brandt's Collection.

MYODES.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{3-3}{3-3}$;=16.

Myodes obensis.

Brants, Muiz. 55.-Middendorff, Bull. Acad. St. Pétersb. 1844.

a. Skull. Russia. b. Skull. Siberia. Purchased of Mr. Brandt.

Myodes economus.

Mus œconomus, Pallas, Glires, p. 225. pl. 17. fig. 19 (skull), 1778.

*a. Skull. Russia. From Mr. Brandt's Collection.

The LEMMING. Myodes lemmus.

Mus lemmus, Pallas, Glires, p. 204. tab. 27. fig. xvii. 9 A, B. (skulls), fig. xviii. 10 (fore-foot), 1778.

a, b. Skulls. From the Zoological Society's Collection.

c. Skull. Sweden.

The TAWNY LEMMING. Myodes helvolus.

*a, *b. Skulls. Hudson's Bay. Presented by Dr. J. Rae.

BACK'S LEMMING. Myodes trimucronatus.

*a. Skull. Hudson's Bay. Presented by the Hudson's Bay Company.

Myodes torquatus.

*a. Skull.

1:...

*b, *c. Skulls. Presented by Dr. J. Rae; collected during his expedition in 1847.

The Owinyak or Greenland Lemming. Lemmus greenlandicus.

Cervical	V	61	t	0	b	F	88	į.		٠,	٠.					7
Dorsal .	٠.							:								13
Lumbar																
Sacral .																
Caudal .																10

*a, *b, *c. Skulls. Presented by Dr. J. Rae.

*d. Skull. Hudson's Bay. Presented by the Hudson's Bay Company.

e, f. Skeletons. Wellington Channel. Presented by Captain Sir Edward Belcher.

CTENOMYS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-2}$;=20.

The Brazilian Ctenomys. Ctenomys brasiliensis.

D'Orb., Voy. Amér. Mérid. pl. 17. figs. 2–5 (skull).—Eydoux et Gervais, Voy. de la Favorite, v. pl. 8. fig. 2 (skull).—Waterhouse, Nat. Hist. Mamm. ii. p. 282. pl. 8. fig. 6 (skull).

Cervical	٦	7e:	r(æ	b	r	æ								7
Dorsal .															12

Lumbar vertebræ	7
Sacral	4
Caudal	20
*a. Skull. Bolivia.—The specimen figured in	
Waterhouse, Nat. Hist. Mamm.	From Mr. Bridges'
*b. Skull. Bolivia.	Collection.
*c. Skull. Chili.	Comection.
d. Skeleton.	
e. Skull. From Mr. Stevens's sale-rooms.	

The Magellanic Ctenomys. Ctenomys magellanicus.

Waterhouse, Nat. Hist. Mamm. ii. p. 283. pl. 8. fig. 5 (skull).

a. Skull. Purchased of Mr. Bridges.

The Bolivian Ctenomys. Ctenomys boliviensis.

Waterhouse, Nat. Hist. Mamm. ii. p. 278.

- *a. Skull. Santa Cruz. Purchased of Mr. Bridges.—The specimen described by Mr. Waterhouse.
- *b. Skull (smaller).

The WHITE-TOOTHED CTENOMYS. Ctenomys leucodon.

Waterhouse, Nat. Hist. Mamm. ii. p. 281.

- a, b. Skulls. Bolivia. Purchased of Mr. Bridges.—The specimens described by Mr. Waterhouse.
- c. Skeleton. Bolivia. From Mr. Bridges' Collection.

CASTOR.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$; = 20.

The Beaver. Castor canadensis.

Baird, Mamm. N. America, p. 355. pl. 47. fig. 1 (skull), 1859.—Owen, Catal. Osteol. Ser. Roy. Coll. Surg. 1855, ii. B. d. 45. p. 163. Castor fiber canadensis, Blaine., Ost. G. Castor, pl. 2 (skull). Castor americanus, Brandt, Mém. Acad. St. Pétersb. vii. p. 64. taf. 1. fig. 2, taf. 2. figs. 6, 7 (skull), taf. 3, 4 (skull).

Cervical	V	e	rt	e	b	r	æ								7
Dorsal .															14
Lumbar															5
Sacral .															4
Candel															25

- a. Lower jaw, right side.
- b. Skull (from a black variety). Hudson's Bay. Presented by the Hudson's Bay Company.

- c. Skeleton (imperfect). From the Zoological Society's Collection.
- d. Skeleton. Vancouver's Island. Presented by W. A. Mouat, Esq.
- e, g. Skulls. f. Skeleton.
- h. Skull. From Mr. Stevens's sale-rooms.
- i, j. Skeletons: male and female.

The European Beaver. Castor fiber.

Pander und D'Alton, Vergl. Osteol. pl. 2 (skeleton), pl. 8 g (skull).—Cuv., Oss. Foss. v. p. 10. pl. 1. fig. 12 (teeth), pl. 3. figs. 3-6 (young), pls. 8, 9 (adult skulls).—Owen, Odont. pl. 105. fig. 5 (teeth); Catal. Osteol. Ser. Roy. Coll. Surg. 1855.—Blasius, Faun. Wirb. Deutschl. p. 404. fig. 225 (dentition).—Blainv., Ost. Atl. G. Castor, pl. 1 (skeleton), male.

Castor galliæ, F. Cuv., Dents des Mamm. p. 138. no. 71. p. 162.

no. B, D. 43 (dentition).

Castor europæus, Brandt, Mém. Acad. St. Pétersb. vii. p. 63. taf. 1.

fig. 1, taf. 2. fig. 1, taf. 3. figs. 1, 2 (skull). Castor, Buff., Hist. Nat. viii. p. 33. pl. 42 (skeleton).

Cervical vertebræ	. 7
Dorsal	. 14
Lumbar	. 6
Sacral	. 4
Caudal	

- *a. Skull: young. Hungary. Purchased of Mr. L. Parreyss.
- b. Skeleton. River Donau. Purchased of Mr. Brandt.
- c. Skull (lower jaw wanting).

MYOPOTAMUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$; = 20.

The Corpu. Myopotamus coypus.

Waterhouse, Nat. Hist. Mamm. ii. p. 297. pl. 14. fig. 2 (carpus and part of metacarpus), fig. 3 (tarsus and metatarsus), pl. 16. fig. 1 a, b, c (skull).—F. Cuv., Dents des Mamm. p. 183. no. 72 (dentition), 1825.—Schreb., Säugth. pl. 239 E. fig. (dentition).—Blainv., Ost. G. Myopotamus, pl. (skeleton).—Brandt, Mém. Acad. St. Pétersb. vii. taf. 8. figs. 9-14 (skull).

Cervical vertebræ	. 7
Dorsal	14
Lumbar	. 5
Sacral	. 3
Candal	26 or 27

- a. Skull: adult. North America?
- *b. Skull: half-grown. North America.
- c. Bones of the body. Chili.

d. Skeleton. Chili. Purchased of Mr. Bridges.

f, g. Skulls. From Mr. Yarrell's Collection.

h. Skull. From the Zoological Society's Collection.

CERCOMYS.

The Cercomys cunicularius.

F. Cuv., Mamm. iii. pl. 60; Nouv. Ann. du Mus. i. p. 449. pl. 18. fig. 1 (molar teeth of upper jaw), pl. 19. figs. 1, 2 (skull).—Waterhouse, Nat. Hist. Mamm. ii. p. 305. pl. 16. figs. 2, 2 a (skull), copied from F. Cuvier's figure.

FIBER.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{3-3}{3-3}$;=16.

The ONDATRA. Fiber zibethicus.

Pander und D'Atton, Vergl. Osteol. no. 6. pl. 8a, b (skull).—Baird, Mamm. N. America, pl. 54. fig. 626 b (teeth), 1859.

Mus zibeticus, F. Cuv., Dents des Mamm. p. 157. no. 53 (dentition), 1825.

Ondatra zibethica, Waterhouse, Mag. Nat. Hist. 1839, p. 594. fig. 70.

—Brandt, Mém. Acad. St. Pétersb. vii. figs. 9-14 (skull).

Cervical	V	e	rl	te	b	r	æ	٠.							7
Dorsal .															13
Lumbar															3
Sacral .															27
Caudal .															6

*a. Skull (imperfect). North America.

b, c. Skulls. From the Zoological Society's Collection.

d. Skeleton. Purchased of Mr. Brandt.

HYDROMYS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{2-2}{2-2}$; =12.

The Hydromys. Hydromys chrysogaster.

Schreb., Säugth. pl. 239 E. fig. (dentition).—Brandt, Mém. Acad. St. Pétersb. vii. tab. 11. figs. 1-6 (skull).

Hydromys flaviventer, Owen, Odont. pl. 105. fig. 18 (right ramus of

lower jaw).

Hydromys leucogaster, F. Cuv., Dents des Mamm. p. 172. no. 63 (den tition).

a. Skull. Australia.

HABROCOMA.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$; =20.

Bennett's Habrocoma. Habrocoma bennettii.

Molina, Storia del Chile, pl. 6. fig. 5 (skull), fig. 5 a, b, c (dentition).
 Waterhouse, Nat. Hist. Mamm. ii. p. 248. pl. 8. fig. 1 (skull and lower jaw).

Cervical	V	е	rt	te	b	n	æ								7
Dorsal															17
Lumbar															5
Sacral															
Caudal .															23

a, b, c. *Skulls. Chili. From Mr. Bridges' Collection.

d. Skull: young. Chili. From the Zoological Society's Collection.

OCTODON.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

Bridges' Octodon. Octodon bridgesii.

Waterhouse, Nat. Hist. Mamm. ii. p. 259. pl. 8. figs. 3 & 2 b (skull and lower jaw).

a-c. *Skulls. Chili. From Mr. Bridges' Collection.

The Cucurrito or Degus. Octodon degus.

Waterhouse, Nat. Hist. Mamm. ii. p. 253. pl. 8. figs. 2 & 2 a (akull and lower jaw).

Octodon cumingii, Molina, Storia del Chile, pl. 6. fig. 7 (dentition).—
Brandt, Mém. Acad. St. Pétersb. iii. pl. 7. figs. 9-14 (skull).
Dendrobius degus, Schreb., Säugth. iv. pl. 239 c, p. fig. 1 (dentition).

Cervical	ve	rí	e	b	r	æ								7
Dorsal .														12
Lumbar														6
Sacral .														
Caudal .														

- a. Skeleton.b. Skull.
- *c. Skull (white var.). > Chili. From Mr. Bridges' Collection.
- *d. Skull.
- e, f. Skeletons.

 G. Skull (white year) From the Zeel

g. Skull (white var.). From the Zoological Society's Collection.

The Dormouse Octodon. Octodon gliroides.

D'Orb., Voy. ix. pl. 16. fig. (skull).

SCHIZODON.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4}$; =20.

The Brown Schizodon. Schizodon fuscus.

Waterhouse, Nat. Hist. Mamm. ii. p. 265. pl. 8. fig. 4.—Schreb., Säugth. iv. pl. 239 p. fig. 4 (dentition).

Cervical	V	e	rt	æ	b	r	æ											7
Dorsal .																		14
Lumbar																		6
Sacral .																		
Caudal .	-			-	-	-	-	-	-	-	-	-	-	-			-	

*a. Skull.

*b. Skull (imperfect). Chili. From Mr. Bridges' Collection.
c, d. Skeletons.

SPALACOPUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

Poeppie's Spalacopus. Spalacopus poeppigii.

Waterhouse, Nat. Hist. Mamm. ii. p. 269. pl. 8. fig. 7 (skull and lower jaw).

a. Skull. Chili. From Mr. Bridges' Collection.

b. Skull.

AULACODUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

The Ground Rat. Aulacodus swinderianus.

Temm., Mon. Mamm. i. p. 248. tab. 25, p. 245. tab. 25 (skeleton, young).—Waterhouse, Nat. Hist. Mamm. ii. p. 356. pl. 16. fig. 9 b, c (skull).

Cervical	V	e:	rt	e	b	r	æ								7
Dorsal .															
Lumbar															6.
Sacral .															
Candal															22

- *a. Skull. Port Natal. Purchased of Mr. Warwick.
- b. Skull. From the Zoological Society's Collection.
- c. Skeleton. W. Africa. Presented by Balfour Baikie, Esq.
- d. Skull and seven cervical vertebræ. Presented by Professor Owen.

CAPROMYS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

The Short-tailed Capromys. Capromys pilorides.

Waterhouse, Nat. Hist. Mamm. ii. p. 287. pl. 12. figs. 1-5 (skull, &c.),

pl. 1 a (skeleton). Capromys fournieri, *Desm.*, Mém. de la Soc. d'Hist. Nat. Paris, i. p. 43. —Ramon de la Sagra, Hist. Phys. de l'Ile de Cuba, Mamm. p. 11, Atlas, pl. 6 (skeleton), pl. 7 (skull, &c.).—Blainv., Ostéog. G. Capromys, pl. (skeleton and skull).

Cervical vertebræ	7
Dorsal	
Lumbar	6
Sacral	4
Caudal	24

- a. Skull. b, c. Skeletons. From the Zoological Society's Collection.
- d. Skull: young (upper jaw only).

The Prehensile-tailed Capromys. Capromys prehensilis.

Ramon de la Sagra, Hist. Phys. de l'Ile de Cuba, Mamm. p. 12, Atl. pl. 5, and pl. 8. figs. 2, 3 (skull), 1840.

- *a. Skull, and bones of the body. \ From the Zoological Society's
- *b. Skull. Collection.
- *c. Skull, and bones of the body.

The Short-tailed Utia. Capromys brachyurus.

Cervical	V	e	rí	te	b	r	æ	٠.								7
Dorsal .																
Lumbar																6
Sacral .																4
Candal					_						_	_				14

- a. Skull. Jamaica. From Mr. Gosse's Collection.
- *b. Skull, and bones of the body. From the Zoological Society's Collection.
- c. Skull and limbs. Jamaica. From Mr. Gosse's Collection.

PLAGIODONTIA.

Plagiodontia ædium.

F. Cuv., Ann. des Sci. Nat. vi., new series, p. 347. pl. 17.—Waterhouse, Nat. Hist. Mamm. ii. p. 296. pl. 10. fig. 8 (skull, copied from F. Cuvier's figure).—Blainv., Osteog. G. Capromys, pl. (skull).

ECHIMYS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

The CAYENNE ECHTMYS. Echimys cayennensis.

Pictet, Mém. de la Soc. de Phys. et d'Hist. Nat. de Genève, ix. p. 145. pls. 1-3, pl. 4 (skeleton), 1841-2.—Waterhouse, Nat. Hist. Mamm. ii. p. 334. pl. 16. figs. 6 & 6 a (molar teeth).

*a. Skull.

Echimys fuliginosus.

*a, *b. Skulls. Bahia. Presented by F. de Castelnau, Esq.

The White-spined Echinys. Echimys albispinosus.

Is. Geoff., Guér. Mag. de Zool. 1840, pl. 29. figs. 1-3 (molar teeth).

The Spineless Echimys. Echimys inermis.

Waterhouse, Nat. Hist. Mamm. ii. pp. 349 & 498. pl. 16. fig. 5.

*a. Skull. Bolivia. From Mr. Bridges' Collection.—The specimen figured by Mr. Waterhouse.

b. Skull: young.

The STRONG-SPINED ECHIMYS, Echimys hispidus.

Is. Geoff., Guér. Mag. de Zool. 1840, Mamm. pp. 9, 35 & 54. pl. 29. figs. 4, 5, 6 (molar teeth).

DACTYLOMYS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

The Typical Dactylomys. Dactylomys typus.

Guér., Mag. de Zool. 1840, Mamm. pp. 29 & 47. pl. 28. figs. 1-3 (molar teeth).—*Waterhouse*, Nat. Hist. Mamm. ii. p. 311. pl. 16. fig. 3 (skull, copied).—*Deville*, Rev. et Mag. de Zool. iv. p. 358. pl. 16. figs. 1, 2 (teeth), 1852.

Echimys dactylinus, F. Cur., Nouv. Ann. du Mus. i. p. 450. pl. 18. fig. 3 (teeth), pl. 19. figs. 5, 6 (skull); Dents des Mamm. p. 186. no. 73 (dentition), 1825.

Dactylomys, Schreb., Säugth. iv. pl. 239. fig. 10 (dentition).

ACOMYS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{3-3}{3-3}$;=16.

The EGYPTIAN ACOMYS. Acomys dimidiatus.

*a. Skull. Egypt. From the Stockholm Museum.

Acomys mexicanus.

Brandt, Mem. Acad. St. Pétersb. vii. taf. 5 A. figs. 11, 12 (dentition).

Acomys spinosissimus.

Peters, Naturw. Reise nach Mossambique, Säugth. i. p. 160. pl. 35. fig. 10 (skull).

LONCHERES.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$; = 20.

The BICOLOURED LONCHERES. Lencheres picta.

Nelomys pictus, *Pictet*, Notices sur les Animaux nouveaux ou peu connus du Musée de Genève, 2^{de} livr. p. 29. pl. 8 (skull).

Cervical vertebræ	-
Lumbar	8
Sacral	

*a. Skeleton. Purchased of Mr. Brandt.

The Strong-spined Loncheres. Lencheres armata.

Schreb., Säugth. Suppl. iii. p. 335.

*a. Skull. Presented by the Earl of Derby.

Loncheres didelphoides.

Waterhouse, Nat. Hist. Mamm. ii. p. 322. Nelomys didelphoides, Is. Geoff., Mag. de Zool. 1840, pp. 41, 50. pl. 24.

- *a. Skull.
- *b. Lower jaw.

Loncheres macrura.

Schreb., Säugth. iv. p. 239 p. fig. 7 (dentition).

The White-crested Loncheres. Loncheres cristata.

Waterhouse, Mag. Nat. Hist. ii. p. 315. pl. 16. fig. 4 (skull).

The Black-tailed Loncheres. Loncheres blainvillii.

Schreb., Säugth. Suppl. iii. p. 334, et iv. pl. 234 p. fig. 8 (dentition). Nelomys blainvillii, Is. Geoff., Mag. de Zool. 1840, pl. 28. figs. 9, 10 (dentition).—Deville, Rev. et Mag. de Zool. 1852, iv. p. 564. pl. 16. fig. 4 a (teeth).

a. Molar teeth, right side. From the Zoological Society's Collection.

Loncheres semivillosa.

Is. Geoff., Mag. de Zool. 1840, Mamm. pp. 42, 50. pl. 28. figs. 7-9 (teeth).

PETROMYS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

The Rock Mouse. Petromys typicus.

A. Smith, S. African Quart. Journ. i. p. 146; Illustr. Zool. S. Africa, Mamm. pl. 21. fig. 1 a-e (skull).—Waterhouse, Nat. Hist. Mamm. ii. p. 309. pl. 16. fig. 8 (skull).—Schreb., Säugth. iv. pl. 239 p. fig. 11 (dentition).

Cervical vertebræ	. 7
Dorsal	. 12
Lumbar	. 7
Sacral	. 4
Caudal	

- a. Skull. S. Africa. From the South African Museum.
- b. Skull.
- c. Skeleton. S. Africa. Presented by Sir A. Smith.

HYSTRIX.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

The Porcupine. Hystrix cuvieri.

Schreb., Säugth. iv. p. 599. pl. 166 (skull), 1792.—F. Cuv., Mém. du Mus. ix. pp. 424, 430. tab. 20 (skull).—Brandt, Mém. de l'Acad. de St. Pétersb. 1835, p. 371. tab. 8. figs. 1 & 2 (skull).—Van der Hoeven, Acad. Exp. tab. 19. figs. 1-4 (skull and dentition).—Waterhoeven, Nat. Hist. Mamm. ii. p. 448. pl. 20. fig. 1 (skull).—Oven, Odoset, fig. 1 (dentition).—Cuv., Oss. Foss. v. p. 19. pl. 1. fig. 9.—Spaz, Cephalog. pls. 7-11.—Pander und D'Alton, Vergl. Osteol. pl. 1 (skeleton), pl. 8. fig. d (skull), 1823.—Blainv., Ostéog. G. Hystrix, pl. 1 (skeleton, 3), pl. 2 (skulls).

Cervical vertebræ	 7
Dorsal	 14
Lumbar	 5
Sacral	 4
Caudal	 11

- a. Skull. From the Zoological Society's Collection.—The specimen described by Dr. Gray in Proc. Zool. Soc. 1847.
- *b. Skull, and bones of the body. Gambia. Presented by the Earl of Derby.—The specimen described by Mr. Waterhouse in Nat. Hist. Mamm. ii. pl. 20. figs. 1 & 2.
- c. Skull. Tunis. From Mr. Fraser's Collection.
- d. Skull. Portugal.
- *c. Skeleton: very much diseased. From the Zoological Society's
- f. Skeleton. Collection.
- g. Skeleton.

The ASIATIC PORCUPINE. Hystrix cristata.

Gray, Proc. Zool. Soc. 1847.—Blainv., Ostéog. G. Hystrix, pl. 11 (skull, from Syria).

Hystrix hirsutirostris, Brandt, Mamm. Exot. &c. p. 39. pl. 8. figs. 3-6 (skull and lower jaw).

- a. Skull.
- b. Skull. Xanthus. Presented by G. Scharf, jun., Esq.
- *c. Skull. From the Zoological Society's Collection.

The Crestless Nepal Porcupine. Hystrix hodgsoni.

Waterhouse, Nat. Hist. Mamm. ii. p. 461. pl. 20. fig. 3 (skull), 1848, Hystrix daubentonii, Blainv., Osteog. G. Hystrix, pl. 2 (skull).

a. Skull. Nepal. Presented by B. H. Hodgson, Esq.—The specimen described by Dr. Gray and figured by Mr. Waterhouse.

b, c. Skulls. Nepal. Presented by B. H. Hodgson, Esq.

The SAYAL. Hystrix leucurus.

Sykes, Proc. Zool. Soc. 1831, p. 103.—Gray, Proc. Zool. Soc. 1847. Hystrix cristata f. of Bengal, Blainv., Osteog. G. Hystrix, p. 22. pl. 11 (skull).

Cervical vertebræ	7
Dorsal	16
Lumbar	4
Sacral	4
Caudal	(imperfect).

- a. Skull.
- b. Bones of the body. c. Skull.—The specimen described in Water-

Nepal. Presented by B.H. Hodghouse's Nat. Hist. Mamm. ii. p. 460. pl. 20 son, Esq. (skull), 1848.

d. Skull: young.

? e. Skeleton. From Mr. Warwick's Collection.

f, g. Skulls. Nepal. Presented by B. H. Hodgson, Esq.—H. nepalensis, Hodgs.

ACANTHION.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$; = 20.

The JAVA PORCUPINE. Acanthion javanicum.

F. Cuv., Mém. du Mus. ix. pp. 425 & 431. tab. 20. figs. 3 & 4 (skull), 1826.—Van der Hoeven, Act. Bonn. xix. p. 182. tab. 19. fig. 4 (lower jaw), 1839.

Hystrix javanica, Waterhouse, Nat. Hist. Mamm. ii. p. 465. pl. 20. fig. 4 (skull).—Blainv., Ostéog. G. Hystrix, pl. 2 (skull).

> Cervical vertebræ..... Dorsal 14

Lumbar vertebræ	4
Sacral	4
Caudal	15 or 16
From Mr. Doublettle Collection	

- a. Skeleton. From Mr. Bartlett's Collection.
- b. Skeleton. Since discovered to be a hybrid between the Common Porcupine and the Java species. Bred at the Surrey Gardens. From Mr. Bartlett's Collection.
 - A. flemingii, Gray, Proc. Zool. Soc. 1847.
- c. Skeleton. Hybrid, from the same pair of Porcupines as (b). Bred at the Surrey Gardens. From Mr. Bartlett's Collection.
- d. Skeleton.
- *e. Skull, and bones of body. From the Zoological Society's Collection.

CERCOLABES.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

The Coendoo. Cercolabes prehensilis.

Waterhouse, Nat. Hist. Mamm. ii. p. 416. pl. 18. fig. 2 (skull), copied from Brandt's figure.

Hystrix prehensilis, Pander und D'Alton, Vergl. Osteol. no. 6. pl. 6 (skeleton).—Blaine., Osteog. G. Hystrix, pl. 3 (skeleton and skulls).

Cervical	V	61	rt	e	b	r	æ	١.							7
Dorsal .															17
Lumbar															5
Sacral .															
Caudal .															

- a. Skeleton. Brazils.
- *b. Skull: young.
- c. Skull. Purchased of Mr. Cross.
- d. Skeleton. From the Zoological Society's Collection.
- e. Skull.

The Bolivian Cercolabes. Cercolabes boliviensis.

*a. Skull. Bolivia. From Mr. Bridges' Collection.—The specimen described by Dr. Gray.

Cercolabes spinosus.

F. Cuv., Mém. du Mus. ix. p. 433. pl. 20. figs. 5, 6 (skull), fig. 7 (feet).

Cercolabes pallidus.

Waterhouse, Nat. Hist. Mamm. ii. p. 434. pl. 18. fig. 3 a (upper molars).

The TRICOLOURED TREE PORCUPINE. Cercolabes villosus.

Brandt, Mamm. Exot. p. 71. pl. 10. figs. 5-7 (skull), 1835.—Water-house, Nat. Hist. Mamm. ii. p. 427. pl. 18. fig. 3 (skull).

a. Skull. Brazils. From M. Parzudaki's Collection.

The MEXICAN TREE PORCUPINE. Cercolabes nove-hispanise.

Waterhouse, Nat. Hist. Mamm. ii. p. 422. pl. 18. fig. 4 (bones of right fore-foot).

*a. Skull.

The Peruvian Tree Porcupine. Cercolabes nycthemera. Waterhouse, Nat. Hist. Mamm. ii. p. 417, 1848.

*a. Skull.

ERETHIZON.

Teeth :—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$; = 20.

The CAWQUAW or URSON. Erethizon dorsatus.

F. Cuv., Mém. du Mus. ix. p. 432. tab. 20. figs. 1, 2 (skull), 1822.—
Baird, Mamm. N. America, p. 569. pl. 55. no. 3066 (teeth).—
Brandt, Mém. Acad. St. Pétersb. vii. tab. 9. figs. 1-7 (skull).
Hystrix dorsata, Blainv., Ostéog. G. Hystrix, pl. 3 (skull).

Cervical vertebræ	7
Dorsal	14
Lumbar	6
Sacral	
Caudal	

*a. Skull. Central America. From the Zoological Society's Colb. Skeleton.

c. Skull: young. From Mr. Yarrell's Collection.

Erethizon epixanthus.

Brandt, Mamm. Exot. p. 55. pl. 9. figs. 1-3 (skull).—Baird, Mamm. N. America, p. 569. pl. 55. no. 1263 (teeth), 1859.

Cervical vertebræ	
Dorsal	 14
Lumbar	 6
Sacral	 3
Caudal	

a. Skeleton. California. From Mr. Brandt's Collection.

SPIGGURUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

The Orico. Spiggurus insidiosus.

Hystrix insidiosa, Blainv., Ostéog. G. Hystrix, pl. 3 (skull).

Lumbar vertebræ 5
Sacral 4
Caudal
*a. Skull: young. Brazils. From Mr. Brandt's Collection. b. Skull: young. Brazils. c. Skeleton: J. Brazils. Purchased of Mr. Becker. d. Skeleton. Brazils. Purchased of Mr. Brandt. *e. Skull, and bones of the body. f. Skeleton.

CHÆTOMYS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

The Quilled Rat. Chatomys subspinosus.

Gray, in Voy. of H.M.S. Sulphur, pl. 18. figs. 1-6 (skull).—Water-house, Nat. Hist. Mamm. ii. p. 401. pl. 18. fig. 1 a, b (skull).

Cervical	v	0	rí	te	b	r	æ								7
Dorsal .															15
Lumbar															7
Sacral .															4
Candal															28

*a. Skull. Brazils. From Mr. Brandt's Collection.—The specimen described in the 'Proc. Zool. Soc.' for 1843, p. 21, and figured in the 'Voyage of the Sulphur,' pl. 18. figs. 1-6.

*b. Skull. Brazils. From Mr. Brandt's Collection.

c. Skeleton.

ATHERURA.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

Atherura macroura.

Waterhouse, Nat. Hist. Mamm. ii. p. 472. pl. 18. fig. 5. Hystrix macroura?, Gervais, Voy. de la Bonite (skull).—Blainr., Ostéog. G. Hystrix, pl. 2 (skull, 3).

*a. Skull.—The specimen figured by Mr. Waterhouse.

The Indian Brush-tailed Porcupine. Atherura fasciculata.

Waterhouse, Nat. Hist. Mamm. ii. p. 470. pl. 18. fig. 6 (skull), figs. 6, 6 b (palate and teeth).

Hystrix macroura, Gerrais, Voy. de la Bonite (skull).—Blain., Ostéog. G. Hystrix, pl. 2 (skull, 5).

*a. Skull.

The Tuffed-tailed Porcupine. Atherura africana.

Waterhouse, Nat. Hist. Mamm. ii. p. 476. pl. 18. figs. 5, 5a (skull). Hystrix fasciculata, Blainv., Ostéog. G. Hystrix, pl. 11 (skull, 3).

DOLICHOTIS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

The Mara. Dolichotis patachonicus.

Waterhouse, Nat. Hist. Mamm. ii. p. 161. pl. 4. fig. 1 (skull).—Oven, Odont. figs. 2, 3 (dentition): Odontology, Art. in Encycl. Brit. p. 453. fig. 88 (section of skull).

Cavia patagonica, Blainv., Ostéog. G. Cavia, pl. 2 (skull).

Cervical vertebræ	7
Dorsal	
Lumbar	7
Sacral	
Candal	15

- *a. Skull and imperfect skeleton. S. America. Presented by the Earl of Derby.
- *b. Skull: young. Chili. From Mr. Bridges' Collection.
- c. Skeleton. Chili. Purchased of Mr. Brandt.

DASYPROCTA.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$; =20.

The Agouti. Dasyprocta aguti.

Waterhouse, Nat. Hist. Mamm. ii. pp. 375, 378 (skull), 1848.—Pander und D'Alton, Vergl. Osteol. no. 6. pl. 1 (skeleton).—Cuv., Oss. Foss. v. pl. 1. fig. 10 (teeth).—Owen, Odont. pl. 105. fig. 14 (teeth).—Blainv., Osteog. G. Cavia, pl. 2 (parts of skeleton), pl. 4 (skull, &c.).—Brandt, Mém. Acad. St. Pétersb. vii. pl. 10. figs. 1-8 (skull)... Agouti, Buff., Hist. Nat. viii. p. 390. pl. 54 (skeleton).

Cervical vertebræ	7
Dorsal	13
Lumbar	6
Sacral	4
Caudal	11

- a. Skeleton.—The specimen described by Mr. Waterhouse.
- *b, d, e. Skulls.
- c. Skeleton.

Dasyprocta prymnolopha.

- Skull.—The specimen described by Mr. Waterhouse in Nat. Hist. Mamm. ii. p. 381, 1848.
- b. Skull.

Azara's Agouti. Dasyprocta azaræ.

a-c. Skulls. Bolivia. From Mr. Bridges' Collection.

d. Skull. From the Zoological Society's Collection.

The Crested Aguti. Dasyprocta cristata.

*a. Skull. S. America. Purchased of Mr. Bartlett. b, c. Skulls. From the Zoological Society's Collection.

The Acouchy or Olive Acoust. Dasyprocta acouchy.

- *a. Skull, and bones of the body.—The specimen described by Mr. Waterhouse in Nat. Hist. Mamm. ii. p. 394. col. 1.
- b, c. Skulls. From the Zoological Society's Collection.

CŒLOGENYS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

The PACA. Cologenys paca.

Waterhouse, Nat. Hist. Mamm. ii. p. 364. pl. 18. fig. 8 (skull). Coelogenys fulvus, F. Cuv., Ann. du Mus. x. p. 206. pl. 9. figs. 1 & 2 (skull).

Cologenys subniger, F. Cuv., Ann. du Mus. x. p. 206. pl. 9. figs. 3 & 4. Cologenys fusca, Owen, Odont. pl. 105. fig. 15 (teeth).—Cuv., Oss. Foss. v. pl. 1 (teeth).

Cavia paca, Blaine., Ostéog. G. Cavia, pl. 2 (skeleton, 5), pl. 4 (skull, from Guiana and Columbia).

Paca, Buff., Hist. Nat. Supp. iii. p. 278. pl. 44 (skeleton).

Cervical vertebræ	. 7
Dorsal	. 13
Lumbar	. 6
Sacral	
Caudal	

- a. Skull. Trinidad. Presented by J. Wright, Esq.
- b, c. Skulls. S. America.
- *d. Skull: young. S. America.
- e. Skeleton. S. America. From Mr. Brandt's Collection.
- f. Skeleton. S. America. From Mr. Stevens's sale-rooms.
- g. Skull. S. America. From Mr. Argent's Collection.
- $\stackrel{h}{h}$, i. Skulls. S. America From the Zoological Society's Collection.

HYDROCHŒRUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$; =20.

The CAPYBARA. Hydrochærus capybara.

Pander und D'Alton, Vergl. Osteol. no. 6. pl. 1 (skeleton), pl. 8 a, b, c (skull), 1821.—Cuv., Oss. Foss. v. (dentition), 1823.—F. Cuv., Dents des Mamm. p. 148. no. 46 (dentition), 1825.—Oven, Odont. pl. 105. fig. 17 (dentition), 1840-45.—Waterhouse, Nat. Hist. Mamm. ii. pl. 4. fig. 3 (skull), 1848.—Brandt, Mém. Acad. St. Pétersb. vii. pl. 10. fig. 9 (lower jaw).

Cavia capybara, <i>Blaine.</i> , Ostéog. G. Cavia, pl. (skull and dentition). Cabiai, <i>Buff.</i> , Hist. Nat. xii. p. 434. pl. 50 (skele:	· -
Cervical vertebræ Dorsal Lumbar Sacral Caudal	13 6 4
 a. Skull: imperfect. *b. Skull: adult. c. Teeth d. Skeleton: bones separate. e. Skeleton: mounted. From the Zoologic lection.	cal Society's Col-

CAVIA.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$; = 20.

The CAVY or GUINEA PIG. Cavia aperea.

Waterhouse, Nat. Hist. Mamm. ii. pp. 161, 184, 185. pls. 4, 16 (teeth). Cavia cobaya, Pander und D'Alton, Vergl. Osteol. pl. 8m (skull).—
Blainv., Osteog. G. Cavia, pl. 11 (skulls, adult and young). Cavia porcellus, Owen, Odont. pl. 104. fig. 4 (dentition). Cochon d'Inde, Buff., Hist. Nat. viii. pl. 5 (skeleton).

Cervical	ve	rt	eb	r	æ	,								7
Dorsal .														
Lumbar														6
Sacral .												•	•	3
Caudal .														6

- a. Skull: female. London. Presented by Mr. J. Baker.
- *b. Skull.

- c, a. Skulls: male.
- e. Skull: female.
- S. Germany. From Dr. A. Günther's Collection. f. Skull: male.
- g. Skull: female.
- h. Skull. S. America. Presented by Charles Darwin, Esq.
- Peru?—Cavia cutleri, King. The specimen described by Mr. Waterhouse in Nat. Hist. Mamm. ii. pp. 192-196. pl. 10. fig. 7.
- j.? Skull. Presented by Charles Darwin, Esq.
- k. Skeleton: male. England.
- l. Skeleton: female. England.
- m. Skull. Presented by Sir A. Smith.
- n. Skull.
- o. Skull. Bahia. From the Zoological Society's Collection.—Cavia flaviventer, Waterh. MSS.
- p. Skull. St. Catherine, Brazils. From M. Parzudaki's Collection.

The Rufous-brown Cavy. ? Cavia flavidens.

Waterhouse, Nat. Hist. Mamm. ii, pp. 168, 171. pl. 16. fig. 10 (skull).

a. Skeleton. From Mr. Brandt's Collection.—"Cavia aperea." The specimen figured and referred to by Mr. Waterhouse.

SPIX'S CAVY. Cavia (Cerodon) spixii.

Waterhouse, Nat. Hist. Mamm. ii. p. 173. pl. 16. figs. 11, 11a (skulls).

Cervical vertebræ	7
Dorsal	12
Lumbar	7
Sacral	4
Caudal	

 a. Skull. Bahia. C. leucogaster, Waterh. MSS.
 b. Skeleton.

From the Zoological Society's Collection.

The Bolivian Cavy. Cavia boliviensis.

Waterhouse, Nat. Hist. Mamm. ii. p. 175. pl. 10. fig. 4c (skull), pl. 16. fig. 13 (skull).

a-e. *Skulls. Bolivia. From Mr. Bridges' Collection.—The specimens described by Mr. Waterhouse.

The Southern Cavy. Cavia (Cerodon) australis.

Waterhouse, Nat. Hist. Mamm. ii. p. 180. pl. 16. fig. 13 (skull).—
Is. Geoff. et D'Orb., Voy. Amér. Mérid. ix. pl. 18. figs. 2-5 (skull).
Cavia aperea, Blainv., Ostéog. G. Cavia, pl. 11 (skull).

- *a. Skull. Patagonia? From Mr. Bridges' Collection.
- b, c. Skulls. From the Zoological Society's Collection.
- d. Skull.—The specimen figured by Mr. Waterhouse.
- e. Skull. From the Zoological Society's Collection.

The Rock Cavy. Cavia (Cerodon) supestris.

Waterhouse, Nat. Hist. Mamm. ii. pp. 164, 183. pl. 4. fig. 2 (akull), pl. 10. fig. 1 (skull), pl. 16. fig. 1 (teeth). Kerodon moco, F. Cuv., Dents des Mamm. p. 151 (teeth), 1825. Cavia moco, Blainv., Ostéog. G. Cavia, pl. 2 (skull).

*a. Skull. From Mr. Hultse's Collection.

 Skull. Bahia. From the Zoological Society's Collection.—The specimen described and figured by Mr. Waterhouse.

LEPUS.

Teeth:—Incisors $\frac{2-2}{1-1}$; Molars $\frac{6-6}{5-5}$; =28.

The Rabbit. Lepus cuniculus.

Owen, Odont. pl. 104. fig. 5, pl. 105. fig. 16 (dentition).—Blasius, Faun. Wirb. Deutschl. p. 426. fig. 230 (dentition), 1857. Lapin, Buff., Hist. Nat. vi. p. 340. pl. 57 (skeleton).

Cervical	v	e:	r	te	b	r	œ								7
Dorsal .															12
Lumbar															7
Sacral .															
Caudal .															

- a, b. Two skulls (tame var.); nearly double the size of the wild ones. London. Presented by Mr. George.
- c. Skull (wild). England. Presented by Mr. J. Baker.
- d, e. Skulls.
- f. Skull (Angora var.). Presented by Miss Inglis.
- g. Skull (incisor teeth very much elongated). Purchased of Mr. Warwick.
- h. Skull. Tunis. Purchased of Mr. Fraser.
- i. Skeleton.
- j. Skull. Falkland Islands. Presented by Charles Darwin, Esq.
- k. Skull.
- *l-n*. Skulls. From the Zoological Society's Collection.
- o-q. Skulls.
- S. Germany. From Dr. A. Günther's Colr. Skull: female.
- s. Skull (ears dependent). lection.
- t. Skeleton.
- u. Skull (incisor teeth very much elongated). From the Zoological Society's Collection.

The Black-footed Rabbit. Lepus nigripes.

a. Skull. Presented by Mr. Edward Gerrard, jun.

The HARE. Lepus timidus.

Fischer, Prod. Cran. Comp. pl. 2. fig. 4 (skull).—Pander und D'Alton, Vergl. Osteol. pl. 3 (skeleton), pl. 8 (skull), 1821–31.— Waterhouse, Nat. Hist. Mamm. ii. pl. 2. figs. 2, 2a, b, c (skull).—F. Cuv., Dents des Mamm. p. 152. no. 50 (dentition), 1825.—Biasius, Faun. Wirb. Deutschl. p. 410. fig. 227 (skull), fig. 228 (dentition), 1857.

Lièvre, Buff., Hist. Nat. vi. p. 298. pl. 48 (skeleton).

Cervical											
Dorsal .											
Lumbar											
Sacral .											
Caudal.											15

- a. Skull.
- b-d. Skulls. Purchased at Mr. Stevens's sale.
- e. Skeleton.
- f. Skull.

g. Skeleton. Purchased of Mr. Warwick.

h. Skull.

h. Skull.

i, j. Skulls: male. S. Germany.

From Dr. A. Günther's Collection. l, m. Skulls. Silesia.

n. Skeleton (black variety). From the Zoological Society's Collection.

The IRISH HARE. Lepus hibernicus.

Yarrell, Proc. Zool. Soc. 1838, p. 88.

*a. Skull. Ireland. Presented by the Earl of Derby.

b, c. Skeletons. Ireland. Presented by W. Thompson, Esq.

d. Skull. From the Zoological Society's Collection.

e. Skull. From Mr. Yarrell's Collection.

The Scotch Hare. Lepus variabilis.

Blasius, Faun. Wirb. Deutschl. p. 420. fig. 229 (dentition), 1857.

a. Skull. Scotland.

The Ashy-grey Hare. Lepus canescens.

Sweden. From M. Sundevall's Collection. *a. Skull.

b, d. Skulls.

c. Skull. Sweden. Purchased of Mr. Bartlett.

The Northern Hare. Lepus borealis.

a. Skull: female. Sweden. From M. Sundevall's Collection.

The BLACK HARE. Lepus altaicus?

a. Skull. Russia. From Mr. Brandt's Collection.

b. Skull.

The REKALEK or Polar Hare. Lepus arcticus.

Lepus glacialis, Baird, Mamm. N. America, p. 577. pl. 56. fig. 1 (skull), 1859.

a. Skull. Greenland.

b. Skull. Greenland.—The specimen described by Mr. Waterhouse in Nat. Hist. Mamm. ii. p. 107.

*c. Skull. Kotzebue. Presented by Capt. Kellett and Lieut. Wood. d, e. Skeletons. Arctic Expedition. From Dr. Rae's Collection.

The Indian Hare. Lepus macrotus.

a-c, e-t. Skulls. d. Bones of the trunk. India. Presented by B. H. Hodgson, Esq. a-c, e-l. Skulls.

The Tolai. Lepus tolai.

*a. Skull. Siberia. From Mr. Brandt's Collection.

The Japan Hare. Lepus brachyurus.

Temm., Faun. Japon. pl. 2. figs. 2, 3 (skull).

*a. Skull. Japan.

Lepus sinensis.

*a. Skull. China. Presented by J. R. Reeves, Esq.

The Rock HARE. Lepus saxatilis.

*a. Skull. Cape of Good Hope. Presented by the Earl of Derby.

The Sardinian Hare. Lepus mediterraneus.

a. Skull. Tunis. From Mr. Fraser's Collection.—The specimen described in Mr. Waterhouse's Nat. Hist. Mamm. ii. 1848, p. 43.

The Sassa or Khargosh. Lepus kurgosa.

a. Skull. Punjaub. Presented by Professor Oldham.

Audubon's Hare. Lepus audubonii.

Baird, Mamm. N. America, p. 608. pl. 57. fig. 2 (skull), 1859.

The Marsh Rabbit. Lepus palustris.

Baird, Mamm. N. America, p. 615. pl. 59. fig. 2 (skull), 1859.

The Wormwood Hare. Lepus artemisise.

Baird, Mamm. N. America, p. 602. pl. 85. fig. 2 (skull).

*a. Skull. California.

Bennett's Hare. Lepus bennettii.

*a. Skull. California. Presented by Captain Sir E. Belcher.

The Californian Hare. Lepus californicus.

Baird, Mamm. N. America, p. 594. pl. 57. fig. 2 (skull), 1859.

The Jackass Rabbit or Texas Hare. Lepus callotis.

Baird, Mamm. N. America, p. 590. pl. 57. fig. 1, and pl. 85. fig. 1 (skull), 1859.

Lepus sylvaticus.

Baird, Mamm. N. America, p. 597. pl. 58. fig. 1 (skull), 1859.

a. Skull. From the Zoological Society's Collection.

The WATER RABBIT. Lepus aquaticus.

Baird, Mamm. N. America, p. 612. pl. 59. fig. 1 (skull), 1859.

a. Skull. N. America. From the Zoological Society's Collection.

The Wampoor or American Hare. Lepus americanus.

Cervical	ve	ert	e	b	r	æ								7
Dorsal .														12
Lumbar														7
Sacral .														3
Candal														12

- a, b. Skulls (imperfect). Hudson's Bay. Presented by the Hudson's Bay Company.
- c. Skull. California. From Mr. Brandt's Collection.

The Tapeti. Lepus brasiliensis.

*a. Skull. Para, South America. Presented by R. Graham, Esq.
*b. Skull. Bolivia. From Mr. Bridges' Collection.

Lepus (Carpolagus) hispidus.

*a, b. Skulls. Nepal. Presented by B. H. Hodgson, Esq.

Lepus isabellinus.

*a. Skull. Sennaar.

The Egyptian Hare. Lepus ægyptius.

a. Skull. Egypt.

LAGOMYS.

Teeth:—Incisors $\frac{2-2}{5-5}$; Molars $\frac{5-5}{5-5}$; = 26.

The Ogotona. Lagomys ogotona.

Pallas, Nov. Spec. Glir. p. 64. pl. 3. tab. 4 A. fig. 16a, b (skull), 1778.
 F. Cuv., Dents des Mamm. p. 154. no. 51 (dentition), 1825.

*a. Skull. Russia. From Mr. Brandt's Collection.

The Sadajac. Lagomys alpinus.

Waterhouse, Nat. Hist. Mamm. ii. pl. 2. fig. 2 (skull).—Pallas, Nov. Spec. Glir. p. 58. tab. 4A. fig. 13a, b (skull), 1778.—Brandt, Mém. Acad. St. Pétersb. vii. pl. 11. figs. 11-20 (skull and dentition).

*a. Skull. Siberia. From Mr. Brandt's Collection.b. Skull. Siberia. From the Zoological Society's Collection.

The Calling Hare. Lagomys pusillus.

Lepus pusillus, *Pallas*, Nov. Spec. Glir. p. 37. tab. 4A. fig. 4 (skull), fig. 5 (skeleton), 1778.

*a. Skull. Siberia. From Mr. Brandt's Collection.

The REDDISH SULGAN. Lagomys rufescens.

a, b. *Skulls. India, Rocky Hills, Cabul. Presented by the Hon. East India Company.

The Indian Sulgan. Lagomys nipalensis.

a. Skull (in a bad state).
 b. Skull.
 Presented by B. H. Hodgson,
 Esq.

LAGIDIUM.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

CUVIER'S LAGOTIS. Lagidium peruvianum.

Lagotis cuvieri, Bennett, Trans. Zool. Soc. i. p. 35. pl. 4 (skeleton).

Cervical	vertebræ	. 7
Dorsal .		. 13
Lumbar		. 6
Sacral .	· · · · · · · · · · · · · · · · · · ·	. 2
Caudal .		24 (imperfect).

- *a. Skull. Chili. From Mr. Bridges' Collection.
- *b. Skull (imperfect). Chili. From Mr. Bridges' Collection.
- c. Skeleton. From the Zoological Society's Collection.—The original specimen figured by Mr. Bennett.

The Pale-footed Chinchilla. Lagidium pallipes.

*a. Skull.

CHINCHILLA.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

The CHINCHILLA. Chinchilla laniger.

Gray, Spicil. Zool. iv. tab. 2.—Waterhouse, Nat. Hist. Mamm. ii. p. 296. pl. 10*. fig. 1 a (first and second upper molars).

Cervical	٧e	rt	te	b	r	æ	٠.							7
Dorsal .														13
Enmbar														

		ral vertebræ
a. Skull. b. Skull.		Presented by W. Watson, Esq.
c. Skeleton	. Chil	i. From Mr. Bridges' Collection.
d, e. Skelet	tons. (Chili. Presented by H. Cuming, Esq.
		From the Zoological Society's Collection.

LAGOSTOMUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

The VISCACHA. Lagostomus trichodactylus.

Waterhouse, Nat. Hist. Mamm. ii. p. 212. pl. 10*. fig. 3 (skull).— Brooks, Linn. Trans. xvi. p. 95. tab. 9, cop.—Isis, 1830, p. 906, taf. 9. fig. b (skeleton), figs. c, d (skull and lower jaw).

*a. Skull. Chili. From Mr. Bridges' Collection.

HELAMYS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

The Spring Haas. Helamys capensis.

Cuv., Oss. Foss. v. pl. 1. fig. 21 (teeth).—F. Cuv., Dents des Mamm. p. 152, no. 49 (teeth). Pedetes caffer, Brandt, Mem. Acad. St. Pétersb. vii. pl. 6. figs. 1, 8 (skull).

Cervical															
Dorsal .		 •	•	•	•	•	•	•	•		•	•	•	•	12
Lumbar															7
Sacral .															3
Condol															29

- a. Teeth. Cape of Good Hope.
- b. Skull: young. Cape of Good Hope. From the Zoological Society's Collection.
- c. Skeleton. Cape of Good Hope. Presented by Sir A.Smith.

DIPUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{3-3}{8-3}$;=16.

The ROUGH-FOOTED GERBOA. Dipus hirtipes.

Waterhouse, Charlesw. Mag. Nat. Hist. 1839, p. 9. figs. a, b (skull), p. 186. figs. a, b (skull).—Schreb., Säugth. iv. pl. 239 E. fig. (dentition).

a. Skull. Sennaar. From the Stockholm Collection.

The GERBOA. Dipus ægyptius.

Duvernoy, Mém. de la Soc. d'Hist. Nat. de Strasbourg, ii. pl. 3. figs. 1-5 (skeleton and skulls).—Waterhouse, Charlesworth's Mag. Nat. Hist. 1839, p. 9. figs. c, d (skull).
Dipodes jerboæ, Fischer, Prod. Cran. Comp. tab. 2. fig. 1 (skull), 1811.
Dipus bipes, Pander u. D'Alton, Vergl. Osteol. taf. 7 (skeleton).

a. Skull. Egypt.

b. Skull. From the Zoological Society's Collection.

Dipus telum.

*a. Skull. Wolga. From Mr. Brandt's Collection.

Dipus sagitta.

Schreb., Säugth. iv. p. 849.—Owen, Odont. pl. 105. fig. 7 (dentition).
Mus sagittæ, Pallas, Nov. Spec. Glir. p. 311. pl. 26. fig. xxv. 5 (skeleton), 1778.

ALACTAGA.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{3-3}{3-3}$; =16.

The ALACTAGA. Alactaga vexillaris.

Dipus jaculus, *Brandt*, Mém. Acad. St. Pétersb. vii. taf. 11. figs. 1-7 (skull).

a. b. Skulls. Siberia.

The Acontium. Alactaga acontium.

Cervical vertebræ	7
Dorsal	12
Lumbar	7
Sacral	4
Candal	25 or 26

a. Skeleton. Siberia.

GERBILLUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{3-3}{3-3}$; =16.

The Mountain Gerbille. Gerbillus montanus.

a. Skull. Caffraria, S. Africa.

b. Skull. S. Africa. Presented by Sir A. Smith.

The SLENDER GERBILLE. Gerbillus tenuis.

a. Skull. S. Africa. Presented by Sir A. Smith.

The DUN RAT. Gerbillus afer.

Cervical vertebræ	 7
Dorsal	 17
Lumbar	 7
Sacral	 3
Caudal	 27

a. Skeleton: male. Cape of Good Hope. From M. Verreaux's Collection.

Gerbillus shawii.

Durernoy, Mém. de la Soc. d'Hist. Nat. de Strasbourg, ii. pl. 2. figs. 11-13 (skeleton and skulls).

The Black-tailed Gerbills. Gerbillus melanurus.

Meriones libycus, Pander und D'Atton, Vergl. Osteol. no. 6. pl. 11 c (skeleton), d (skull).

a. Skull. Abyssinia.

The Indian Gerbille. Gerbillus indicus.

Meriones indicus, Owen, Odont. pl. 105. fig. 8 (dentition).

Dipus indicus, F. Cur., Dents des Mamm. p. 172. ? no. 62 (dentition).

—Waterhouse, Charlesworth's Mag. Nat. Hist. 1839, p. 13. fig. d (skull).

- a, b, c. Skulls. India. Presented by Walter Elliott, Esq.
- d. Skull. Kashmir. Presented by Professor Oldham.

Gerbillus campestris.

a. Skull. Algiers. From M. Parzudaki's Collection.

The Kamiesberg Gerbille. Gerbillus auricularis.

Gerbillus brevicaudatus, Waterhouse, Charlesworth's Mag. Nat. Hist. 1839, p. 276. fig. 35 c (skull).

a. Skull. From the Zoological Society's Collection.

PSAMMOMYS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{3-3}{3-3}$;=16.

The Tamarisk Rat. Psammomys tamariscus.

*a. Skull. Songaria, Russia.

The FARR. Psammomys obesus.

Rüppell, Atlas, tab. 22, 23. a-d (skull and skeleton). — Waterhouse, Nat. Hist. Mamm. p. 13. a, b (skull); Charlesworth's Mag. Nat.

Hist. 1839, p. 276. fig. 35 a, b (skull).—Schreb., Säugth. iv. pl. 239 $\mathbf p$. fig. 14 (dentition).

Cervical	V	e	rt	ŧе	b	r	æ	١.							7
Dorsal .															12
Lumbar															7
Sacral .															4
Caudal .															26

a. Skull. Egypt.

b. Skeleton: female. From Dr. A. Günther's Collection.

c. Skeleton: male. From the Zoological Society's Collection.

PLATYCANTHOMYS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{3-3}{3-3}$;=16.

The Spiny Dormouse. Platycanthomys lasiurus.

*a. Skull. Malabar Coast. Presented by Dr. P. L. Sclater, being the original type.

MYOXUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

The Lore. Myoxus glis.

Pander und D'Alton, Vergl. Osteol. pl. 1 (skull).—Blasius, Faun. Wirb. Deutschl. p. 287. figs. 161, 162 (skull), 1857.—F. Cuv., Dents des Mamm. p. 255. no. 57 (dentition), 1825.—Blainv., Ostéog. G. Sciurus, pl. 2 (skeleton and skull).—Brandt, Mém. Acad. de St. Pétersb. vii. pl. 1. figs. 8-12 (skulls).

a, b. *Skulls. France.

c. Skull. S. Germany. From Dr. A. Günther's Collection.

Myoxus elegans.

Temm., Fauna Japonica, pl. 16. figs. 5, 6 (skull).

The Lerot. Myoxus quercinus.

Myoxus nitela, *Blainv.*, Ostéog. G. Sciurus, pl. 2. (skeleton & skull). Lérot, *Buff.*, Hist. Nat. viii. p. 192. pl. 25 (skeleton).

Cervical	٧	e	rí	te	b	r	æ									7
Dorsal .																
Lumbar																
Sacral .																
Candal	-		_									_	_	_	_	28

a, b. Skulls of male and female.

c. Skeleton. From Dr. A. Günther's Collection.

Myoxus murinus.

Peters, Naturw. Reise nach Mossambique, Säugth. i. p. 136. pl. 35. fig. 1 (skull).

*a. Skull. Port Natal.

GRAPHIURUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

The CAPE GRAPHIURUS. Graphiurus capensis.

Waterhouse, Charlesworth's Mag. Nat. Hist. 1839, p. 185. figs. a, b, c, d (skull).—Blaine., Ostéog. G. Sciurus, pl. 2 (skull).

MUSCARDINUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$; =20.

The Dornouse. Muscardinus avellanarius.

Myoxus avellanus, Cuv., Oss. Foss. v. pl. — Owen, Odont. pl. 105. fig. 6 (teeth).

Myoxus avellanarius, Waterhouse, Mag. Nat. Hist. 1839, p. 8. figs. a, b, c, d (skull).

Cervical vertebra	 7
Dorsal	 13
Lumbar	 6
Sacral	 2
Caudal	 24

- a, b. Skulls.
- c. Skeleton. England. Purchased of Mr. Daniels.
- d. Skull. England.
- e. Skeleton. England. Purchased of Mr. Warwick.
- f. Skull. From Mr. Yarrell's Collection.
- g. Skull. Presented by Sir A. Smith.

ANOMALURUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$; = 20.

The SPINY-TAILED SQUIRREL. Anomalurus derbianus.

a. Skull. Fernando Po. Presented by T. Thomson, Esq., R.N.

b, c. Skulls. Fernando Po. Purchased of Mr. Fraser.

Anomalurus pelii.

Blaine., Ostéog. G. Sciurus, pl. 1 (skeleton).

Cervical											
Dorsal .											15
Lumbar											10
Sacral .											4
Caudal .											

*a. Skull. *a. Skull.
b. Skeleton. Coast of Guinea. From Mr. Frank's Collection.

Anomalurus beecroftii.

*a. Skull. Fernando Po. Purchased of Mr. Fraser.

PTEROMYS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{5-5}{4-4}$;=22.

The Japan Flying Squirrel. Pteromys leucogenys.

Temm., Faun. Japon. pl. 13. figs. 3 & 4 (skull).

*a. Skull. Japan.

The Taguan. Pteromys petaurista.

F. Cuv., Dents des Mamm. p. 163. no. 57 (dentition).—Blainv., Ostéog.

G. Sciurus, pl. 2 (akeleton).

Pteromys taguan, F. Cw., Mém. du Mus. Hist. Nat. x. p. 126. pl. 10. fig. 6 a, b (skull).

a. Skull. From the Zoological Society's Collection.

Pteromys momoga.

Temm., Faun. Japon. pl. 14. figs. 3 & 4 (skull).

Pteromys melanotis.

Singapore. Presented by H. Low, Esq. *a. Skull.

The Kovial or Orange-shouldered Taguan. Pteromys magnificus.

Cervical	v	e	rt	ю	b	r	æ	٠.							7
Dorsal .			,												12
Lumbar															7
Sacral .															3
Caudal .															

a-c. Skulls: adult. Presented by B. H. Hodgson, Esq. d. Skull.

- e. Skeleton. India. Purchased of Mr. Warwick.
- f. Skull. From the Zoological Society's Collection.
- g. Skeleton (imperfect).
 h. Bones of the body.
 Nepal. Presented by B. H. Hodgson, Esq.

The Golden-streaked Taguan. Pteromys nobilis.

a, b. *Skulls: adult. Nepal. Presented by B. H. Hodgson, Esq.

The GREY-HEADED FLYING SQUIRREL. Pteromys caniceps.

*a. Skull. Nepal. Presented by B. H. Hodgson, Esq.

Pteromys nitidus.

Schreb., Säugth. iv. pl. 239 E. fig. (dentition).—Brandt, Mém. Acad. St. Pétersb. vii. tab. 1. figs. 1-7 (skulls).

- a. Skull. From Mr. Cuming's Collection.
- b, c. Skulls. Sumatra. From Sir Stamford Raffles's Collection.

d. Skull. From the Zoological Society's Collection.

Pteromys punctatus.

Gray, Ann. & Mag. Nat. Hist. i. p. 211, 1846.

*a. Skull. Malacca. Presented by Andrew Charlton, Esq.

Pteromys elegans.

Müller, S. Verh. Nat. Gesch. tab. 16. figs. 2, 3 (skull).

SCIUROPTERUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{5-5}{4-4}$; = 22.

TURNBULL'S FLYING SQUIRREL. Sciuropterus albo-niger.

a, b. Skulls. India. Presented by B. H. Hodgson, Esq. c. Skull.

Sciuropterus layardii.

a. Skull. Ceylon. Presented by Dr. Kelaart.

The Assapan. Sciuropterus volucella.

Blainv., Ostéog. G. Sciurus, pl. 2 (skull).

- *a. Skull. N. America.
- b. Skeleton. N. America. Purchased of Mr. Warwick.

The Polatouche. Sciuropterus volans.

Pteromys volans, Pander und D'Alton, Vergl. Osteol. no. 6. pl. 8 (skeleton).—Blasius, Faun. Wirb. Deutschl. p. 268. fig. 152 (skull), 1857.

Sciurus volans, F. Cuv., Mém. du Mus. Hist. Nat. x. p. 126. pl. 10. fig. 5 a, b (skull).
Polatouche, Buff., Hist. Nat. x. p. 114. pl. 21 (skeleton).

- *a. Skull. Siberia.
- *b. Skull. Altai Mountains, Russia.
- *c. Skull.

SCIURUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$ or $\frac{5-5}{4-4}$; =20 or 22.

The Jellerang or Javan Squirrel. Sciurus javensis.

Cervical vertebræ	 7
Dorsal	
Lumbar	 6
Sacral	
Candal	 31 or 32

a. Skeleton. Java. From Mr. Warwick's Collection.—S. bicolor.
 b, *c. Skulls.

The Rasoo or Ratufa. Sciurus purpureus.

Sciurus maximus, Blainv., Ostéog. G. Sciurus, pl. 1 (skull).

- a. Skull. India. From Mr. Stevens's sale.
- b. Skull. From the Zoological Society's Collection.
- c-e. Skulls.

The Long-Tailed Squirrel. Sciurus ephippium.

Müller, S. Verh. Nat. Gesch. tab. 13. figs. 2, 3 (skull). Sciarus aureiventer, Is. Geoff., Mag. de Zool. 1839, pl. 34. figs. 1-3 (skull).

*a, *b, *c. Skulls. Borneo.

The SQUIRREL. Sciurus europæus.

Sciurus vulgaris, Linn., S. N. xii. p. 96. no. 1.—Fischer, Prod. Cran. Comp. tab. 11. fig. 5 (skull), 1811.—Pander und D'Alton, Vergl. Osteol. pl. 4 (skeleton), 1821–31.—Waterhouse, Mag. Nat. Hist. 1839, fig. 5a, b, c, d, e (skull).—Owen, Odont. pl. 105. fig. 1 (dentition), 1840–45.—Blasius, Faun. Wirb. Deutschl. p. 27. fig. 153 (skull), 1857.—Blainv., Ostéog. G. Sciurus, pl. 2 (skeleton, skull, &c.).

Écureuil, Buff., Hist. Nat. vii. p. 253. pl. 35 (skeleton).

Cervical	•	V	e:	rl	æ	b	r	æ	٠.								7
Dorsal											_		_			_	12

P 2

Lumbar	vertebræ		7	
Sacral			3	
Caudal			23	
•a. Skull. Siberia.—	Var. S. altaicus	·		
b, c. Skulls. England	. Presented b	y Mr. E. Ge	rrard.	
d. Skull (variety). P	vrenees.	•		
e, f. Skeletons. Engl				
g. Skull. From Mr.		ion.		
h, i. Skulls: male.	1			
j, k. Skulls: female.	S. Germany.	From Dr.	A. Günther's	Col-
l. Skull: young.	lection.			
m. Skeleton.				

Dr. Stanger's Squirrel. Sciurus stangerii.

*a. Skull. Fernando Po. Presented by T. Thompson, Esq.
 b. Skull.
 c. Skull: young.

Fernando Po. From Mr. Fraser's Collection.

The Masked Squirrel. Sciurus capistratus.

a, b. Skulls. From the Zoological Society's Collection.

Sciurus variegatoides.

*a. Skull. Guatemala.

The Grey-tailed Squirrel. Sciurus griseocaudatus. Gray, in Voy. of H.M.S. Sulphur, pl. 18. figs. 7-12 (skull).

*a. Skull. America. Presented by Captain Sir E. Belcher, R.N.

The VULPINE SQUIRREL. Sciurus ludovicianus.

*a. Skull. Louisiana. From the Zoological Society's Collection.— From the original specimen, described as the Sciurus subauratus, Bachman, Proc. Zool. Soc. vi. p. 87, 1838.

The Texian Squirrel. Sciurus texianus.

*a. Skull. Missouri, N. America.

The Woolly Squirrel. Sciurus lanigerus.

*a. Skull. From Mr. Bartlett's Collection.

Sciurus aureogaster.

Is. Geoff., Voy. de la Vénus, pl. 11. figs. 2-4 (skull), 1846.
 a. Skull.

The Southern Fox Squirrel. Sciurus vulpinus.

*a. Skull (from a dark variety). N. America.

The RED-BELLIED SQUIRREL. Sciurus ferrugineiventris.

- *a. Skull. Mexico. From M. Parzudaki's Collection.
- *b. Skull. Venezuela. From Mr. Cuming's Collection.

The Honduras Squirrel. Sciurus boothise.

*a, *b. Skulls. Honduras.

Collie's Squirrel. Sciurus collizi.

*a, *b. Skulls. Mexico.

Sciurus ---- ?

*a. Skull. N. America.

The GREY SQUIRREL. Sciurus cinereus.

Baird, Mamm. N. America, p. 249. pl. 47. fig. 2 (skull), 1859.

a, b.? Skulls. From the Zoological Society's Collection.

GAPPER'S SQUIRREL. Sciurus leucotis.

Cervical vertebræ	7
Dorsal	12
Lumbar	7
Sacral	3
Caudal	

- a. Skeleton. N. America. Purchased of Mr. Warwick.
- b. Skull. From the Zoological Society's Collection.
- c. Skull. N. America. From Dr. A. Günther's Collection.
- d. Skull (black variety).
- e, f. Skulls (black variety). From the Zoological Society's Collection.

The Carolina Squirrel. Sciurus carolinensis.

Baird, Mamm. N. America, p. 35. pl. 45. fig. 2 (skull), 1859.

Cervical vertebræ	 7
Dorsal	 12
Lumbar	
Sacral	
Caudal	

*a. Skull. Wellington, Delaware, N. America. Presented by Henry Doubleday, Esq. *b. Skull. Missouri, N. America.

c. Skeleton. N. America. From Mr. Brandt's Collection.—S. niger.

LANGSDORFF'S SQUIRREL. Sciurus langsdorffii.

Brandt, Mém. Acad. St. Pétersb. 1835, p. 425. tab. 11. figs. 1, 2 (skull).

a, b. Skulls: J, Q. Rio Negro.

 $egin{array}{ll} lacktrianglet e. & Skull. & Bolivia. \\ d, e. & Skulls. & Chili? \end{array}
brace$ From Mr. Bridges' Collection.

GERRARD'S SQUIRREL. Sciurus gerrardii.

*a. Skull. New Granada.

Sciurus dorsalis.

*a, *b. Skulls. Caraccas. From M. Sallé's Collection.

Sciurus bivittatus.

a-c. Skulls. From the Zoological Society's Collection.

The CHICKAREE SQUIRREL. Sciurus hudsonius.

Baird, Mamm. N. America, p. 269. pl. 46. fig. 1 a-e (skull).—Blaine., Ostéog. G. Sciurus, pl. 2 (skull).

 ${}^{\bullet}a$. Skull. N. America. b, c. Skulls.

The CHESTNUT-BELLIED SQUIRREL. Sciurus castaneoventris.

*a, *b. Skulls: adult and young. China. From Mr. Cuming's Collection.

Sciurus leschenaultii.

a. Skull. From the Zoological Society's Collection.

Sciurus lis.

Temm., Faun. Japon. pl. 12. figs. 2, 3 (skull).

Sciurus cepai.

Peters, Naturw. Reise nach Mossambique, Säugth. i. p. 136. pl. 33. fig. 4 (skull).

a. Skull. S. Africa. Presented by Sir A. Smith.

Sciurus palliatus.

Peters, Naturw. Reise nach Mossambique, Säugth. i. p. 134. pl. 33. fig. 3 (skull).

Sciurus mutabilis.

Peters, Naturw. Reise nach Mossambique, Säugth. i. p. 131. pl. 32. fig. 2 (skull).

Sciurus flavivittus.

Peters, Naturw. Reise nach Mossambique, Säugth. i. p. 128. pl. 32. fig. 1 (skull).

Sciurus hippurus.

*a. Skull.

The RUDDY SQUIRREL. Sciurus erythræus.

*a, *b. Skulls. India. Presented by the Earl of Derby.

Sciurus syriacus.

*a. Skull. Brussa.

Sciurus leucomus.

*a. Skull. Celebes. From Mr. Frank's Collection.

Sciurus trivirgatus.

*a. Skull. Purchased of Mr. Frank.

Kuhl's Squirrel. Sciurus pusillus?

- •a. Skull. Cayenne.
- *b. Skull. New Guinea.
- c. Skull.

Sciurus insignis.

F. Cuv., Mag. de Zool. 1842, pl. 32. figs. 5-8 (skull and dentition).

The RED-ARMED SQUIRREL. Sciurus rufobrachium.

*a, *b. Skulls. Fernando Po. Presented by T. Thompson, Esq.

The Red-forked Squirrel. Sciurus poensis.

*a. Skull. Fernando Po. Presented by T. Thompson, Esq.
 b. Skull. Fernando Po. Presented by the Earl of Derby.

Sciurus erythropus.

Blainv., Ostéog. G. Sciurus, pl. 2 (skull).

a. Skull. From the Zoological Society's Collection.

Sciurus pyrrhopus.

*a. Skull. W. Africa. Presented by the Earl of Derby.

The CEPATE. Sciurus multicolor.

*a. Skull. S. Africa. From the Stockholm Museum. b. Skull.

The Gambian Squirrel. Sciurus annulatus. a, b. Skulls.

The BAYING. Sciurus platani.

*a. Skull. Java.

The Brazilian Squirrel. Sciurus sestuans.

Blainv., Ostéog. G. Sciurus, pl. 2 (skull).

	Cervical vertebrae	7
	Dorsal	2
	Lumbar	7
•	Sacral	3
	Caudal 2:	3
, Skull		

*a. Skull.

b. Skeleton. Brazils.

The Orreon Red Squirrel. Sciurus douglasii.

Baird, Mamm. N. America, p. 275. pl. 45. fig. 3 (skull).

The Black-rared Squirrel. Sciurus melanotus.

Müller, Verh. Nat. Gesch. tab. 14. figs. 6, 7 (skull).

*a. Skull. New Guinea. From Mr. Frank's Collection.

Sciurus modestus.

Müller, Verh. Nat. Gesch. tab. 14. figs. 2, 3 (skull).

*a. Skull. Sumatra. From Mr. Frank's Collection.

Sciurus exilis.

Müller, Verh. Nat. Gesch. tab. 15. figs. 5, 6 (skull).

Sciurus laticaudatus.

Müller, Verh. Nat. Gesch. tab. 15. figs. 2, 3 (skull).

Sciurus getulus.

a, b. Skulls. From the Zoological Society's Collection.

RAFFLES'S SQUIRREL. Sciurus rafflesii.

Delessert, Voy. dans l'Inde, 1834–1839, pl. 5 (skull).—Is. Geoff., Mag. de Zool. 1842, pl. 33. figs. 1-4 (skull).

- a. Skull. India.
- b. Skull: young. India.c. Skull. From the Zoological Society's Collection.

The Tupai. Sciurus vittatus.

a. Skull. India?

Sciurus nebouxii.

Is. Geoff., Voy. de la Vénus, pl. 12 a-d (skull), 1846.

Sciurus affinis.

Raffles, Trans. Linn. Soc. xiii. p. 259.

*a. Skull. Sumatra. From Mr. Frank's Collection.

The PALM SQUIRREL. Sciurus palmarum.

F. Cuv., Mém. du Mus. x. p. 128. pl. 10. fig. 2 a, b (skull).

India. Presented by Walter Elliott, Esq.

b, c. Skeletons. From the Zoological Society's Collection.

The KHURREE. Sciurus penicillatus.

*a. Skull. India.

b, c. Skulls. From the Zoological Society's Collection.—S. tristriatus.

Sciurus barbei.

a. Skull. Ceylon. From Mr. Cuming's Collection.

The White-Eared Squirrel. Sciurus macclellandii.

*a. Skull. Bhotan.

DELESSERT'S SQUIRREL. Sciurus sublineatus.

Sciurus delessertii, Gervais, in Delessert's Voy. dans l'Inde, pl. 4. figs. 1-4(skull), 1834-39.—Is. Geoff., Mag. de Zool. 1842, p. 6. pl. 31. figs. 1-4 (skull and dentition).

XERUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$ or $\frac{5-5}{4-4}$;=20 or 22.

The Agreer. Xerus setosus.

- *a. Skull. W. Africa.
- b. Skull.
- c. Skull. W. Africa. From the Zoological Society's Collection.

Xerus erythropus.

a. Skull. From the Zoological Society's Collection.

TAMIAS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

The HACKEE. Tamias lysteri.

- a, b. Skulls. N. America.
- c. Skeleton.

 A Skeleton.

 From the Zoological Society's Collection.

The Swiss. Tamias striatus.

Gray, Cat. Mamm. Brit. Mus. p. 145, 1843.—Baird, Mamm. N. America, p. 292. pl. 46. fig. 2 (skull), 1859.
Sciurus striatus, F. Cuv., Mém. du Mus. x. p. 120. pl. 10. fig. 1 a, b (skull).

- *a. Skull. Altai Mountains. From Mr. Brandt's Collection.
- b. Skull. Russia.

Townsend's Striped Squirrel. Tamias townsendii.

Bach, Journ. Acad. Nat. Sci. Philad. viii. 1, 1839, p. 68.—Baird, Mamm. N. America, p. 300. pl. 45. fig. 4 (skull), 1859.

SPERMOPHILUS. ·

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{5-5}{4-4}$;=22.

The Red-cheeked Souslik. Spermophilus erythrogenys.

*a. Skull. Siberia.

Spermophilus mugosaricus.

- *a. Skull. Altai Mountains.
- b. Skull. Russia.

SAY'S MARMOT. Spermophilus lateralis.

Baird, Mamm. N. America, p. 312. pl. 45. fig. 5 (skull), 1859.

The Columbian Ground Squirrel. Spermophilus douglasii.

Baird, Mamm. N. America, p. 309. pl. 45. fig. 1 (skull), 1859.

HARRIS'S SQUIRREL. Spermophilus harrisii.

Baird, Mamm. N. America, p. 313. pl. 47. fig. 3 (skull), 1859.

The Souslik. Spermophilus concolor.

Cuv., Oss. Foss. v. p. 29. pl. 1. fig. 25 (teeth).—Owen, Odont. pl. 105. fig. 3 (a, young—b, old molars).—Blasius, Faun. Wirb. Deutschl. p. 275. fig. 155 (skull), 1857.

Mus citillus, F. Cuv., Dents des Mamm. p. 160. no. 55 (dentition), 1825.—Pallas, Nov. Spec. Glires, tab. 26. fig. 9 a, b (ossium penis), tab. 27. fig. ix. 11* (skull), 1778.

Arctomys citillus, *Blainv.*, Ostéog. G. Arctomys, pl. (skull). Arctomis citillus, *F. Cw.*, Mém. du Mus. ix. p. 293. pl. 15. figs. 1, 2 (skull).

a, b. *Skulls. Moldavia.

Spermophilus eversmanni.

a, b. *Skulls. Altai Mountains.

The Seek-Seek. Spermophilus parryii.

- *a. Skull. N. America. Presented by J. Rae, Esq.
- *b. Skull. N. America. Presented by Sir G. Back.
- c, d. Skeletons (imperfect). N. America. Presented by J. Rae, Esq.

FRANKLIN'S MARMOT. Spermophilus franklinii.

*a. Skull.

CYNOMYS.

The Missouri Prairie Dog. Cynomys ludovicianus.

Baird, Mamm. N. America, p. 331. pl. 47. fig. 2 (skull), 1859.

The Short-tailed Prairie Dog. Cynomys gunnisonii.

Baird, Mamm. N. America, p. 335. pl. 47. fig. 4 (skull).

ARCTOMYS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{5-5}{4-4}$;=22.

The Quebec Marmot or Weenusk. Arctomys empetra.

Arctomys monax, Gmel., Syst. Nat. i. p. 142, 1788.—Baird, Mamm. N. America, p. 339. pl. 49. fig. 1 (skull), 1859.

 Cervical vertebræ
 7

 Dorsal
 12

	Lumbar vertebræ. 7 Sacral 3 Caudal 19
ь. с.	s. Skull. Missouri, N. America. Skull. Presented by — Simeon, Esq. Skull. Presented by Mr. Edward Gerrard. Skeleton. From the Zoological Society's Collection.
	The Yellow-footed Marmor. Arctomys flaviventris. Baird, Mamm. N. America, p. 343. pl. 47. fig. 1 (skull), 1859.
	The Whistler. Arctomys pruinosus.
_	Skull (imperfect). Hudson's Bay. Presented by the Hudson's Bay Company. Skull. From the Zoological Society's Collection.
	The Shipi or Chupi. Arctomys bobac.
	Blasius, Faun. Wirb. Deutschl. pp. 278, 283. figs. 157, 159 (akull), 1857.
	An imperfect skull of adult. Skull without lower jaw. Thibet. Presented by B. H.

The Thiber Marmot. Arctomys tibetanus.

Hodgson, Esq.

*a. Skull. Thibet. Presented by B. H. Hodgson, Esq.

b. Skull without lower jaw.

c. The bones of the trunk and skull. d, e. *Skulls: adult. Russia. *f. Skull: young. Russia.

The Marmot. Arctomys marmotta.

D'Alton, Vergl. Osteol. pl. 6 (akeleton), pl. 7 (akull).—Blainv., Osteog. G. Arctomys, pl. (akull).
Arctomis marmotta, F. Cuv., Mém. du Mus. ix. p. 293. pl. 14 (akull).
Arctomys alpinus, F. Cuv., Dents des Mamm. p. 160. no. 54 (dentition), 1826.—Cuv., Oss. Foss. v. pl. 1, fig. 2 (teeth).—Owen, Odont. pl. 105 (teeth). Arctomys marmota, Schreb., Säugth. iii. p. 722. no. 1. -Blasius, Faun. Wirb. Deutschl. p. 278. figs. 156, 158 (skull).

Cervical vertebræ	7
Dorsal	12
Lumbar	7
Sacral	3
Caudal	

- a. Skeleton. Alps. From Mr. Brandt's Collection. b. Skull. From the Zoological Society's Collection.
- c. Skull. Switzerland. From Dr. A. Günther's Collection.

SIPHENUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{3-3}{3-3}$; =16.

The Zoker. Siphenus aspalax.

Mus aspalax, Pallas, Nov. Spec. Glires, p. 76. tab. 27. fig. ix. 16 (fore-foot), 1778.—Schreb., Säugth. pl. 239 E (dentition).

a-c. *Skulls. Altai Mountains. From Mr. Brandt's Collection.

SPALAX.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{3-3}{3-3}$;=16.

The SLEPEZ. Spalax typhlus.

Blasius, Faun. Wirb. Deutschl. p. 399. fig. 223 (akull), 1857.—F. Cuw., Dents des Mamm. p. 176. no. 66 (dentition), 1825.—Pallas, Nov. Spec. Glires, p. 163. pl. 26. fig. xvii. 14 (skeleton), fig. xvii. 15 (akull), 1778.—Schreb., Säugth. pl. 239 z. fig. (dentition).—Fischer, Prodr. Cran. Comp. tab. 2. fig. 6 (akull), 1811.—Waterhouse, Charlesworth's Mag. Nat. Hist. 1839, p. 596. fig. 72.—Brandt, Mém. Acad. St. Pétersb. vii. pl. 4. fig. (akull).

Cervical	V	0	rí	æ	b	r	æ	٠.							7
Dorsal .															14
Lumbar															6
Sacral .															
Caudal .															7

a. Skeleton. Europe. From Mr. Brandt's Collection.

BATHYERGUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

The Coast Rat or Sand Mole. Bathyergus maritimus.

Pander und D'Alton, Vergl. Osteol. no. 6. pl. 11 (skeleton).—Cuv., Oss. Foss. v. pl. 1. fig. 16 (teeth).—Oven, Odont. pl. 105. fig. 11 (teeth), 1840-45.—F. Cuv., Dents des Mamm. p. 174. no. 64 (dentition), 1825.—Schreb., Säugth. pl. 239 g. fig. (dentition).
Orycterus maritimus, Waterhouse, Ann. & Mag. Nat. Hist. viii. p. 84. pl. 11. fig. 1 (skull), 1842.

Cervical	V	6 1	rt	e	b	r	æ								7
Dorsal .															14
Lumbar.															6
Sacral .															4
Candal .								_							14

a, b. Skulls. S. Africa.

c. Skull (upper jaw). S. Africa.

- d. Lower jaw only. e, f. Skulls. From the Zoological Society's Collection.
- g. Skull (very large). India? Presented by T. E. J. Boileau, Esq.

h. Skeleton. Cape of Good Hope.

*i. Skull: young. Cape of Good Hope. Collected during the voyage of H.M.S. Rattlesnake.

GEORYCHUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

The SILKY GROUND RAT. Georychus holosericeus.

*a. Skull. S. Africa.

Georychus damarensis.

*a. Teeth.

The BLIND SAND MOLE. Georychus cœcutiens.

Bathyergus cæcutiens, *Peters*, Naturw. Reise nach Mossambique, Säugth. i. pl. 35. fig. 3 (skull).

*a. Skull. Port Natal. From Mr. Warwick's Collection.

Georychus capensis.

Brandt, Mém. Acad. St. Pétersb. vii. pl. 5a. figs. 13-19 (skull).
Bathyergus capensis, Waterhouse, Ann. & Mag. Nat. Hist. viii. p. 84. pl. 2. fig. 2 (skull), 1842.

a. Skull. From the Zoological Society's Collection.

b. Skull: young. From Mr. Stevens's sale.

HELIOPHOBIUS.

Heliophobius argenteo-cinereus.

Peters, Naturw. Reise nach Mossambique, Säugth. i. p. 140. pl. 32. fig. 5 (brain), pl. 35. fig. 2 (skull).

GEOMYS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$; = 20.

The COLUMBIAN SAND RAT. Geomys douglasii.

Richards., Faun. Bor.-Amer. p. 200. pl. 18c. figs. 1-6 (skull), 1829.

The Pecos Gopher. Geomys clarkii.

Baird, Mamm. N. America, p. 383. pl. 50. fig. 1 (skull), pl. 83. fig. 1 (skull), 1859.

The Pouched Gopher. Geomys bursarius.

Baird, Mamm. N. America, p. 372. pl. 50. fig. 2 (skull), 1859. Ascomys canadensis, Schreb., Säugth. iii. p. 383, 1843; Abh. K. Baier. Acad. München, xxii. p. 327 (skeleton), 1846.

The Short-headed Gopher. Geomys breviceps. Baird, Mamm. N. America, p. 37. pl. 52. fig. 2 (skull), 1859.

THOMOMYS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{3-3}{3-3}$;=16.

The Californian Gopher. Thomomys bulbivorus.

Baird, Mamm. N. America, p. 389. pl. 50. fig. 3 (skull), pl. 52, fig. 1 (skull).—Brandt, Mém. Acad. St. Pétersb. vii. pl. 5a. figs. 1-9 (skull and dentition).

*a. Skull. California.

The SONORA GOPHER. Thomomys umbrinus.

Baird, Mamm. N. America, p. 399. pl. 83. fig. 5 (skull), 1859.
Geomys umbrinus, Richardson, Charlesworth's Mag. Nat. Hist. 1839, p. 596. fig. 71 (skull).

SACCOPHORUS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{3-3}{3-3}$; =16.

The Tugan. Saccophorus mexicanus.

Ascomys mexicanus, Schreb., Säugth. pl. 239 B (dentition).—Brandt, Mém. Acad. St. Pétersb. vii. pl. 5a. figs. 10-12 (dentition).

a. Skull. Mexico.

The QUACHIL.	Saccophorus quachil
Cervical verteb	ræ
Lumbar	
Caudal	10

a. Skeleton. Mexico. From M. Sallé's Collection.

CHRYSOMYS.

The Golden Mole Rat. Chrysomys splendens.

Bathyergus splendens, Rüppell, Faun. Abyss. taf. 12 (skull), 1835-40.
— Waterhouse, Mag. Nat. Hist. viii. p. 84. pl. 2. fig. 3 (skull), 1842.

APLODONTIA.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{5-5}{4-4}$;=22.

The SEWELLEL. Aplodontia leporina.

Richardson, Faun. Bor.-Amer. p. 211. pl. 18 c. figs. 7-14 (skull), 1829.
 —Baird, Mamm. N. America, p. 353. pl. 49. fig. 2 (skull), 1859.

*a. Skull. Chilakiveyak River, British Columbia. Presented by Lord J. Russell.

RHIZOMYS.

Teeth :—Incisors $\frac{1-1}{1-1}$; Molars $\frac{3-3}{3-3}$; =16.

The Malacca Pig Rat. Rhizomys sumatrensis.

- *a. Skull. Deccan.
- *b. Skull: young. Deccan.
- *c. Skull. Malacca. Presented by Andrew Charlton, Esq.
- d. Skull. Mergui. Presented by Professor Oldham.

The CHINESE BAMBOO RAT. Rhizomys sinensis.

*a. Skull. Malacca. From the Zoological Society's Collection.

The BAY BAMBOO RAT. Rhizomys badius.

Cervical vertebræ.	 7
Dorsal	 13
Lumbar	 6
Sacral	 4
Caudal	 16

- *a. Skull. Darjeeling. Presented by Andrew Charlton, Esq.
- b. India.
- c. Skeleton. Pachebore. From M. Mouhot's Collection.

The Abyssinian Bamboo Rat. Rhizomys macrocephalus.

Rüppell, Mus. Senckenberg, iii. taf. 10. figs. a, b, c (skull).

a. Part of the upper jaw. Schoa, Abyssinia.

Order V. UNGULATA.

Fam. 1. BOVIDÆ.

BOS.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{0-0}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;= 32.

The Ox. Bos taurus.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 17. tab. 1. fig. 1 (skull, male).

—Pander und D'Alton, Vergl. Osteol. pl. 7 (skeleton).—Blassus,
Faun. Wirb. Deutschl. p. 497. fig. 271 (skull), 1857.
Bœuf sans cornes, Cuv., Oss. Foss. iv. tab. 9. figs. 3, 4 (skull).
Bœuf de la Romagne à grandes cornes, Cuv., Oss. Foss. iv. p. 109.
tab. 9. figs. 7, 8 (skull).
Petit Bœuf d'Ecosse à cornes descendantes, Cuv., Oss. Foss. iv. p. 109.
tab. 9. figs. 9, 10 (skull).
Boves, Spiz, Cephalog. tab. 8. fig. 1 (skull, adult), fig. 2 (young).
Taureau, Buff., Hist. Nat. iv. p. 530. pl. 23 (skeleton).

 Cervical vertebræ
 7

 Dorsal
 13

 Lumbar
 6

- a. Horns (very thick and light). Central Africa. Presented by Captain Clapperton, R.N., and Major Denham.—Figured as the "Bornou Hunched Ox," H. Smith, in Griffith, A. K. Mamm. tab. 201. fig. 4.
- Two separate horns (very large; used as powder-flasks).
 Africa.
- c. Horns (very large).
- d. Head and horns of larger Zebu. Presented by Jacob Bell, Esq.

e. Skull (lower jaw wanting): young.

- f, g. Skulls of domesticated cattle of Nepal: male and female. Presented by B. H. Hodgson, Esq.
- h. Bones of body. Nepal. Presented by B. H. Hodgson, Esq.
- i. Skeleton (imperfect). Purchased at Mr. Stevens's sale.
 j. Skull. England.—The specimen figured in Cat. Mamm. Brit. Mus.
- j. Skull. England.—The specimen ngured in Cat. Mamm. Brit. Mus. pt. iii. 1852.
- k. Skull. England.—Bouf sans cornes, Cuv., Oss. Foss. iv. tab. 9. figs. 3, 4.
- Skull. "Sikkim domestic cattle." Presented by B. H. Hodgson Esq.
- m. Skull. "Lowland domestic bull." Presented by B. H. Hodgson, Esq.
- n, o. Horns.
- p. Horns. Sanga or Galla Oxen.—The specimen described in Salt's Travels in Abyssinia, p. 258, and figured in Griffith, A. K. tab. 201. fig. 3, as "Salla Hunched Ox," H. Smith.

The Dante. Bos dante.

Cervical											
Dorsal .	 										13
Lumbar											
Sacral .											
Caudal .											

a, b. Skulls. Gambia. Presented by the Earl of Derby. c. Skull. From the Zoological Society's Collection.

The Zebu. Bos indicus.

Zebu à cornes, Cuv., Oss. Foss. iv. p. 109. tab. 9. figs. 5, 6.

Cervical	٧	e	rí	æ	b	r	æ	١.								7
Dorsal .																13
Lumbar																6
Sacral .																4
Caudal .									-	-	-					

a, b. Skulls of domesticated cattle. Nepal. Presented by B. H. Hodgson, Esq.

c. Skeleton.

d. Skull: male.)

From the Zoological Society's Collection. e. Skull.

f. Skull: calf.

BUBALUS.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{0-0}{0-4}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; =32.

The Buffalo. Bubalus buffelus.

Gray, Proc. Zool. Soc. 1855, p. 16. pl. 11. Mamm. (skull with horns). Bos bubalis, Cur., Oss. Foss. iv. p. 122. tab. 9. figs. 11-13, tab. 10. figs. 7-10 (skulls and horns).—Daub. in Buffon, Hist. Nat. xi. tab. 28, tab. 41. figs. 1, 2 (skull).—Blumenb., Abbild. tab. 63.—Blasius, Faun. Wirb. Deutschl. p. 496. fig. 270 (skull), 1857.
Bos bubalis (domest., ins. Sonda), & Miller, Verhand. tab. 41. figs. 1-3

Buffle, Buff., Hist. Nat. xi. p. 350. pl. 28-

a. Horns (separate, thick, 48 inches long). India.

b. Skull and horns. India.

- c. Horns (separate, 78 inches long).
- d. Skull and horns.—Figured in Griffith, A. K. tab. 201. figs. 1-3.

e. Skull and horns.

f. Horns (separate, slender). India.

- g. Skull and horns.h. Frontal bone and horns (short).
- i. Skull, with horns (polished). Neilgherries. Presented by General Hardwicke.

j. Skull, with horns: domestic variety. India. k, l. Skulls, with horns: wild variety. India. m. A pair of broad elongated horns. n. A pair of horns (very slender). o. Skull, with horns: tame variety. India. p. Horns. From the Zoological Society's Collection. q. Skull, with horns. Assam, E. Indies. Presented by Colonel J. Mathie.—The specimen described and figured by Dr. Gray in Proc. Zool. Soc. 1855, p. 16. pl. 11. Mamm.:— thength of the skull from occiput to nose 2 4 Length of the horns round the outside across the forehead 12 2 Length of line from tip to tip of the horns 6 8 Circumference of right horn at base 1 8½ Circumference of left horn at base 1 8 Width across the forehead 0 11
The Zamouse. Bubalus brachycerus.
Bos brachycerus, <i>Gray</i> , Cat. Mamm. Brit. Mus. pt. iii. p. 24. tab. 1. fig. 2 (akull, female), 1852.—Bydragen tot de Dierkunde, p. 33. pl. (front and side view of the skull), 1848.
Cervical vertebræ 7 Dorsal 13 Lumbar 6 Sacral 4 Caudal 19 or 20
 a. Skull and horns. Central Africa. Presented by Captain Clapperton, R.N., and Major Denham. b. Skull and horns. Presented by Captain Clapperton, R.N., and Major Denham. c. Skeleton. Gambia. Presented by the Earl of Derby.—The specimen figured by Dr. Falconer.
d. Skull. Presented by Dr. W. B. Baikie.
The CAPE BUFFALO. Bubalus caffer.
Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 28. tab. 2. figs. 1, 2 (skull, adult), fig. 3 (horns of young), 1852. Buffle du Cap, Daub. in Buffon, Hist. Nat. xi. p. 416. tab. 41.—Cuv., Oss. Foss. iv. p. 132. tab. 9. figs. 14, 15 (skull).—Volborth, De Bobus, &c., 1826, tab. 3. Bos caffer, Pander und D'Alton, Vergl. Osteol. pl. 8 b (skull).
Cervical vertebree 7 Dorsal 13 Lumbar 6 Sacral 4 Caudal 19 or 20
 a. Frontal bone and horns: young. b. Skull and horns. S. Africa. Mamm. Brit. Mus. pt. iii.1852. Q 2

 c. Skull and horns. d. Skull and horns. e. Skeleton: male. f. Horns. Skull and horns. Purchased at Mr. Stevens's sale-rooms. S. Africa. From the Zoological Society's Collection.
ANOA.
Teeth:—Incisors $\frac{6-0}{4-4}$; Canines $\frac{6-0}{6-6}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=32.
The Anoa. Anoa depressicornis.
Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 29. tab. 3. figs. 1, 2 (akull), 1852.
 a. Skull and horns. Celebes. Presented by General Hardwicke.— The specimen figured in Cat. Mamm. Brit. Mus. pt. iii. tab. 3. fig. 1 (skull), 1852. b, c. Skulls and horns. Mauritius? d. Skull. From the Zoological Society's Collection. e. Skull: adult female. Celebes. f. Skull: young female. Mindanao. g. Single horn: male.
y. Single norm. Immer
BIBOS.
Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{0-0}{0-4}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; = 32.
The GAYAL. Bibos frontalis.
Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 31. tab. 3. fig. 3 (akull), 1852. Gayal of Sylhet (Bos gaveus), <i>Hodgson</i> , Journ. Asiat. Soc. Beng. 1841.
Cervical vertebræ
 a. Skull: adult male. The Tarai. b. Skull: half-grown male. The Tarai. c. Skull and some bones of feetal specimen. d. Skeleton (imperfect). Presented by B. H. Hodgson, Esq.
The Gour. Bibos gaurus.
Gouri Gau of Nepal (Bibos caviforns), <i>Hodgson</i> , J. A. S. Bengal, vi pt. 1. p. 22. pl. 16 (skulls), 1836; ibid. pt. 2. p. 748. pl. 39 (trunk), 1837; ibid. x. p. 470. tab. 1. fig. 2, tab. 2, 3 (skulls), 1841.— <i>Elliot</i> , Madras Journ. Lit. and Sci. 1840, pl. 6 (skulls of male and female).

Lumbar vertebræ 6
Sacral 4
Caudal (imperfect).
a. Skull and horns of male. b. Skull and horns of female. Skull and horns of female. Skull and horns of female.
c. Skull and horns.
d. Skull and horns, with skin on face. India. Presented by General Hardwicke.
e. Horns (separate, polished).
f. Horns (separate).
g. Horns (separate): young.
h, i. Horns (single).
j. Single horn. k . Skeleton (imperfect). Nepal. Presented by B. H. Hodgson, Esq.
L. m. Nkeletons: male and female. Nenal.
n. Skull. "Old bull." Sahyadri. o. Skull. "Young bull." W. Ghauts. p. Skull. "Cow." W. Ghauts. From the Zoological Society's Collection.

The Banting. Bibos banting.

Bos sondaicus, Müller, Nederl. Verhand. i. p. 45. tab. 35, tabs. 37–39 (skulls of adult and young).

Cervical vertebræ	. 7
Dorsal	. 13
Lumbar	. 6
Sacral	
Candal	. 18

a. Skeleton: maleb. Skeleton: female.a. From the Leyden Museum.

BISON.

Teeth:—Incisors $\frac{6-0}{4-4}$; Canines $\frac{0-0}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;= 32.

The Aurocus or Lithuanian Bison. Bison bonassus.

Bos urus, *Bojanus*, Nov. Act. Acad. Nat. Cur. xiii. p. 414. tab. 20-23.— *Cuv.*, Oss. Foss. iv. p. 109. tab. 9. figs. 1, 2 (skull), tab. 10. figs. 1, 2 (skull), tab. 12. figs. 6, 7 (skull, fossil).— *Volkmann*, Anat. Anim. i. tab. 8 (skull); Nouv. Mém. Soc. Imp. Nat. Moscou, vii. 1842, tab. 2 (bones of face).— *Owen*, Proc. Zool. Soc. 1848, p. 132 (bones of fore and hind feet).

Buffalus, Pallas, Nov. Comm. Petrop. xiii. tab. 11, 12.

Aurochs (foss.), Cuv., Oss. Foss. iv. p. 140. tab. 12 (skull).—Richardson, Voy. of H.M.S. Herald, pl. 6 (occipital view of skull), pl. 7 (front view), 1852.

Bos bison, *Blasius*, Faun. Wirb. Deutschl. p. 492. fig. 268 (skull). Bos europæus, *Owen*, Proc. Zool. Soc. 1848, p. 126 (bones of fore and

hind feet); Ann. & Mag. Nat. Hist. iv. 1849, p. 295 (bones of fore and hind feet).
Cervical vertebræ 7 Dorsal 14 Lumbar 5 Sacral 4 Caudal 17
a. Skeleton. Lithuania. Presented by the Emperor of Russia (through Sir R. I. Murchison).
The American Bison. Bison americanus.
Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 38. tab. 4. figs. 1, 2 (skull), 1852.
Bos americanus, Cuc., Oss. Foss. iv. p. 117. tab. 10. figs. 3, 6 (skull).— Richardson, Voy. of H.M.S. Herald, pl. 6. figs. 3, 4 (occipital view of skull), pl. 7 (front view), pl. 8 (atlas and axis), 1852.
Cervical vertebræ 7 Dorsal 14 Lumbar 5 Sacral 5 Caudal 13
 a. Skeleton. b. Skeleton. N. America. Presented by the Earl of Derby. b. Skeleton. N. America. From the Zoological Society's Collection.
• • •
POEPHAGUS.
POÉPHAGUS. Teeth:—Incisors $\frac{4-4}{4-4}$; Canines $\frac{6-6}{6-6}$; Premolars $\frac{2-3}{3-3}$; Molars $\frac{3-5}{3-3}$;=32.
Teeth:—Incisors $\frac{4-4}{4-4}$; Canines $\frac{9-9}{6-6}$; Premolars $\frac{2-3}{3-3}$; Molars $\frac{3-8}{3-3}$;=32.
Teeth:—Incisors 44; Canines 94; Premolars 23; Molars 35; =32. The Yak. Poephagus grunniens. Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 40. tab. 4. figs. 3,4 (akull), 1852. Bos grunniens, Cuv., Oss. Foss. iv. p. 129. tab. 10. figa. 13, 14. Yac of Thibet, Hodgson, Journ. Asiat. Soc. Bengal, x. p. 470. tab. 2. fig. 3 (akull). a. Skull and horns. b. Skeleton of small domesticated specimen (very imperfect). Nepal. c, d. Skulls of male. Thibet. e. Skull of the female, with the horns bent forward at the tip. Thibet. f. Skull of the female, Thibet. g. Pair of horns of the male, of large size. Thibet. h. Pair of horns of the female (slender, and bent horizontally). Thibet. i. Skull: young.
Teeth:—Incisors 44; Canines 94; Premolars 23; Molars 35; =32. The Yak. Poephagus grunniens. Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 40. tab. 4. figs. 3, 4 (skull), 1852. Bos grunniens, Cuv., Oss. Foss. iv. p. 129. tab. 10. figs. 13, 14. Yac of Thibet, Hodgson, Journ. Asiat. Soc. Bengal, x. p. 470. tab. 2. fig. 3 (skull). a. Skull and horns. b. Skeleton of small domesticated specimen (very imperfect). Nepal. c, d. Skulls of male. Thibet. e. Skull of the female, with the horns bent forward at the tip. Thibet. f. Skull of the female. Thibet. g. Pair of horns of the male, of large size. Thibet. h. Pair of horns of the female (slender, and bent horizontally). Thibet.

OVIBOS.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{0-0}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;= 32.

The Musk Ox. Ovibos moschatus.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 43. tab. 5. figs. 1, 2 (skull), 1852.—Richardson, Voy. of H.M.S. Herald, p. 66. pl. 2. fig. 1 (skeleton), fig. 2 (skull), pls. 3 & 4 (skulls of female and young), pl. 5 (atlas), 1852.

Bos moschatus, Cuv., Oss. Foss. iv. p. 150. tab. 10. figs. 15-17, tab. 11. figs. 1, 4, 6, 7, tab. 13. figs. 3, 8 (skulls).—Pallas, Nov. Comm. Petrop. xvii. tab. 17.—Ezehetskowsky, Mém. Acad. St. Pétersb. iii. p. 215. tab. 6.

Bouf Musque, Buff., Hist. Nat. Suppl. vi. tab. 3.

Var. Subfossil:-

Bos pallasii, *Dekay*, Ann. Lyc. New York, ii. p. 6.—*Siebel*, Faun. der Vorwelt, i. p. 154.

Bos canaliculatus, Fischer, Nouv. Mém. Acad. Nat. Moscou, 1834, iii. p. 287; Oryct. Moscou, p. 116.

Cervical vertebræ		7
Dorsal		13
Lumbar	 	6
Sacral		
Candal		(?)

- Skull and horns.—The specimen figured in Cat. Mamm. Brit. Mus. pt. iii. 1852.
- b. Skull and horns (imperfect).
- c-f. Skeletons. N. America. Presented by J. Rae, Esq.

BUDORCAS.

The TAKIN. Budorcas taxicola.

Hodgson, Journ. Asiat. Soc. Bengal, 1850, p. 65. tab. 2 (skull).— Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 44. tab. 5. figs. 3, 4 (skull, copied), 1852.

SAÏGA.

The Colus or Saïga. Saïga tartarica.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 51. tab. 6. figs. 1, 2 (skull), 1852.

Antilope saïga, Pallas, Spicil. Zool. xii. p. 41. tab. 3. figs. 9, 10 (skull).

- a. Horns (separate). Russia.
- b. Two horns (separate).

PANTHOLOPS.

Teeth:—Incisors $\frac{6-0}{44}$; Canines $\frac{6-0}{44}$; Premolars $\frac{3-3}{44}$; Molars $\frac{3-3}{44}$; = 32.

The CHIRU. Pantholops hodgsonii.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 52. tab. 6. figs. 3, 4 (horns), 1852.

- a. Horns (separate). Himalaya. Presented by Major Honeywood.
- b. Skull of male, with horns. Presented by B. H. Hodgson, Esq.

- d. Skull.
- e. Skeleton. India. From Lieut. Abbott's Collection.

PROCAPRA.

Teeth:—Incisors $\frac{6-6}{4-6}$; Canines $\frac{6-6}{6-6}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=32.

The GUTTUROSE ANTELOPE. Procapra gutturosa.

Antilope gutturosa, Pallas, Spicil. Zool. xii. p. 52. tab. 3. fig. 13 (horns).

*a. Skull: female. Siberia. From Mr. Brandt's Collection.—The specimen figured in Cat. Mamm. Brit. Mus. pt. iii. 1852.

The RAGOA or GOA. Procapra picticauda.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 55. tab. 7. fig. 2 (skull), 1852.

- a, b, c. Skulls: male. Thibet. Presented by B. H. Hodgson, Esq. d. Skull. Thibet. From Mr. Stevens's Collection.
- e, f. Skulls: male and female.
- g. Single horn.

GAZELLA.

Teeth:—Incisors $\frac{0-0}{4}$; Canines $\frac{0-0}{4}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; =32.

The GAZELLE. Gazella dorcas.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 55. tab. 6. fig. 5 (skull), 1852. Gazelle, Buff., Hist. Nat. xii. p. 256. pl. 25 (skeleton).

Cervical	76	r	te	b	r	æ	٠.			٠				7
Dorsal .														
Lumbar														
Sacral .														4
Candal .								_						(2)

- a-d. Horns of male.
- e, f. Single horns of male.

g, h. Horns of female.

- i. Skull of female. Presented by Sir John Gardner Wilkinson.-The specimen figured in Cat. Mamm. Brit. Mus. pt. iii. 1852.
- j. Horns of female.
- *k. Bones of the body.
- l. Skull. India.
- m. Skull.
- n. Skeleton.
- o. Skeleton: female. Gazella dorcas, var. cuvieri. From the Zoological Society's Collection.

The Isabella Gazelle. Gazella isabella.

a. Skull. Abyssinia,

The Mohr. Gazella mohr.

Nangeur, Buff., Hist. Nat. xii. tab. 32. fig. 3.

*a. Skull. Gambia. Presented by the Earl of Derby.

The Korin. Gazella rufifrons.

a. Skull: female.

b. Skull: young.

TRAGOPS.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{0-0}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=32.

The CHIKARA or RAVINE DEER. Tragops bennettii.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 62. tab. 7. fig. 1 (head), 1852.

- a. Horns of male. Presented by Dr. Turnbull Christie.
- o, c. Skulls: male. d-f. Skulls: female. f. Skulls: f. Skulls
- g. Horns: male. Nepal. Presented by Maharajah Dhuleep Singh.

ANTIDORCAS.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{0-0}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; = 32.

The Spring Boc or Tsebe. Antidorcas euchore.

Cervical vertebræ	7
Dorsal	
Lumbar	6
Sacral	4
Caudal	15

a, b. Horns. S. Africa.

c. Skull and horns. S. Africa. Presented by Dr. Burchell.

- d. Horns on frontal bone.
- *c. Skull: female.
- f. Skeleton. From the Zoological Society's Collection.
- g. Skeleton: young male.
- h. Horns.
- i. Horns: young. From Mr. Argent's Collection.

ÆPYCEROS.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{0-0}{4-4}$; Premolars $\frac{2-3}{2-5}$; Molars $\frac{2-3}{2-5}$; =32.

The Pallah or Betjuan. Epyceros melampus.

Gray, Cat. Mamm. Brit. Mus. p. 65. tab. 7. fig. 3 (skull), 1852.—Turner, Proc. Zool. Soc. 1849 (skull).

- a. Horns. S. Africa. Presented by Dr. Burchell.
- b, c. Horns. S. Africa. From Mr. Warwick's Collection.
- d, e. Horns. S. Africa. From Mr. Argent's Collection.
- f. Horns: young. Presented by Hora, Esq.
- g. Horns.

CERVICAPRA.

Teeth:—Incisors $\frac{6-6}{4-4}$; Canines $\frac{6-6}{4-4}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=32.

The Sasin or Indian Antelope. Cervicapra bescartica.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 66. tab. 8. figs. 1-3 (skull).

- a, b, c. Three bases of skulls and horns.
- d-f. Skulls and horns. India.
- g. Skull, with horns, of adult male. India. Presented by B. H.
- h. A pair of horns.
- Hodgson, Esq. i. One odd deformed horn.
- j-l. Horns. From Mr. Argent's Collection.
- m. Skull: young female. Mergui. Presented by Professor Oldham.
- n. Horns on frontal bone. From Mr. Argent's Collection.
- o, p. Skulls.
- q. Skull: young male. From the Zoological Society's Collection.

TETRACERUS.

Teeth:—Incisors $\frac{0-0}{4-1}$; Canines $\frac{0-0}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=32.

The Choura or Chousingha. Tetracerus quadricornis.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 68. tab. 9. fig. 1 (skull), 1852.

- a. Horns. N. India.
- b. Frontal bone, with horns.

- c. Skull, with lower jaw. India. Presented by B. H. Hodgson, Esq.
- d. Skull.
- e. Skull. India. From Lieut. Abbott's Collection.
- f. Skull. India. From the Zoological Society's Collection.
- g. Skull. India. Presented by B. H. Hodgson, Esq.
- h. Skeleton. From the Zoological Society's Collection.

The RUSTY-RED CHOUSINGHA. Tetracerus iodes. Hodgson, Calcutta J. N. H. 1847, tab. 4. fig. 3 (skull).

The Full-horned Chousingha. Tetracerus paccervis. Hodgson, Calcutta J. N. H. 1847, tab. 4. figs. 1, 2 (skull).

The JUNGLIBURKA. Tetracerus subquadricornutus.

*a. Skull: female. Madras. Presented by T. C. Jerdon, Esq.

CALOTRAGUS.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{0-0}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; = 32.

The STEINBOC. Calotragus campestris.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 71. tab. 8. figs. 4, 5 (skull), 1852.

a. Skull: young.

*b. Skull: female. c., d. Skulls: male. S. Africa.

*e. Skull: young.

The GRYS Boc. Calotragus melanotis.

a. Skull. S. Africa. From Mr. Argent's Collection.

SCOPOPHORUS.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{0-0}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=32.

The Ourebi. Scopophorus ourebi.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 71. tab. 8. figs. 1-3 (skull), 1852.

a, b. Skulls. S. Africa.

c. Skeleton (very much diseased). From the Zoological Society's Collection.

OREOTRAGUS.

The KLIPPSPRINGER. Oreotragus saltatrix.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 74. tab. 9. fig. 2 (skull).

*a. Skull. Cape of Good Hope.

NEOTRAGUS.

The Madoka. Neotragus saltianus.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 76. tab. 9. fig. 3 (head), 1852.

a. Base of skull, with horns. Abyssinia.

CEPHALOPHUS.

Teeth:—Incisors $\frac{6-6}{4-4}$; Canines $\frac{6-6}{6-6}$; Premolars $\frac{3-3}{5-6}$; Molars $\frac{3-3}{5-6}$;= 32.

The Coqueroon. Cephalophus rufilatus.

*a. Skull. W. Africa. Presented by the Earl of Derby.

b. Skull. Gambia. Presented by the Earl of Derby.

*c. Skull. From Mr. Cross's Collection.

The Red-crowned Bush Buck. Cephalophus coronatus. a-e. *Skulls, W. Africa. Presented by the Earl of Derby.

The White-footed Guevei. Cephalophus whitfieldii.

a. Skull: young. Gambia. Presented by the Earl of Derby.

The Bay Bush Buck. Cephalophus badius.

•a. Skull. Sierra Leone. Presented by the Earl of Derby.

The Black Bush Buck. Cephalophus niger.

*a. Leg-bones (imperfect).

The BLACK-STRIPED BUSH BUCK. Cephalophus ogilbii.

a. Skull. From the Zoological Society's Collection.

The NATAL BUSH BUCK or RHOODE BOK. Cephalophus natalensis.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 85. tab. 10. fig. 1 (skull), 1852.

 Skull.—The specimen figured in Cat. Mamm. Brit. Mus. pt. iii. 1852.

The WHITE-BACKED BUSH BUCK. Cephalophus sylvicultrix.

a. Skull. Sierra Leone. From the Zoological Society's Collection.

Burchelli's Bush Buck. Cephalophus burchellii.

*a. Skull: female. S. Africa.

The Blace	-FACED PHILANTOMBA. Cephalophus campbelliæ.
	Cervical vertebræ 7 Dorsal 14 Lumbar 5 Sacral 4 Caudal 14
b. Skull. S.	Africa. From the Stockholm Museum. Africa. From Mr. Argent's Collection. From the Zoological Society's Collection.
The	IMPOON or DUYKER. Cephalophus grimmia.
	Cervical vertebræ 7 Dorsal 14 Lumbar 5 Sacral 4 Caudal 14
a. Skull: your b-f. Skulls: r g, h. Skeleton: y	nale and female.
	Cephalophus altifrons.
Antilope a Berlin, 1 pl. 38.	ltifrons, <i>Peters</i> , Mitth. der Gesellschaft naturf. Freunde zu 852; Naturw. Reise nach Mossambique, Säugth. i. p. 184.
	Cephalophus ocularis.
Antilope o i. p. 186	cularis, <i>Peters</i> , Naturw. Reise nach Mossambique, Säugth. pl. 41. fig. 1 (skull), pl. 42. fig. 1 (skull).
	Cephalophus hastatus.
Peters, Na fig. 2 (sl	turw. Reise nach Mossambique, Säugth. i. p. 188. pl. 41. kull), pl. 42. fig. 2 (skull).
The Nov	METZI or CAPE GURVEI. Cephalophus pygmæus.
	Cervical vertebræ 7 Dorsal 14 Lumbar 5 Sacral 4 Caudal (?)
a. Skeleton.	From the Zoological Society's Collection.
	The Guevel. Cephalophus maxwellii.
	Cervical vertebræ 7

	Lumbar vertebræ 5 Sacral 4 Caudal 12
a-d. Skulls.e. Skeleton.f, g. Skulls.	From Mr. Argent's Collection. From the Zoological Society's Collection.

PELEA.

Teeth:—Incisors $\stackrel{\bullet \bullet}{\leftarrow}$; Canines $\stackrel{\bullet \bullet}{\leftarrow}$; Premolars $\stackrel{3 \bullet \circ}{\leftarrow}$; Molars $\stackrel{3 \bullet \circ}{\leftarrow}$; =32.

The Rehbock or Peele. Pelea capreola.

Cervical vertebræ	7
Dorsal	
Lumbar	6
Sacral	
Caudal	

a. Head and horns. S. Africa. Presented by Dr. Burchell.

b. Skull: female. S. Africa.—The specimen figured in Cat. Mamm. Brit. Mus. pt. iii. tab. 36. fig. 4 (lower jaw), (Pelea ---?).

c. Skeleton: female. S. Africa. From the Zoological Society's Collection.

ELEOTRAGUS.

Teeth:—Incisors $\frac{0-0}{4-1}$; Canines $\frac{0-0}{4-1}$; Premolars $\frac{3-3}{4-1}$; Molars $\frac{3-3}{4-1}$; =32.

The RIET Book. Electragus arundinaceus.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 91, tab. 10. fig. 3 (akull, male), p. 130. fig. 1 (skull of female), 1852.

- *a. Skull: female. S. Africa.
- b. Horns. S. Africa.
- c, d. Skulls. S. Africa. Presented by Dr. Burchell.—The specimens figured in Cat. Mamm. Brit. Mus. pt. iii. 1852.
- e. Horns. S. Africa.
- f. Skull: male. Orange River. g. Skull: female. Orange River.

From Mr. Argent's Collection.

h. Skull: adult male. Orange River.

ADENOTA.

Teeth:—Incisors $\frac{0-0}{4-1}$; Canines $\frac{0-0}{6-2}$; Premolars $\frac{3-3}{6-2}$; Molars $\frac{3-3}{6-2}$;=32.

The Æquitoon. Adenota kob.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 96. tab. 11. figs. 1, 2 (skull), 1852.

a, b. Skulls of male and young. Gambia. Presented by the Earl of Derby.

The Lecuke. Adenota lechèe.

a. Skull: young male.
b. Skull: adult female.
Banks of the "Bahr il Gazâl."
Petherick's Collection. From Mr.

KOBUS.

Teeth:—Incisors $\frac{0-0}{4}$; Canines $\frac{0-0}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; = 32.

The Sing-sing. Kobus sing-sing.

Cervical	v	e	rt	e	b	r	æ	٠.							7
Dorsal .															13
Lumbar															
Sacral .															4
Caudal .															18

a. Skeleton: female.

b. Skull: female, adult. Gambia. Presented by the Earl of Derby.

c. Skull: female, young.

The Photomok or Water Buck. Kobus ellipsiprymnus.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 99. tab. 11. figs. 3, 4 (skull).

- a. Skull and horns: male. From Mr. Argent's Collection.
- b. Horns.
- c, d. Skulls: female. From Mr. Stevens's sale.
- e. Skull. From the Zoological Society's Collection.
- f. Skull: male. Banks of the "Bahr il Gazal." From Mr. Petherick's Collection.

Kobus maria.

Gray, Ann. & Mag. Nat. Hist. 1860, pl. (head, with horns).

- a. Stuffed head of male.) Banks of the "Bahr il Gazâl." From
- b. Stuffed head of female. Mr. Petherick's Collection.

Kobus leucotis.

Antilope leucotis, Licht., Mem. Acad. Berol. p. 99. tab. 3 (head and horns), 1854.

a. Skull. Central Africa. From Mr. Petherick's Collection.

ÆGOCERUS.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{0-0}{0-0}$; Premolars $\frac{3-3}{3-8}$; Molars $\frac{3-3}{3-8}$;=32.

The BLAU BOCK. Ægocerus leucophæus.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 103. tab. 12. figs. 1, 2 (skull),

a. Horns. S. Africa.

- b. Skull and horns (of female?) (horns slender).
- c. Base of skull and horns. S. Africa.
- d. Horns (separate; short, thick). S. Africa.
- e, f. Horns. Gambia. Presented by the Earl of Derby.
- g. Horns (separate). S. Africa. From Mr. Argent's Collection.

The Sable Antelope. Ægocerus niger.

a. Skull. S. Africa. From Mr. Gordon Cumming's Collection.

ORYX.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{0-0}{0-0}$; Premolars $\frac{3-3}{5-3}$; Molars $\frac{3-3}{5-3}$; =32.

The Pasan or Gensboc. Oryx gazella.

- a. Single horn.
- b-d. Horns on head. S. Africa.
- e. Skull and horns. S. Africa. From Mr. Stevens's sale.
- f. Single horn.

The OBYX. Oryx leucoryx.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 107. tab. 12. figs. 3, 4 (akull), 1852.

Algazel, Buff., Hist. Nat. xii. tab. 32. figs. 1, 2.

- a. Skull and horns. N. Africa.
- b. Single horn of young. N. Africa.
- c. Single horn. N. Africa.
- d. Skull: young. Sennaar.

ADDAX.

Teeth:—Incisors $\frac{6-0}{4-4}$; Canines $\frac{6-0}{6-6}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=32.

The Addax nasomaculatus.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 109. tab. 12. fig. 5 (skull), 1852.

Cervical vertebræ	
Lumbar	6
Sacral	

- a. Horns (not united). N. Africa. Presented by Captain Clapperton, R.N., and Major Denham.
- *b. Skeleton (imperfect). Presented by the Earl of Derby.
- c. Skeleton: male. N. Africa. From the Zoological Society's Collection.

CAPRICORNIS.

Teeth:—Incisors $\frac{6-6}{4-6}$; Canines $\frac{6-6}{4-6}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; = 32.

The THARE or THAR. Capricornis bubalina.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 111. tab. 13. fig. 1(skull), 1852.

- a, b. Frontal bones and horns.
- c. Skull: male. Presented by B. H. Hodgson, Esq. Nepal. d. Skull: female.

From Mr. Argent's Collection. e. Horns. India.

f-h. Skulls. Nepal. Presented by B. H. Hodgson, Esq.

The Cambing Outan. Capricornis sumatrensis.

a. Frontal bone, with horns.

b. Skull. Presented by Professor Oldham.

The Japanese Goat Antelope. Capricornis? crispa. Antilope crispa, Temm., Faun. Japon. tab. 19, 1819.

NEMORHEDUS.

Teeth:—Incisors $\frac{0-0}{4-3}$; Canines $\frac{0-0}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=32.

The Goral. Nemorhedus goral.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 112. tab. 13. fig. 2 (skull),

- a. Horns (of female?) (very thin, far apart at the base).
- d-f. Skulls of females (imperfect).

 Skeleton (imperfect).

 Esq.
- h. Skull. Kashmir. i. Skull: young. Kashmir. Presented by Professor Oldham.
- j. Skull. From the Zoological Society's Collection.
- k. Skull: young.
- 1. Skull. Nepal. Presented by B. H. Hodgson, Esq.
- m. Horns. India. Presented by Professor Oldham.

MAZAMA.

The MAZAME or Spring-buck. Mazama americana.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 114. tab. 14. fig. 1 (head),

Rupicapra americana, Richardson, Voy. of H.M.S. Herald, pls. 16, 17 (skulls), pl. 18 (cervical vertebræ), pl. 19 (radius and ulna), 3, 4, 5 (metacarpus), 1852.

Capella rupicapra, Baird, Mamm. N. Amer. pl. 25 (horns).

RUPICAPRA.

Teeth:—Incisors $\stackrel{\bullet \bullet}{\longleftarrow}$; Canines $\stackrel{\bullet \bullet}{\longleftarrow}$; Premolars $\stackrel{\bullet \bullet}{\leadsto}$; Molars $\stackrel{\bullet \bullet}{\leadsto}$; =32.

The Chamois or Gens. Rupicapra tragus.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 116. tab. 14. figs. 2-4 (skull),

Antilope rupicapra, Pander und D'Alton, Vergl. Osteol. pl. 81 (skull). Capella rupicapra, Blasius, Faun. Wirb. Deutschl. p. 488. fig. 267 (skull with horns), 1857.

Chamois, Buff., Hist. Nat. xii. p. 198. pl. 17 (skeleton).

Cervical vertebrae	7
Dorsal	12
Lumbar	7
Sacral	5
Candal	8

a, b. Skulls and horns. Alps. Presented by General Hardwicke.

c, d, e. Three horns. Alps.

f. Skull, with horns. Alps. Presented by John Gould, Esq. g. Skeleton. Alps. From Mr. Brandt's Collection.

h, i, j. Three pairs of horns.

- k. Skull: female, young. Alps. From M. Parzudaki's Collection.
- 1. Skull: male. Switzerland. From Dr. A. Günther's Collection. m. Horns.

ANTILOCAPRA.

Teeth:—Incisors $\frac{6-6}{4-4}$; Canines $\frac{6-6}{6-6}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; =32.

The Cabrit or Prone-horn. Antilocapra americana.

Baird, Mamm. N. Amer. pl. 25 (horns).—Gray, Ann. & Mag. Nat. Hist. xvii, p. 425, fig. 1 (horns), 1855.

Antilope furcifer, H. Smith, Trans. Linn. Soc. xiii. tab. 2 (head).

Antilope palmata, H. Smith, Trans. Linn. Soc. xiii. tab. 3 (horns).

- *a. Skull: female. Hudson's Bay. Presented by the Hudson's Bay Company.
- b, c. Skulls: male. Hudson's Bay.

Antilecapra antiflexa.

Gray, Ann. & Mag. Nat. Hist. xvii. p. 425. fig. 2 (horns), 1855.

CONNOCHETES.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{0-0}{0-4}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;= 32.

The GNU or Kokoon. Connochetes gnu.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 119. tab. 14. figs. 4, 5 (skull), 1852.

Cervical vertebree	7
Dorsal	13
Lumbar	6
Sacral	4
Caudal	13 (imperfect).

- a. Frontal bone and horns. S. Africa. Presented by J. Hillier, Esq.
- b. Skull. S. Africa. From Mr. Stevens's Collection.
 c. Skull. S. Africa. From Mr. Argent's Collection.
- d. Skeleton. S. Africa. From the Zoological Society's Collection.
- e, f. Skulls. S. Africa. From Mr. Argent's Collection.
- g. Skull. S. Africa. Presented by T. Butler, Esq.

The Gorgon or Brindled Gru. Connochetes gorgon.

a. Skull and horns. S. Africa. From Mr. Stevens's Collection.

ALCELAPHUS.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{0-0}{0-4}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=32.

The Licana or Harteberst. Alcelaphus caama.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 124. tab. 16. figs. 1, 3 (skull),

Antilope caama, Pander und D'Alton, Vergl. Osteol. pl. 8 E (skull).

- a. Frontal bone and horns. S. Africa.
- b. Frontal bone and horns (wide apart, very rough). S. Africa.
- c. Horns, with the head stuffed. S. Africa.
- d. Frontal bone, with the skin on. S. Africa.
- e. Horns. S. Africa.
- f, g. Two pairs of horns. From Mr. Warwick's Collection.
- h. Skull.
- i-q. Nine pairs of horns. From Mr. Argent's Collection.
- r. Horns.

Alcelaphus lichtensteinii.

Antilope lichtensteinii, Peters, Naturw. Reise nach Messambique, Säugth. i. p. 190. pl. 43. figs. 1-3 (skull).

a. Skull. From Mr. Argent's Collection.

The Bubale. Alcelaphus bubale.

Bubale, Buff., Hist. Nat. xii. p. 340. pl. 37 (skeleton), pl. 38 (skull).

Cervical vertebræ..... Dorsal

R 2

Lumbar vertebræ	5
Sacral	4
Caudal	15 or 16

- a. Skull and horns (one deformed). N. Africa?
- b. Frontal bone and horns. N. Africa?
- c. Skeleton. N. Africa. From the Zoological Society's Collection.
- d. Skull. Central Africa. From Mr. Petherick's Collection.

DAMALIS.

Teeth:—Incisors $\frac{6-6}{44}$; Canines $\frac{6-6}{64}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; =32.

The Sassaybi. Damalis lunatus.

- a. Horns. S. Africa. Presented by Dr. Burchell.
- b. Horns. S. Africa. From Mr. Warwick's Collection.
- c, d. Horns. S. Africa. From Mr. Argent's Collection.

The Korrieum. Damalis senegalensis.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 126. tab. 16. figs. 4, 5 (skull),

- a, b. Skulls and horns. Bornou. Presented by Captain Clapperton, R.N., and Major Denham.
- c, d. Skulls and horns. Gambia. Presented by the Earl of Derby.
- e, f. Skulls and horns. "Bahr il Gazal." From Mr. Petherick's Collection.

The NUNNI or BONTE BOCK. Damalis pygarga.

- a. Skull. Cape of Good Hope. Presented by Dr. Burchell.
- b. Horns. S. Africa.
- c, d. Two pairs of horns. S. Africa. From Mr. Warwick's Collection.
- e. Horns.
- f. Horns (long and slender).
- g-n. Eight pairs of horns. S. Africa. From Mr. Argent's Collection. o, p. Horns. S. Africa. From Mr. Argent's Collection.
- q. Skeleton. From the Zoological Society's Collection.
 r, s. Skulls. S. Africa. From Mr. Argent's Collection.
- t. Skeleton: female. S. Africa. From the Zoological Society's Collection.

OREAS.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{0-0}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; =32.

The Importoo or Eland. Oreas canna.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 134. tab. 17. figs. 3, 4 (skull), 1852.

Antilope oreas, Pander und D'Alton, Vergl. Osteol. pl. 8. fig. (skull). Coudou, Buff., Hist. Nat. xii. p. 378. pl. 46 (horns).

Cervical	V	er	te	эb	r	æ	٠.							7
Dorsal .														13
Lumbar														6
Sacral .														4
Caudal .														

- a, b, c. Three pairs of horns (separate). S. Africa.
- d. Frontal bone and horns. S. Africa.
- e. Skeleton. S. Africa. Presented by the Earl of Derby.
- f. Skull: young.
- g. Skull: very young.
- h. Frontal bone and horns. From the Zoological Society's Collection.
- i. Skeleton: adult male. S. Africa.
- j. Horns. Algoa Bay. Presented by Wemys, Esq.

The Ginei Jonea. Oreas derbianus.

a, b. Horns. Gambia. Presented by the Earl of Derby.

STREPSICEROS.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{0-0}{4-6}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;= 32.

The Kudu or Coudu. Strepsiceros kudu.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 133. tab. 17. figs. 1, 2 (skull), 1852.

Coudoma, Buff., Hist. Nat. xii. p. 340. pl. 37 (skull with horns).

Cervical vert	tebræ	 	7
Dorsal		 	14
Lumbar			
Sacral			
Caudal			

- a, b, c. Three pairs of horns. S. Africa.
- d. Frontal bone and horns. S. Africa.
- e, f. Two skulls and horns. S. Africa.
- g. Head and horns. Presented by the Trustees of the Hunterian Collection.
- h. Single horn of young. Damalis canna, Smith. S. Africa.
- i. Skull: female. S. Africa. From Mr. Warwick's Collection.
- j. Skull and horns. S. Africa. From Mr. Argent's Collection.
- k. Skull: young male, S. Africa.
- 1. Skull: female. From Mr. Stevens's sale.
- m. Skeleton: female. S. Africa. From the Zoological Society's Collection.

TRAGELAPHUS.

Teeth:—Incisors $\frac{6-0}{4-1}$; Canines $\frac{6-0}{9-6}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; = 32.

The Broad-horned Antelope. Tragelaphus eurycerus.

a, b, c. Skulls, with horns. W. Africa. Presented by Captain Allen.

d, e, f. Separate horns. Gaboon. From M. Parzudaki's Collection.

The Invala. Tragelaphus angasii.

a. Horns. Lake Ngami. Presented by J. A. Green, Esq.

The Bosch Boc. Tragelaphus sylvatica.

Cervical	V	er	t	eb	ľ	æ								7
Dorsal .														14
Lumbar														5
Sacral .														
Caudal .														17

- a. Base of skull, with horns.
- b. Skull and horns.
- c. Single horn (rather compressed).
- d. Horns. S. Africa. From Mr. Warwick's Collection.
- e, f. Skulls: female.) Orange River. From Mr. Argent's Col-
- g. Skull: male. | lection.
 h. Skull. S. Africa. From Mr. Gordon Cumming's Collection.
- i. Skeleton: male. S. Africa. From the Zoological Society's Collection.

The Guib or Bontebock. Tragelaphus scripta.

Guib, Buff., Hist. Nat. xii. tab. 41. fig. 1 (horn).

Cervical	Ý	e	rt	è	b	r	æ	٠.							7
Dorsal .															
Lumbar															6
Sacral .															
Caudal .															16

- a, b. Skulls. Gambia. Presented by the Earl of Derby.
 c. Skeleton: female. From Mr. Cross's Collection.
- d. Skull: young. Senegal. Presented by the Earl of Derby.
- e. Skeleton: male. S. Africa. From the Zoological Society's Collection.

PORTAX.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{0-0}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; = 32.

1

The Nylghau. Portax tragocamelus.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 141. fig. 2 (skull), 1852. Antilope picta, D'Alton, Vergl. Osteol. pl. 8 н (skull), pl. 6 (skeleton).

Cervical vertebræ	7
Dorsal	13
Lumbar	6
Sacral	4
Caudal	17

- a. Skull. India.
- b. Skeleton: female. India.
- c. Skull. India.
- d. Skull: adult male. India. From Lieut. Abbott's Collection.

HEMITRAGUS.

Teeth:—Incisors $\frac{6-0}{4-4}$; Canines $\frac{6-0}{6-6}$; Premolars $\frac{8-3}{3-8}$; Molars $\frac{5-3}{3-8}$; = 32.

The JHARAL or TEHR. Hemitragus jemlaicus.

Capra jemlaica, H. Smith, Griffith's, A. K. i. tab. 183. fig. Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 144. tab. 18. figs. 3, 4 (skull), 1852.

- a. Head and horns. Nepal.
- b. Base of skull, with horns. Nepal.
- c. Skull and horns. Nepal.
- d. Base of skull, with horns, of female. Nepal.
- f. Broken skull of a young male.

 Nepal. Presented by B. H. G. Broken of the body.

 Nepal. Presented by B. H. Hodgson, Esq. e. Skull of a young female.

- i. Skull and horns (imperfect).
- j. Horns on base of skull.
- k, l, m. Three pairs of horns: adult and young. Nepal. Presented by B. H. Hodgson, Esq.
- n. Skull. Cashmere. Presented by Professor Oldham.
- o. Horns. From Mr. Argent's Collection.

KEMAS.

Teeth:—Incisors $\frac{0-6}{4-4}$; Canines $\frac{0-6}{3-4}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{2-3}{3-3}$; =32.

The Warryato or Jungle Kemas. Kemas warryato.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 146. tab. 19. figs. 1, 2 (skull),

- a, b. Skulls and horns of male and female. Neilgherries. Presented by R. Partridge, Esq.
- c, d. Heads of female, without the sheath to the horns. Nepal.

CAPRA.

Teeth:—Incisors $\frac{6-6}{44}$; Canines $\frac{6-6}{44}$; Premolars $\frac{3-5}{3-5}$: Molars $\frac{3-5}{3-5}$;=32.

The IBEX or STEINBOCK. Capra ibex.

Schinz, Nouv. Mém. Soc. Helv. new ser. ii. tab. 2 (horns), 1838.— Blasius, Faun. Wirb. Deutschl. p. 475. fig. 253 (horns), 1857.

Cervical vertebrae	7
Dorsal	13
Lumbar	6
Sacral	4
Candal	12

- a. Base of skull and horns (very large).
- b. Skull and horns.
- c. Single horn (rather compressed).
- d. Skull and horns.
- e. Skeleton.
- f. Skull. Alps. From Mr. Warwick's Collection.
- g. Skull: young.
- A. Skull and horns.

The Jarla. Capra nubiana.

F. Cuv., Mamm. Lithog. 1825.
Capra beden, Blasius, Faun. Wirb. Deutschl. p. 152. figs. 261, 262 (head with horns), 1857.

- a-e. Horns. Egypt. Presented by J. Burton, jun., Esq.
- f. Pair of horns (separate). N. Africa.
- g. Pair of horns (half-grown).
- h. Skull and horns. Mount Sinai.
 i. Skull. N. Africa. Presented by Major M'Donald.—The specimen figured in the Cat. Mamm. Brit. Mus. pt. iii. 1852.
- j. Skull. N. Africa. From Mr. Stevens's sale.

The Tek or Takiga. Capra sibirica.

Schinz, Nouv. Mem. Soc. Helv. ii. tab. 2 (horns), 1838.—Blasius, Faun. Wirb. Deutschl. p. 481. fig. 259 (head with horns), 1857.

- a. Skull, with horns. "C. altaica." From Mr. Brandt's Collection.
- b. Skull, with horns. India. From Lieut. Abbott's Collection.
- d. Skull, with horns. Ladakh, India. Presented by Capt. Strachey.

ÆGOCEROS.

Teeth:—Incisors $\frac{6-0}{4-4}$; Canines $\frac{6-0}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=32.

The Tur or Zack. Regoceros caucasica.

Capra caucasica, Blasius, Faun. Wirb. Deutschl. p. 479. figs. 255, 256 (head with horns), 1857.

The Pyrenean Tur. Egoceros pyrenaica.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 147. tab. 20. figs. 4, 6 (skull, female). 1852.

Capra pyrenaica, Schinz, Nouv. Mém. Soc. Helv. ii. p. 24. tab. 1 & 3 (skulls), tab. 2 (horns), 1838.—Blasius, Faun. Wirb. Deutschl. p. 480. figs. 257, 258 (horns), 1857.

a. Skull: female. Pyrenees.

HIRCUS.

Teeth:—Incisors $\frac{6-6}{4-4}$; Canines $\frac{6-6}{6-6}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=32.

The GOAT. Hircus segagrus.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 153. tab. 20. figs. 1-3 (skull),

Capra hircus, Blasius, Faun. Wirb. Deutschl. p. 484 (skull with horns), 1857.—Schinz, Nouv. Mém. Soc. Helv. ii. tab. 1 (skull), 1838.

Capra ægagrus, Blasius, Faun. Wirb. Deutschl. p. 485. figs. 264, 265 (head with horns), 1857.

Capricorne, Buff., Hist. Nat. xii. p. 146. tab. 15 (skeleton).

a. b. Horns.

c. Horns (elongate, erect).

d. Horns (expanded on the side).

e, f, g. Three skulls (var. Sinal), with the horns regularly bent back. Nepal.

h. Skull, with horns. Var. Shangra, or ShawlGoat. Thibet.

Presented by B. H. Hodg-

i. Skull and horns of adult. Var. Chappoo (Capra) chungra). Thibet. son, Esq.

j. Skull and horns of adult.

k. A young skull of "Chappoo." Thibet.

1. Pair of separate horns. Thibet.

m. Skull. England.

n. Skull and horns. India. From Mr. Argent's Collection.

o-r. Skulls and horns.

s. Skull. From the Zoological Society's Collection.

t. Skeleton.

u. Skull.

"Scinde Goat." Scinde. From the Zoological Society's v. Skull. Collection.

w, x. Skulls. Alps. From Dr. A. Günther's Collection.

y, z. Skulls, with horns.—The specimens described (Capra caucasica) by Col. H. Smith.

a². Horns. "Capra megaceros." Cashmere. Presented by Professor Oldham. b2. Horns. c². Skull, with horns (var. Capra falconeri). India. Presented by the East India Company. d². Single horn. India. Presented by H. Falconer, M.D. | From Lieut. Abbott's e². Horns. Pagure. f^2 . Horns (half-grown). Pashewar Hills. Collection. g^2 . Horns: variety. Cashmere. h^2 . Skull, with horns. Capra megaceros, Hutton, Calcutta Journ. Nat. Hist. ii. p. 521. tab. 20. Cashmere. Presented by Professor Oldham. i². Single horn. Himalaya Mountains. The Walie. Capra walie. Rüppell, Fauna Abyssinica, tab. 6 (skull). CAPROVIS. Teeth:—Incisors $\frac{6-6}{4-6}$; Canines $\frac{6-6}{6-6}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=32. The Argali. Caprovis (Argali) argali. Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 174. tab. 21. fig. 4 (akull), 1852. Ovis argali, *Blasius*, Faun. Wirb. Deutschl. p. 468. figs. 241, 242 (skull), 1857. a, b. Two pairs of horns of adult. c. Pair of horns of young ram. d. Skull and horn of a half-grown ram. Nepal. Presented by Var. Ovis bárwál:-B. H. Hodgson, Esq. e. Skull (imperfect), with half-grown horns. f, g. Two pairs of horns, of different ages. h. Skull, with horns. Ladakh. Presented by the E. I. Comi, j. Skulls, with horns. pany. k. Skull: female.] India. From Lieut. Abbott's Collection. l. Skeleton. Caprovis (Argali) arkal. Ovis arkal, Blasius, Faun. Wirb. Deutschl. p. 469. fig. 243 (skull with horns), 1857. The TAYE or BIG HORN. Caprovis (Argali) canadensis. Ovis canadensis, Richardson, Voy. of the Herald, pl. 1 (skeleton), pls. 2, 3 (skulls). Ovis montana, Blasius, Faun. Wirb. Deutschl. p. 470. figs. 245, 246 (skull with horns), 1857. Cervical vertebræ.....

Dorsal

Lumbar vertebræ 6 Sacral 4 Caudal 10
 a. Skull, with horns. From the Zoological Society's Collection. b. Horns.—The specimen referred to by Sir J. Richardson in his observations in Zool. Journ. iv. p. 332, under the name of Ovis californicus.
 c. Skeleton: seven-year-old male. d. Skeleton: three-year-old male. e. Skeleton: two-year-old male. f. Skull, pelvis, and limbs of an old female. Presented by Capt. Palisser. Collected by the Exploring Expedition to Vancouver's Island, 1848-9.
The Armenian Sheep. Caprovis (Musimon) orientalis.
Ovis orientalis, Pallas, Spic. Zool. xii. p. 15. tab. 5. fig. 1 (horns).— Blasius, Faun. Wirb. Deutschl. p. 472. figs. 249, 250 (skull with horns), 1857.
Ovis gmelini, Blyth, Proc. Zool. Soc. 1840, p. 69; Ann. & Mag. Nat. Hist. vii. p. 250. tab. 5. fig. 8 (horns).
a. Skull. Tunis. From Mr. Fraser's Collection.
The Shapoo. Caprovis (Musimon) vignei.
Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 172. tab. 21. figs. 1, 3 (skull),
1852. Ovis vignei, Blyth, Proc. Zool. Soc. 1840; Ann. & Mag. Nat. Hist. vii. p. 251. tab. 5. fig. 9 (horns).—Sclater, Proc. Zool. Soc. 1860, p. 126 (fig. of skull and horns).
a. Skull and horns. b. Horns (separate). N. India. Presented by the E. I. Company. c. Horn (single). d, c. Skulls and horns.
 f. Horns. Ladakh. Presented by Capt. R. Strachey. g. Horns (separate). h. Horns. India.
The Oorial. Caprovis (Musimon) cycloceros.
Ovis cycloceros, <i>Hutton</i> , Calcutta Journ. Nat. Hist. ii. p. 514. pl. 19, 1842.— <i>Sclater</i> , Proc. Zool. Soc. 1860, p. 128 (fig. of skull and horns).
 a. Skull and horns. b. Skull and horns. Strachey. Presented by W. B. Barker, Esq. Attock's Hills, India. Presented by Capt. R.
The Mourrion. Caprovis musimon.
Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 178, 1852. Ovis musmon, Blasius, Faun. Wirb. Deutschl. p. 471. figs. 247, 248 (skull with horns), 1857.
Moufflon, Buff., Hist. Nat. xi. p. 386. pl. 30 (skeleton). Cervical vertebræ
Dorsal

252	BOVIDÆ.—AMMOTRAGUS.
	Lumbar vertebræ 6 Sacral 4 Caudal 10
a. Skull. In b. Skeleton:	ndia. Presented by W. Ewer, Esq. male. From the Zoological Society's Collection.
	PSEUDOIS.
Teeth :—Inci	sore $\frac{0-0}{4-4}$; Canines $\frac{0-0}{0-0}$; Premolars $\frac{3-3}{8-3}$; Molars $\frac{3-3}{8-3}$;=32.
The N	AHOOR, or NERVATE, or SNA. Pseudois nahoor.
	t. Mamm. Brit. Mus. pt. iii. p. 177. tab. 22. figs. 1, 2 (skull). m or Nervate, <i>Hardw.</i> , Icon. ined. Brit. Mus. 10,975. tab. 194
Ovis burr Hist. v Ovis cypr	hel, Ogilby, Proc. Zool. Soc. 1840, p. 79; Ann. & Mag. Nat. ii. p. 248. tab. 5. fig. 7 (horns), 1841. ius?, Blasius, Faun. Wirb. Deutschl. 1857, p. 473. figs. 251, rull with horns).
 b. Skull of a c. Various seg d-f. Skulls. 	ull of male, with horns. Nepal. young male. parate bones of body and limbs. B.H.Hodgson, Esq.
g. Horns.h. Single hor	
i, j. Horns of k. Horns.	a base of skull.
	male and female. From the Zoological Society's Col-
n. Skull: you	ung female. "Ovis burrhell." India. From Lieut.
o. Skull. In	Collection. dia. Presented by Professor Oldham.
p. Single hor q. Horns: yo	n. From Mr. Argent's Collection. oung. Nepal. Presented by B. H. Hodgson, Esq.
•	
	AMMOTRAGUS.
Teeth:—Incid	sors $\frac{6-0}{4-i}$; Canines $\frac{6-0}{6-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=32.
. 7	The AOUDAD. Ammotragus tragelaphus.
Gray, Cat	. Mamm. Brit. Mus. pt. iii. p. 179. fig. 3 (skull), 1852.
·	Cervical vertebræ 7 Dorsal 13 Lumbar 6 Sacral 5 Caudal 13
a-d. Horns.	N. Africa.

e. Bones of the body. N. Africa. From the Zoological Society's f. Skeleton: female. Collection. g. Skeleton: male.

OVIS.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{0-0}{0-4}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=32.

The SHEEP. Ovis (Aries) aries.

Ovis aries, Blasius, Faun. Wirb. Deutschl. p. 467. fig. 240 (skull), 1857.—Cuv., Anat. Comp. v. pl. 13. fig. 2 (bones of fore-arm), 1805. Brebis, Buff., Hist. Nat. v. p. 52. pl. 7 (skeleton).

a, b. Horns of many-horned variety.

c. Horns (small).

d, e. Skulls and horns of spiral-horned variety.

f, g. Horns of spiral-horned variety.

h. Skull, with the horns united together at the base.

Var. Huniah Sheep:-

- i. Skull of adult male, with horns. Nepal. Presented by B. H. Hodgson, Esq.
- j, k. Skulls of young, without the cases of the horns. Nepal. Presented by B. H. Hodgson, Esq.
- l, m. Two skulls of many-horned variety: horns of each side arising from the same base, showing that they are produced by the division of the core. Nepal. Presented by B. H. Hodgson, Esq.
- n, o. Two skulls of four-horned variety, with horns separate from one another at the base (each wanting one sheath). Nepal. Presented by B. H. Hodgson, Esq.

p. Var. Dumba. Skull of a "Cabul Dumba Sheep." Presented by B. H. Hodgson, Esq.

q. Var. Cago. Skull of adult, without the sheath of the horns (imperfect). Presented by B. H. Hodgson, Esq.

r. Skull of the young (hornless).

- s. Var. horns united at the base. Skull, with the horns cut off near the base. Presented by B. H. Hodgson, Esq.
- t. Skull. From Mr. Argent's Collection.
- u. Skull of spiral-horned variety.
- v. Skull: female. England.

w. Skull.

x. Skull. England.

y. Skull.

v. Skull.

c². Skull. "Abyssinian Sheep."

Collection.

d². Skull.

c². Skull.

f2. Skull, with large spiral horns. Domestic Sheep. Nepal. Presented by B. H. Hodgson, Esq.

Digitized by Google

- g^2 . Skull, with large spiral horns. India.
- h2. Skull, with large spiral horns.
- i². Skull, without the sheath to the horns. Dumba Sheep (Ovis scatophagus). North-west India. Presented by Professor Oldham.
- j². Skull: small variety. India.
- k^2 . Skull: small variety. From the Zoological Society's P. Skull: small variety: female. Collection.
- m². Skull: small variety. Nepal.
- n². Skull: spiral-horned variety. Alps. From Dr. A. Günther's Collection.
- o². Skull. From Mr. Argent's Collection.
- p². Skull. Demerara Sheep. From the Zoological Society's Collection.
- q². Skeleton. Shanghai or Earless Ram. Shanghai. From the Zoological Society's Collection.

The PAMIR SHEEP. Ovis polii.

Blyth, Ann. & Mag. Nat. Hist. vii. p. 248. pl. 5. fig. 1 (horns), 1841.

a. Horns (separate). Bokhara. Presented by the East India Company.

GIRAFFA.

Teeth:—Incisors $\frac{6-6}{4}$; Canines $\frac{6-6}{4}$; Premolars $\frac{8-6}{4}$; Molars $\frac{8-5}{4}$; =32.

The GIRAFFE or CAMELOPARD. Giraffa camelopardalis.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 181. tab. 23. figs. 1, 2 (skulls).

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 181. tab. 23. figs. 1, 2 (akulls).

—Spix, Cephalog. tab. 8. fig. 6 (akull).

Camelopardalis giraffa, Alton, Act. Acad. Nat. Cur. xii. p. 332. tab. 36.

—Oven, Trans. Zool. Soc. ii. tab. 40.—Geoff., Ann. Sci. Nat. x. p. 210.—Salze, Mém. du Mus. xiv. p. 68.—Rüppell, Atlas, tab. 9. fig. a, b (skulls, male and female).—Pander u. D'Alton, Vergl. Osteol. pl. 1 (akeleton), pl. 11 (skull).—Blaine., Ostéog. G. Camelopardalis, pl. 1 (akeleton), pl. 11 (skulls of adult and young; dentition of specimens from the Cape, Abyssinia, and Senegal).—Orr's Circle of the Sciences, i. p. 236. fig. 30 (akeleton).

Cervical	vertebræ	 7 .
Lumbar		 5
Caudal .		 19 or 20

- a, b. Skulls of male and female. S. Africa. Presented by Dr. Burchell
- c. Skeleton. N. Africa. From the Zoological Society's Collection. d. Skeleton (imperfect).

ALCES.

Teeth:—Incisors $\frac{6-6}{4-6}$; Canines $\frac{6-6}{6-6}$; Premolars $\frac{3-5}{3-3}$; Molars $\frac{3-3}{3-3}$; =32.

The ELK. Alces malchis.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 187. tab. 27. fig. 1 (skull), 1852.

1802.

Elan, Buff., Hist. Nat. xii. tab. 8, 9.—Cuv., Oss. Foss. iv. p. 64. tab. 4. figs. 22—29 (horns), tab. 5. fig. 49, tab. 6. fig. 8, \{\}th. Moose Deer, Dale, Phil. Trans. no. 444, 384. fig.

Cervus alces, Schreb., Säugth. tab. 246. fig. b.—Richardson, Voy. of the Herald, pls. 20, 21 (cervical vertebree), pl. 22 (skull, with horns), pl. 24 (parts of the fore-legs).—D'Alton, Vergl. Osteol. pl. 5A (skull). Alces palmatus, Blasius, Faun. Wirb. Deutschl. p. 434. fig. 231 (horns, adult). for 232 (horns, voung and sdult). 1867. adult), fig. 232 (horns, young and adult), 1857. Alces americanus, *Baird*, Mamm. N. America, p. 631. figs. 1, 2 (horns),

1859.

Cervical vertebræ..... Lumbar..... Sacral Caudal (imperfect).

a. Several pairs of horns.

b. Two single horns of young.

c. Horns, with the head stuffed. Russia. Presented by Edward Caley, Esq.

d. Single horn. Udoholm, Sweden. Presented by the Earl of Selkirk.

From the Leverian Museum. e. Horns. Sweden.

f. Skeleton: male.

g. Skeleton: female. From the Zoological Society's Collection.

h, i. Skulls.

j-l. Horns. St. John's. From Mr. Argent's Collection.

m. Skull. Russia. From the Zoological Society's Collection.

n. Skull: female.

o. Horns (deformed). Presented by the Earl of Enniskillen.

TARANDUS.

Teeth:—Incisors $\frac{6-6}{4-6}$; Canines $\frac{6-6}{4-6}$; Premolars $\frac{3-8}{3-3}$; Molars $\frac{3-8}{3-3}$; = 32.

The REIN DEER. Tarandus rangifer.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 189. tab. 26. figs. 2 & 3, tab. 27. fig. 2 (skull and horns), 1852. Cervus tarandus, Schreb., Säugth. tab. 248a, c, d.

Renne, Buff., Hist. Nat. xii. tab. 10, 11 (horns), 12 (akeleton).—Cuv., Oss. Foss. iv. p. 61. tab. 4. figs. 1-18, tab. 5. fig. 47 (skull, \text{\text{\text{th}}}).— Richardson, Faun. Bor.-Amer. p. 241. pl. (horns), 1829. Cervus rangifer, Klein, Quad. tab. 1 (horns).—Richardson, Voy. of the Herald, pl. 22 (feet), pl. 23 (skull, with horns).—D'Alton, Vergl. Osteol. pl. 4 (skeleton).

Rangifer greenlandicus, Baird, Mamm. N. America, p. 635. figs. 7, 8 (horns).

Rangifer caribou, Baird, Mamm. N. America, p. 633. figs. 3-6 (horns), 1859.

Cervical vertebrae	 7
Dorsal	 14
Lumbar	 5
Sacral	 4
Caudal	 (imperfect).

a. Skeleton. Presented by Sir T. M. Wilson, Bart.

b. Skull (large): horns (small); slender branches small subulate, middle branch largest.

c. Skull and horns (large, long, slender) (Cuv., Oss. Foss. iv. tab. 4. fig. 20); no basal branch to right horn.

d. Skull and horns: horns large, long, slender, apex broad, branched behind; no basal branch to right horn.

e. Horns (middle-sized): the lower branch of left elongate, forked; of right horn very broad, palmated. N. America. Presented by Captain Sir John Franklin, R.N.

f. Horns (small); the lower and middle branch of right horn confluent, palmated. N. America. Presented by Captain Sir John Franklin, R.N.

g. Horns (large) (Cuv., Oss. Foss. iv. tab. 4. fig. 17): basal branch of left horn large, palmated; of right smaller, lobed.

h.Horns (large) (Cuv., Oss. Foss. iv. tab. 4. fig. 9): basal branch of left horn very large, palmated; of right simple, subulate. Siberia?

i. Horns (long, elongated, slender, erect; lower branches elongate lobed, top broad-lobed).

j. Horn (middle-sized) (Cuv., Oss. Foss. iv. tab. 4. fig. 8): lower branch of left horn simple; of right broad, palmated. N. America. Presented by Captain Sir John Franklin, R.N.

k. Horns (large, long, slender; upper back branches recurved). N. America. Presented by Captain Sir John Franklin, R.N.

Horns (large, long, slender) (Cuv., Oss. Foss. iv. tab. 4. fig. 13).
 Presented by Captain Sir John Franklin, R.N.

m. Horns (very small); basal branch subulate, upper and medial branch bifid.

 Horns (large), with the basal branch of each horn dilated, palmated (Cuv., Oss. Foss. iv. tab. 4. fig. 17). From Mr. Brookes's Museum.

Horns of the year (Cuv., Oss. Foss. iv. tab. 4. fig. 1). Knowsley.
 _ Presented by the Earl of Derby.

p. Horns of the year.

q. Horns (very large), with the head stuffed. Newfoundland.

r-v. Horns. N.W. coast of America. Presented by Lieut. Wood and Captain Kellett.

w. Skeleton. From Dr. J. Rae's Collection.

CERVUS.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{1-1}{6-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=34.

The Wapiti. Cervus canadensis.

Baird, Mamm. N. America, p. 641. fig. 11 (horns), 1859. Cerf du Canada, Buff., Hist. Nat. v. tab. 26.—Cuv., Oss. Foss. iv. tab. 3. figs. 13, 17-20, 22 Cerf, Perrault, Anim. ii. 65, 45, Cervus strongyloceros, Schreb., Säugth. tab. 247 g.

> Cervical vertebrae..... Lumbar Sacral

(imperfect).

- a. Horns (large). San Diego, California. Presented by C. Pentland,
- b. Horns (long); two lower branches near together. N. America.
- c. Horns (small); two lower branches rather near. N. America.
- d. Horns (large): beams without the upper frontal branches; the tip of right horn subpalmate (perhaps a different species).

e. Skeleton. From the Zoological Society's Collection.

The STAG or RED DEER. Cervus elaphus.

Linn., Syst. Nat. i. p. 93.—Pander und D'Alton, Vergl. Osteol. pl. 5E (skull).

Cerf, Buff., Hist. Nat. vi. tab. 13, 14, 18-25.—Cuv., Oss. Foss. iv. tab. 2. figs. 11-20, tab. 3. figs. 1-12 (horns).—Blasius, Faun. Wirb. Deutschl. p. 439. fig. 233 (horns, adult), figs. 234, 235 (horns, young and adult), 1857.

Var.? Hungarian Stag, Blyth, Journ. Asiat. Soc. Bengal, 1841, p. 750. tab. fig. 11 (horns).

Var. P Half-fed specimens:— Cerf de Corse, Buff., Hist. Nat. vi. p. 138. pl. 18 (skeleton), pls. 20-25 (horns).—Cuv., Oss. Foss. iv. p. 53.

Cervus elaphus corsicanus, Erxl., from Buffon.

Elaphus corsicanus, J. Brookes, Cat. Mus. p. 61. Cervus mediterraneus, "Blainv.," Pucheran, Comptes Rendus, 1849, p. 779.

Cervus corsicus, Bonaparte, Gervais.

Cervical vertebræ...... Lumbar Sacral Caudal (imperfect).

a. Horns, with two frontal antlers. England.

b. Horns: left divided into four long cylindrical branches; right with two frontal antlers, tip subpalmate (perhaps of C. canadensis?).

8

- c, d. Horns (deformed). Germany.
 - e. Horns, with a third horn on the right side. Germany.

f. Single horn; apex much branched. Germany.

g, h. Single horns: adult. Germany.

i. Single horn (deformed), with only three branches. Germany.
 j. Single horn; simple, compressed, notched at the tip. Germany.

k. Single deformed stunted horn. Germany.

1. Skull and horns. Presented by the Earl of Derby.

m. Skull. England.

n. Skeleton. From the Zoological Society's Collection.

o. Skull: female. S. Germany. From Dr. A. Günther's Collection.

p. Horns.

q. Horns (partly fossil). England. Presented by Jabez Allies, Esq.

r. Single antler. Asia Minor. Presented by Lord Arthur Hay.

s. Single antler (very large). Crimea.

The BARBARY DEER. Cervus barbarus.

Cervical	V	e	r	te	b	r	æ	٠.							7
Dorsal .															13
Lumbar															6
Sacral .								٠							4
Candal .															

- a. Skeleton: female. N. Africa. From the Zoological Society's Collection.
- b. Horns. Tunis. From an animal that died in the Zoological Gardens.

The Bara Singa or Morl. Cervus wallichii.

Cuv., Oss. Foss. iv. p. 50.—Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 198. tab. 27. fig. 3 (horns), tab. 28. fig. 1 (skull), 1852.

a, b. Skulls of male and female. Cashmere. Presented by H. Falconer, M.D.—Cervus casperianus, Falconer, MSS.; Gray, Ost. Cat. Brit. Mus. p. 147.

The SAUL FOREST STAG. Cervus affinis.

Hodgson, Journ. Asiat. Soc. Bengal, 1841, x. p. 721. tab. fig. 1. 914.

 a. Pair of horns (very large size). Nepal. Presented by B. H. Hodgson, Esq.

b. Pair of horns. India. Presented by Dr. Campbell.

c. Skull: female. From the Zoological Society's Collection.

The SIKA. Cervus sika.

Schlegel, Fauna Japonica, tab. 17 (skull).

India. Presented

son, Esq.

by B. H. Hodg-

PANOLIA.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{1-1}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; =34.

The ROUND-HORNED PANOLIA or SUNGNAI. Panolia eldii.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 202. pl. 29. figs. 1, 2 (skull), pl. 30. fig. 2 (horns), 1852.

- a. Horns. India.
- b. A large pair of horns; cylindrical, and with two small snags near the tip.
- c. A smaller pair of horns; rather compressed, and with one large and two short snags near the tip.

d. Skull and horns, with one large and one small snag near the tip. India.

- c. Skull and horns, with one large and two small snags near the tip. India.
- f. Skull and horns, with one small snag near the tip.
- g. Horns. India. From Mr. Warwick's Collection.
- h. Horn.—Panolia platyceros, Gray, Ost. Cat. Brit. Mus. p. 66, 1847
- i. Horns (very fine). India. From Mr. Stevens's sale.
- j. Horns.
- k, l. Single horns. Nepal. Presented by B. H. Hodgson, Esq.

RECERVUS.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{1-1}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; = 34.

The Bahrainga. Recervus duvaucellii.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 204. pl. 29. figs. 3, 4 (skull), pl. 30. fig. 3 (horns), 1852. Cervus duvaucellii, Cur., Oss. Foss. iv. p. 505. tab. 39. figs. 6-8 (horns).

> Cervical vertebræ..... Dorsal Lumbar Sacral

- a, b. Skulls, with horns.
- c. Skull: female.
- d. Skull. Presented by the Earl of Derby.
- e. Skull and horns.
- f, g. Separate horns. Presented by B. H. Hodgson, Esq.
- h. Skeleton. From the Zoological Society's Collection.

RUSA.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{1-1}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; =34.

The SAMBUR DEER. Rusa aristotelis.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 205. pl. 31. figs. 1, 2 (skull). pl. 30. fig. 4 (horns), 1852. Cervus aristotelis, Cur., Oss. Foss. iv. p. 509. tab. 39. fig. 10 (horns).

a. Single horn. India. Exeter Change Menagerie. Presented by Edward Cross, Esq.

b. Horns on frontal bone. India.

c. Two single horns; upper branches more equal. India.

d. Horns on frontal bone; like the last, but thicker, heavier, and more granular.

e. Horns on frontal bone; like the last, but the left horn has a large

posterior branch at the fork.

f. Horns on frontal bone; like the last, but rather smaller, hinder branch of fork longest, the left one with a posterior branch in the middle. India. Presented by Mrs. Wright.

g. Horns of frontal bone; like the last, but larger and without posterior branch.

h. Horns of frontal bone, one-third smaller.

i. Single horn, simple. From a castrated animal?

j. Head and horns, with skin. India. Presented by Edward Cross. Esq.

Nepal.

k. Head of female. Himalaya.

l. Skull of young male.

- m. Skull of adult female.
- n. Skull of young female. o. Brocket horns on frontal.
- p, q, r. Three pairs of horns, second year.

s. Single horn of the first year.

t. Horns on frontal bone; hinder upper branch turned back.

- u. Horns; very long, thick, with very short thick frontal and submedial branch on one.
- v. Horns; apex forked. Himalaya. Presented by the Rev. R. Everest.

w. Horns on frontal bone; apex simple.

x. A pair of horns.

y. A pair of very large thick horns, with rather long frontal snag; the left with a large posterior process.

z. A pair of very large thick horns, with rather long frontal snag.

 a^2-c^2 . Three pairs of large horns, with moderate frontal, small; the hinder upper snag rather the longest.

 d^2 . A pair of similar but rather slenderer and more elongate horns.

e². A pair of large horns, rather close together, with rather elongated frontal snag; the front upper snag rather the longest.

 f^2 . A pair of large horns, with very long frontal snags; the upper snag rather the longest.

 g^2 . A pair of horns: the right like the former; the left quite simple, subulate.

India. Presented by B. H. Hodgson, Esq.

Presented by

B. H. Hodgson, Esq.

- h². A pair of horns; one with a moderate and the other with a long frontal snag, the upper snag nearly Presented equal.

 Display B. H.
- i². A pair of rather slender more elongate horns, with Hodgson, moderate frontal and short upper snags.
- j^2 . A pair of horns; the beam not branched.

Var. Kâlo Jarai (Cervus heterocerus):-

- k^2 . A pair of horns. India. Presented by B. H. Hodgson, Esq.
- P. Skeleton.
- m^2 . Skeleton: male.
- n². Skull: adult.
- o^2 , p^2 . Skulls: female.
- * q^2 . Skull: male. Ceylon. From the Zoological Society's Collection. r^2 . Skull, with horns. India. Presented by B. H. Hodgson, Esq.
- r. Skuth, with norms. India. Presented by B. H. Hougson, Esq. s^2 . Horns (very fine). Himalaya Mountains. Collected by
- t^2 . Horns. the author of "Hunting in the u^2 . Single horn (very large). Himalaya."
- v². Horns. Nepal. Presented by B. H. Hodgson, Esq.

The MIJANGAN BANJOE. Rusa hippelaphus.

Cervus hippelaphus, Cuv., Oss. Foss. iv. tab. 5. figs. 31, 34, 42. Cervus leschenaultii, Cuv., Oss. Foss. iv. p. 508. tab. 39. fig. 9 (from horns only).

Rusa timorensis, S. Müller, Verh. tab. 45. fig. 6 (horns). Rusa moluccensis, S. Müller, Verh. tab. 45. fig. 5 (horns).

The Samboe. Rusa equinus.

Cervus equinus, Cuv., Oss. Foss. iv. tab. 5. figs. 30, 42.—S. Müller, Verh. tab. 45. figs. 7-11 (skull and horns).

The Smaller Rusa. Rusa peronii.

Cervus peronii, Cuv., Oss. Foss. iv. p. 46. tab. 5. fig. 41 (horns), fig. 45 (skull).

Cervus kuhlii, S. Müller, Verh. tab. 45. figs. 12-14 (skull and horns).

a. Femur and tibia. Timor.

The PHILIPPINE RUSA. Rusa philippinus.

Cerf de Manille, Cuv., Oss. Foss. iv. p. 46.
 Cervus marianus, Cuv., Oss. Foss. iv. p. 45. tab. 5. figs. 30, 37, 38, 46 (skull).

 a. Horns. Philippines. Presented by Captain Sir Edward Belcher, K.C.B. &c.

AXIS.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{1-1}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; = 34.

262	BOVIDE.—HYKLAPHUS.
	The Axis, Chittra, or Chaatul. Axis maculata.
G	ray, Cat. Mamm. Brit. Mus. pt. iii. p. 212. tab. 31. figs. 3, 4 (skull), 1852.
	xis, Buff., Hist. Nat. xi. tab. 40.—Cux., Oes. Foes. iv. p. 38. tab. 5. figs. 24-29.
	erf cochon, Buff., Hist. Nat. Suppl. iii. tab. 18.—Car., Oas. Foss. iv. tab. 5. fig. 29.
A	xis, Buff., Hist. Nat. xi. p. 414. pl. 40 (skeleton).
	Cervical vertebræ 7 Dorsal 13
	Lumbar 6
	Sacral
	Cautat
c. Ho	Horns on frontal bone, slender, elongate, warty. India. rns on frontal bone, slender, elongate, simple. India. nll and horns of the normal state.
e. Ho	rns of the usual form, with two snags near the Nepal.
	ase of the right and one on the left side. Presented by
,	rns, with three small snags near the base and a / B. H. Hodg-
_	hort terminal beam. son, Esq.
	rns on frontal bone, elongate and very warty.
	ll and horns. India.
	Iorns on frontal bone. India.
	rns on frontal bone, smooth. India.
	orns on frontal bone, very warty. India. India.
n, 110	nd one on the right side. Nepal. Presented by B. H. Hodg-
	on, Esq.
	rns on frontal bone.
	rns on frontal bone. Nepal. Presented by B. H. Hodgson, Esq.
g. Sk	

- p.
- From the Zoological Society's Collection.
- s. Skeleton: male.
- t. Skull: male. S. Germany (introduced). From Dr. A. Günther's Collection.

HYELAPHUS.

Teeth:—Incisors $\frac{6-6}{4-4}$; Canines $\frac{1-1}{6-6}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; =34. The Lugna, Parr, or Shgariah. Hyelaphus porcinus.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 215. tab. 32. fig. 1 (akull), 1852.

Porcine Deer, Pennant, Hist. Quad. tab. 19. no. 59. Cervus niger, Blainv., Bull. Soc. Phil. 1816, p. 76. fig.

Cervical vertebræ.....

Lumbar vertebræ	
Sacral	
Caudal	
a. Skull of the female.	
b. Skull, with horns. Nepal.	Presented by B. H. Hodgson, Esq.
a. Skull of the female. b. Skull, with horns. c. Horns (separate).	5 , 1
d, e. Skulls, with horns. India.	
f. Horns on frontal bone. India.	
g-i. Horns (separate). India. P	resented by General Hardwicke.
j. Two horns (single), not forked a	
k. Skull and horns: var. frontal si	
Lo. Four pairs of horns. India.	
p. Skull.	Ğ
q. Skull: female. Darjeeling. I	Presented by Professor Oldham.
r. Skull.	From the Zoological Society's
s. Skeleton: old female. Ceylon.	Collection.

CERVULUS.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{1-1}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; = 34.

The Kijang or Muntjac, Kaker or Barking Deer. Cervulus vaginalis.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 217.

Muntjacus vaginalis, Horsfield, Zool. Researches in Java, a, b (akull).

Muntjack of Sumatra, H. Smith in Griff. A. K. iv. tab. 164. fig. 7 (jun.), tab. 175 (adult of).

Muntjack of Java, H. Smith in Griff. A. K. iv. tab. 164. fig. 9 (male).

The Kekan or Kaker. Cervulus moschatus.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 217. tab. 32. fig. 2. Chevreuil des Indes, Buff., Supp. iii. tab. 36.—Cuv., Oss. Foss. iv. tab. 3. figs. 49-53, tab. 5. fig. 48. Cervus moschatus, Blainv., Bull. Soc. Phil. 1816, p. 77.—Schreb., Mamm. tab. 254 B. fig. 1. Cervus muntjac, Pander und D'Alton, Vergl. Osteol. pl. 8 (skull).

Cervical	V	e	r	te	b	r	æ	,							7
Dorsal .															13
Lumbar															6
Sacral .															4
Caudal .															12 or 13

- a. Head and horns of male. Northern Circars.
- b. Head and horns of male. Deccan. Presented by Colonel Sykes, F.R.S.
- c. Skull and horns. Nepal. Northern Circars.
- d. Skull and horns. Nepal. Presented by B. H. Hodgson, Esq.
- e. Base of skull and horns. Nepal.
- f. Skull.

g, h. Two skulls of a male, with horns, differently developed.

1. Skull: female.

2. A pair of large horns on shortish peduncles.

3. A pair of small horns on very long slender peduncles.

4. Vertebra, pelvis, and leg bones.

4. Wertebra, pelvis, and leg bones.

5. Skulls: half-grown and young.

5. Skulls.

6. Presented by Professor Oldham.

7. S. Skulls.

7. Skulls.

8. Presented by B. H. Hodgson, Esq.

w, x. Horns. India. Presented by Professor Oldham.

y. Skeleton: male. From the Zoological Society's Collection.

Cervulus ---- ?

a. Horns. Siam. From M. Mouhot's Collection.

DAMA.

Teeth:—Incisors $\frac{6-6}{4-4}$; Canines $\frac{6-6}{6-6}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; = 32.

The Fallow Deer. Dama vulgaris.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 200. tab. 30. figs. 1, 2 (skull), 1852.

Daim, Buff., Hist. Nat. vi. tab. 29-31 (skeleton and horns).—Cwc., Oss. Foss. iv. p. 29. tab. 5. figs. 23-35.—Mellin, Berlin Naturf. ii. tab. 6, 7.

Cervus dama, Pander und D'Alton, Vergl. Osteol. pl. 5 D (skull).— Blasius, Faun. Wirb. Deutschl. p. 454. fig. 236 (horns, adult), fig. 237 (horns, young and adult), 1857.

a. Horns.

b. Horns: a distorted variety.

c. Head and horns: dark variety (Cervus mauricus, F. Cuv.).

d. Horns: adult.

e. Horns: adult: a distorted variety.

f, g. Horns: adult.

h. Skull: male. England.

i. Skeleton. England.

j. Skull.

k. Skull: female, young.

l, m. Skulls and horns.
n, o, p. Horns: young.
Island of Bartudii, near Antigua. Introduced into that island about 100 or 150 years ago. Presented by Charles Darwin, Esq.

q. Skull: female. S. Germany. From Dr. A. Günther's Collection.

r. Skull: female. From the Zoological Society's Collection. Many (46) horns, more or less deformed. New Forest. Presented by Mrs. Smyth.

CAPREOLUS.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{0-0}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; = 32.

The Roebuck. Capreolus capresa.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 221. tab. 84. fig. 5 (skull), 1852. Cervus capreolus, Pander u. D'Alton, Vergl. Osteol. pl. 5 F (skull).—
Spix, Cephalog. tab. 8. fig. 3 (skull). Chevreuil, Buff., Hist. Nat. vi. tab. 35 (skeleton), tab. 36, 37 (horns).

-Cuv., Oss. Foss. iv. p. 47. tab. 3. figs. 37, 40 (horns). Gay & Gervais, Ann. Sci. Nat. 1846, p. 93.

Capreolus capreolus, Blasius, Faun. Wirb. Deutschl. p. 457. fig. 238 (horns, adult), fig. 239 (horns, young and adult), 1857.

Cervical vertebræ	7
Dorsal	13
Lumbar	6
Sacral	5
Caudal	

- a. Horns: adult. Scotland.
- b. Horns: second year. Scotland.
- c. Single horns. Scotland.
- d. Base of skull of adult, with horns. Scotland. Presented by General Hardwicke.
- e. Horns on skull (diseased), very warty. Scotland. Presented by Lord Willoughby d'Eresby.
- f. Skull: female.
- g. Skull. From Mr. Argent's Collection.
- h. Horns.
- i. Horns: young.
- j. Skeleten. From the Zoological Society's Collection.
- k. Skull: male. S. Germany. From Dr. A. Günther's Coll, m. Skulls: female. lection.
- n. Skull: young male.
- o. Skull, with horns, which are very much developed and warty. From the Zoological Society's Collection.
- p. Skull: half-grown.

BLASTOCERUS.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{0-0}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;= 32.

The MAZAME or GUAZUTI. Blastocerus campestris.

Cervus campestris, F. Cuv. in D'Orb., Voy. pl. 20. fig. 2 (horns).-Darwin, Voy. of the Beagle, p. 29. figs. 1-4 (horns, young and adult).

Cervical v	e	rí	e	b	r	æ	٠.							7
Dorsal														13
Lumbar														

Sacral vertebræ Caudal

- a. Frontal bone and horns. Northern Patagonia. From the Haslar Hospital Museum (Captain Fitzroy's Expedition).
- b. Skull, with horns. Columbia. From M. Parzudaki's Collection.

c. Skeleton (imperfect).

d, e. Skulls. La Plata. From M. Bravard's Col-

f-i. Horns: adult and young. lection.

j. Skeleton: female. S. America. From the Zoological Society's Collection.

The GUAZUPUCO. Blastocerus paludosus.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 224, 1852.

a. Horns. S. America?

FURCIFER.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{0-0}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; =32.

The Tarush or Taruga. Furcifer antisiensis.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 226, 1852. Cervus antisiensis, D'Orb., Voy. Amér. Mérid. tab. 20. fig. 1.

a. Skull. From the Zoological Society's Collection.

The GUEMUL. Furcifer huamel.

Gay & Gervais, Ann. Sci. Nat. 1846, p. 91 (skull).

Furcifer —— ?

a, b. Skulls. From the Zoological Society's Collection.

CARIACUS.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{0-0}{0-6}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; = 32.

The American Deer. Cariacus virginianus.

Gray, Cat. Mamm. Brit. Mus. pt. iii. tab. 33. figs. 2, 3 (skull), tab. 34. fig. 4 (horns).

Chevreuil d'Amérique, Buff., Hist. Nat. vi. tab. 37.—Cuv., Oss. Foss.

iv. tab. 5. figs. 19-22

Cariacou, Buff., Hist. Nat. xii. p. 356. tab. 45 (skeleton). Cerf de la Louisiane, Cuv., Oss. Foss. iv. p. 33. tab. 5. figs. 1-16.— Dale, Phil. Trans. 1735, no. 444. fig.

Virginian Deer, Penn., Hist. Quad. tab. 20. fig. 2.

Cervus virginianus, *Licht.*, Akad. Wissenschaft. Berlin, 1857, pl. figs. 1-11 (horns).

Cervical	l	V	e	rt	e	b	r	æ		:						7
Dorsal																
Lumbar	•															6
Sacral																
Caudal																

a. Horns of young, simple. N. America.

- b. Horns of adult, moderate-sized, with two branches on upper edge of beam. N. America.
- c. Horns of adult, large, with three branches on upper edge of beam;
- d. Horns, larger and thicker, with five branches on upper edge of beam; inner basal branch very long and forked.

e. Horns, very large, with many branches on upper edge of beam; inner basal branch thick and forked. Mexico. From the Royal

Society's Museum.—Cervus mexicanus.

f. Single horn, like the preceding one, but the anterior basal branch very long, produced, and an additional elongate branch from the lower edge of the middle of the beam.—Cervus mexicanus (Mexican Deer, Penn., Syn. 110. tab. 9. fig. 1; H. Smith, in Griff. Anim. Kingd. iv. tab. 163. fig. 3).

g. Single horn, with the upper branches on the beam rather irregular, and three produced and elongate forked branches from the lower edge of the upper part of the beam.—Cervus clavatus, H. Smith, in Griff, Anim. Kingd. iv. tab. 163. fig. 4?

h. Skeleton. Knowsley. Presented by the Earl of Derby.

i. Horns. Hudson's Bay. Presented by the Hudson's Bay Company.

j-p. Seven pairs of horns.

q. Skeletons.

r. Skeleton: male. From the Zoological Society's Collection.

*s. Skull: young. S. America. Presented by the Earl of Derby. t. u. Skulls.

___.

The Black-tailed Deer. Cariacus lewisii.

Cervus richardsonii, *Licht.*, Akad. Wissenschaft. Berlin, 1856, p. 286 pl. fig. 12 (horns).

a, b. Skulls: male and female. Columbia River. Presented by the Hudson's Bay Company.

Cariacus gymnotus.

Cervus gymnotus, *Pucheran*, Monog. of Cervus, Archives du Muséum, vi. p. 363. pl. 23. figs. 2–10 (horns), pl. 25 (animal), 1852.

- a, b. Horns of adult. Vera Cruz. From M. Salle's Collection.
- c. Skull.
- d. Horns of adult.
- e-g. A series of horns.

h-j. Horns of the young.

Oaxaca, S. Mexico, "11,000 feet high."

The Long-tailed Deer. Cariacus leucurus.

a, b. Skulls. Hudson's Bay. Presented by the Hudson's Bay Company.

COASSUS.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{0-0}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=32.

The CUGUACU-ETE. Coassus rufus.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 238. tab. 35. fig. 4 (skull), 1852. Cervus rufus, Cuv., Oss. Foss. iv. tab. 3. figs. 41, 42 (horns), tab. 5. fig. 44 (skull).

Cervical vertebræ	7
Dorsal	13
Lumbar	
Sacral	3
Candal	

- a. Skeleton: male. From Mr. Brandt's Collection.
- b. Skull: female. Para, S. America. Presented by R. Graham, Esq.
- c. Skull of young female. S. America.
- d. Horns on frontal bone. Presented by Manuel Velez, Esq.

The CUGUACU-APARA. Coassus nemorivagus.

Cervus nemorivagus, Cuv., Oss. Foss. iv. p. 54. tab. 5. fig. 50.

a. Skull. Brazils.

Coassus simplicicornis.

- a. Skull. Bahia.
- b. Skull: young. Surinam. From Dr. A. Günther's Collection.

PUDU.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{0-0}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; = 32.

The VENADA. Pudu humilis.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 240. tab. 36. fig. 1 (skull), 1852. Cerrus chilensis, Gay, Hist. de Chili, pl. 10. fig. 2 (skull), fig. 3 (dentition).

*a. Skull: female. From the specimen described by Mr. Bennett under the name of Cervus humilis (Proc. Zool. Soc. 1831, p. 27).

MOSCHUS.

Teeth:—Incisors $\frac{0-0}{4-4}$; Canines $\frac{1-1}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=34.

The Musk. Moschus moschiferus.

a. Skull of male. Nepal.b. Skull of female. Nepal. Presented by B. H. Hodgson, Esq. c-e. Skeleton, wanting bones of feet. f. Skull. Nepal. g. Skull.

Presented by Professor Oldham. h. Skull. Karhui.

The Kubarga or Siberian Musk. Moschus sibiricus.

a, b. Skulls of male and female. Siberia. From the Museum of the Imperial Academy of Natural Sciences of St. Petersburg.

The Golden-Eyed Musk. Moschus chrysogaster.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 245. tab. 25. fig. 1 (skull), 1852.

a, b. Skulls. Presented by B. H. Hodgson, Esq.

MEMINNA.

Teeth:—Incisors $\frac{0-0}{4-1}$; Canines $\frac{1-1}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; = 34.

The Meminna or Pissay. Meminna indica.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 246. tab. 24. fig. 3 (skull), 1852.

Cervical vertebræ	. 7
Dorsal	
Lumbar	6
Sacral	. 4
Candal	

- *a. Skull of adult. India.—The specimen figured in Cat. Mamm. Brit. Mus. pt. iii. 1852.
- *b. Bones of the body.
- c. Skeleton. From the Zoological Society's Collection.

HYEMOSCHUS.

Teeth:—Incisors $\frac{6-0}{4-4}$; Canines $\frac{1-1}{0-0}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;=34.

The Boomorah. Hyemoschus aquaticus.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 248. tab. 25. fig. 2 (skull), 1852.

> Cervical vertebræ..... Dorsal

Derby.

	Lumbar vertebræ	6
	Sacral	4
	Caudal	(imperfect).
	Skull. Sierra Leone. Presented by the Earl specimen described in Ann. & Mag. Nat. Hist. 1	tvi. p. 350, 1845.
*b.	Skull and scapular. Sierra Leone. Presente	d by the Earl of

c. Skeleton. Sierra Leone. From Mr. Whitfield's Collection.

d. Skull, and the limbs. Gambia. Presented by the Earl of Derby.

c. Skeleton, mounted. Gambia. From the Zoological Society's Colf. Skull.

TRAGULUS.

Teeth:—Incisors $\frac{6-6}{4-4}$; Carrines $\frac{1-1}{6-6}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{5-3}$;=34.

The STANLEY MUSK. Tragulus stanleyanus.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 249. tab. 25, fig. 3 (skull), 1852.

 a. Skull. Presented by the Earl of Derby.—The specimen figured.

The Napu. Tragulus javanicus.

Cervical	٦	7e	r	te	b	r	æ	٠.							7
Dorsal .															13
Lumbar															6
Sacral .															4
Caudal .															13

a. Skeleton. From Mr. Warwick's Collection.

The Kanchil. Tragulus pygmæus.

a-d. Skulls.

e. Skull. India. Presented by Professor Oldham.

CAMELUS.

Teeth:—Incisors $\frac{1-1}{3-3}$; Canines $\frac{1-1}{4-1}$; Premolars $\frac{3-5}{2-2}$; Molars $\frac{3-3}{3-3}$; = 34.

The Drowedary. Camelus arabicus.

Camelus dromedarius, Pander und D'Alton, Vergl. Osteol., Riesenfaulth. pl. 3 (skeleton).—Orr's Circle of the Sciences, iii. p. 376 (skeleton).—Blainv., Ostéog. G. Camelus, pl. 1 (skeleton), pl. 3 (skull), pl. 4 (parts of skeleton).

Dromadaire, Buff., Hist. Nat. xi. p. 276. pl. 21 (skeleton).

Cervical vertebræ	7
Dorsal	
Lumbar	7
Sacral	4
Caudal	(imperfect).

- a. Skull. From Dr. Mantell's Collection.
- •b. Skull.
- c. Skeleton. N. Africa. From Mr. Fraser's Collection.

The CAMEL. Camelus bactrianus.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 253. tab. 23. figs. 3, 4 (skull), 1852.

Chameau, Buff., Hist. Nat. xi. p. 276. pl. 24 (skeleton).—D'Alton, Vergl. Osteol. pl. 8 a (skull).—Blainv., Ostéog. G. Camelus, pl. 3 (skull), pls. 4, 5 (parts of skeleton).—F. Cuv., Dents des Mamm. p. 227 (dentition).

	tebræ	
Dorsal		12
Lumbar		7
Sacral	• • • • • • • • • • • • • • • • • • • •	4
Caudal		16 or 17

a. Skeleton. Persia.

LLAMA.

Teeth:—Incisors $\frac{1-1}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{1-1}$; Molars $\frac{3-3}{3-3}$; = 30.

The Guanaco. Llama guanacus.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 257. tab. 24. fig. 1 (skull), 1852.
 Auchenia lama, Brandt, Mém. Acad. St. Pétersb. 1845, iv. p. 1. pl. 1. figs. 1, 2 (skull).

- a. Skeleton. Chili.
- b. Skull. Chili. From Mr. Bridges' Collection.
- c, d. Skulls. Chili.
- e. Skull: young. From the Zoological Society's Collection.

The Alpaca. Llama pacos.

Cervical	٧	e	rt	æ	b	r	æ								7
Dorsal .															
Lumbar															7
Sacral .															4
Candal .															16

*a. Skull. S. America. Presented by W. Danston, Esq.

- b. Skull: very young (from a black variety). From Mr. Bartlett's Collection.
- c. Skeleton: male (black). d. Skull. From the Zoological Society's Collection.

The Llama or Yanna. Llama glama.

Camelus lama &, Blaine., Ostéog. G. Camelus, pl. 2 (skeleton), pl. 3 (skulls).

The Vicuena. Llama vicugna.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 256. tab. 24. fig. 2 (skull), 1852. Camelus vicugna, *Blaine*., Ostéog. pl. 3 (skull).

Cervical	v e	rt	eł	r	æ	٠.							7
Dorsal .													
Lumbar													7
Sacral .													
Candal													18

- a. Skull: male.
 b. Skull: female.

 Bolivia. From Mr. Bridges' Collection.
- c. Skeleton: male. From the Zoological Society's Collection.

Fam. 2. EQUIDÆ.

EQUUS.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$;= 40.

The Horse. Equus caballus.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 266. tab. 37. fig. 1 (skull), 1852.—Spix, Cephalog. tab. 8. fig. 7 (skull).—Blasius, Faun. Wirb. Deutschl. p. 502. fig. 273 (skull), 1857.—Orr's Circle of the Sciences, i. p. 232. fig. 28 (skeleton), p. 243. fig. 35 (foot), 1854.—Blainv., Ostéog. G. Equus, pl. 1 (skeleton, male), pl. 2 (skull).—Cuv., Anat. Comp. v. pl. 13. fig. 3 (bones of the fore-arm), 1805. Cheval, Buff., Hist. Nat. iv. p. 366. pl. 10 (skeleton).

- a. Skull.
- b. Skull, larger.
- c. Skull of an English Horse. Presented by B. H. Hodgson, Esq.
- d. Pelvis. From Dr. Mantell's Collection.
- e. Skull: young.
- f. Skeleton.
- g. Skeleton.
 h. Skeleton. "Pony."
 Purchased at Mr. Stevens's sale.

ASINUS.

The Domestic Ass. Asinus vulgaris.

Equus asinus, Blainv., Ostéog. G. Equus, pl. 2 (skull). Asne, Buff., Hist. Nat. iv. p. 432. pl. 13 (skeleton).

- a. Skull.
- b. Skeleton.
- c. Skull. "Russian Ass." From the Zoological Society's Collection.
- d. Skull. From Mr. Argent's Collection.
- ? c. Skull: probably an hybrid. From the Zoological Society's Collection.

The Zebra. Asinus zebra.

Equus zebra, Blainv., Ostéog. G. Equus, pl. 3. (skull).

Cervical	V	e	rl	te	b	r	æ								7
Dorsal .															18
Lumbar															5
Sacral .															5
Caudal .															17

- *a. Skeleton. S. Africa.
- b. Skull. S. Africa.
- c. Skull of male. Between Zebra and Ass.
- *d. Skull. S. Africa. Presented by the Earl of Derby.
 *e. Skull. Between Zebra and common Donkey. From the Zoological Society's Collection.
- f. Skull. From Mr. Argent's Collection.

The Quagga. Asinus quagga.

Equus quagga, Blainv., Ostéog. G. Equus, pl. 3 (skull).

BURCHELL'S ZEBRA. Asinus burchellii.

Equus burchellii, Blaine., Ostéog. G. Equus, pl. 3 (skeleton, female), pl. 4 (parts of skeleton).

Cervical vertebræ	. 7
Dorsal	. 16
Lumbar	. 6
Sacral	. 5
Caudal	. 11 (imperfect).

- a. Skull: female. Caffraria. From M. Sundevall's Collection.
- b. Skeleton.
- c. Skull: male.

The Koulan or Wild Ass. Asinus onager.

Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 269, 1852.

Cervical vertebrae...... 7

Lumbar vertebræ5Sacral5Caudal5
*a. Skull and bones of body. Asia. Presented by the Earl of Derby.
The KIANG. Asinus hemionus.
Gray, Cat. Mamm. Brit. Mus. pt. iii. p. 272. tab. 37. fig. 2 (skull), 1852. Equus hemionus, Blainv., Ostéog. G. Equus, pl. 2 (skull).
Cervical vertebræ 7 Dorsal 18 Lumbar 5 Sacral 4 Caudal (imperfect)
 a. Skull. Thibet. Presented by B. H. Hodgson, Esq. b, c. Skulls. Thibet. Presented by B. H. Hodgson, Esq.—The specimens referred to by Dr. Gray in P. Z. S. 1839. d. Skull. Thibet, N. of Ladakh. Presented by the Earl of Gifford.
 e. Skeleton. From Mr. Brandt's Collection. f. Skull. Ledakh. Collected by Capt. R. Strachey. Presented by the East India Company. g, h. Skulls. Nepal. Presented by B. H. Hodgson, Esq.

Fam. 3. ELEPHANTIDÆ.

ELEPHAS.

Teeth:—Incisors $\frac{2-2}{6-6}$; Molars $\frac{6-6}{6-6}$; =28.

The ELEPHANT. Elephas indicus.

Cuv., Oss. Foss. i. pl. 1. fig. 1 (skeleton), pls. 2–10 (skulls, &c.).—
Corse's Memoir, Phil. Trans. 1799, p. 211 (deciduous tusk).—
Blainv., Ostéog. G. Elephas, p. 9. pl. 1 (skeleton), pl. 2 (skull),
pl. 7 (dentition), pl. 9 (dentition of young).—Home's Lect. Comp.
Anat. ii. tab. 33. figs. 1–6 (dentition).—Ovven, Odont. p. 625. pl. 146.
figs. 1–6 (dentition); Odontology, Article in Encycl. Brit. p. 475.
fig. 141 (last lower grinder), fig. 143 (upper molar).—&chreb., Säugth.
vi. pl. 317 c (skull).—Griffith, A. K. pl. 148. fig. 1 (teeth).
Eléphant, Buff., Hist. Nat. xi. p. 142. pl. 4 (skeleton), pls. 5 & 6 (skull).

 Cervical vertebræ
 7

 Dorsal
 20

 Lumbar
 3

 Sacral
 4

 Caudal
 24

a, b. Skulls of Dauntelah and Mooknah varieties. Presented by J. Corse Scott, Esq.—The specimens described by Mr. Corse, Phil. Trans. 1799, ii. p. 205.

- c. Skeleton. India. Presented by Sir Jasper Nichols and General Thomas Hardwicke.
- d. Tusks. Ceylon. Presented by H.R.H. the Duke of Sussex.

e. The base of two tusks. India.

f. Skull: half-grown.

g, h. Skulls.

i. Skull. Meerut, India. Presented by Lieut. G. Campbell.

j. Skeleton (disarticulated). From the Zoological Society's Collection.

k. Skull: very young.

l, m. Teeth.

- n, o. Teeth. Ceylon. Presented by Dr. J. Davy. p-s. Teeth. India. Presented by H. Lacon, Esq.
- t, u. Teeth. From Mr. Stevens's sale. v-z. Teeth in various stages of growth.

 a^2 . Tooth: lower molar, right side.

b². Tooth. \(\) India. Presented by J. E. Boileau,

 c^2 . Section of an upper molar. \int Esq.

 d^2 , e^2 . Sections of teeth.

 f^2 . Femur of young. Presented by R. Weeks, Esq.

LOXODONTA.

Teeth:—Incisors $\frac{2-2}{0-0}$; Molars $\frac{6-6}{6-6}$; = 28.

The African Elephant. Loxodonta africana.

Cuv., Oss. Foss. i. tab. 2-8.—Pander und D'Alton, Vergl. Osteol. tab. 1 (skeleton), tab. 2 (skull and teeth).—Blainv., Osteog. pl. 3 (skull, female), pl.7. figs. 1-5 (dentition), pl. 9 (dentition of young).—Schreb., Säugth. vi. pl. 317c (skull).—Oven, Odont. p. 629. pl. 146. fig. 7 (section of a tooth); Odontology, Article in Encycl. Brit. p. 475. fig. 144 (upper molar); Lect. Comp. Anat. ii. tab. 36. fig. 7 (teeth).—Griffith, A. K. pl. 148. fig. 2 (teeth).

a. Tooth. S. Africa. Presented by John Lee, LL.D.

*b. Skull: young.—The specimen figured by Dr. Falconer.

c. Skull: half-grown (the lower jaw wanting).

d. Two tusks.

e-g. Teeth.

- h. Skeleton. S. Africa. Purchased of Mr. Stevens.
- i. Skull: young. From Mr. Jamrach's Collection.

j. Skull (foetus).

k. A deformed tusk. Mozambique. Presented by S. O. Soarez, Esq.

TAPIRUS.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{3-3}$; Molars $\frac{3-3}{3-3}$;=42.

The MBOREBI or TAPIR. Tapirus terrestris.

Tapirs, Pander und D'Alton, Vergl. Osteol. pl. 12 h (skull).
Tapir d'Amérique, Cuv., Oss. Foss. ii. p. 145. pl. 1 (skeleton), pl. 2,

figs. 1-8 (skull and dentition). - Wiedemann, Archiv Zool. ii. pl. 1. fig. 4 (skull).—Spix, Cephalog. pl. 7. fig. 20 (skull). Tapirus americanus, Blainv., Ostéog. G. Tapirus, pl. 3 (skull), pl. 4 (parts of skeleton).

a, b. Skulls. S. America.

c. Skull. S. America. Presented by J. Miers, Esq.

Brazils. From Mr. Becker's Collection. d. Skeleton.

e. Skull. Demerara. Presented by Sir Robert Schomburgk.

f. Skull: half-grown.

g. Skull.

The Kuda, Aver, or Tennu. Tapirus malayanus.

Tapirs, Pander und D'Alton, Vergl. Osteol. pl. 10 (skeleton).
Tapirus indicus, Blainv., Ostéog. G. Tapirus, pl. 1 (skeleton), pl. 2 (skulls).—Cuv., Oss. Foss. ii. p. 162. pl. 4 (skeleton), pl. 5 (skull).— F. Cuv., Dents des Mamm. p. 216. no. 88. figs. 1-3 (dentition).

Cervical	V	e 1	rt	e	b	r	æ								7
Dorsal .															18
Lumbar															5
Sacral .															
Candal															

Sumatra. From the Zoological Society's Collection. a. Skeleton. b, c. Skulls.

SUS.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{3-3}{3-3}$; = 44.

The Boar. Sus scrofa.

Cuv., Oss. Foss. ii. p. 116. pl. 1, Cochons (skull).—Blainv., Ostéog. G. Sus, pl. 1 (skeleton, male); Sus scrofa ferus, S. domesticus, pl. 4 (skulls, male and female); Sus sinensis, pl. 5 (skull).—Owen, Odont. p. 544. pl. 140. figs. 1, 2 (dentition).

Wild Boar, Home's Lect. Comp. Anat. ii. tab. 27. figs. 1-3 (lower jaw, representing the process of shedding the teeth).—Cur., Anat. Comp. v. pl. 13. fig. 1 (bones of fore-arm), 1805. Cochon, Buff., Hist. Nat. v. p. 176. pl. 23 (skeleton).

Cervical vertebræ	7
Dorsal	14
Lumbar	6
Sacral	4
Caudal	17 or 18

- a. Skull. Wild. Xanthus. Presented by Sir Charles Fellows.
- b. Skull. Domestic var. England.
- c. Skeleton. From the Zoological Society's Collection.
- d. Skeleton.
- e. Skull: young. From Mr. Williams's Collection.

- f, g. Skulls. From the Zoological Society's Collection.
- h. Skull. Africa.
- i. Skull. "Wild Sow." From the Zoological Society's Collection.
- j. Skull. S. Germany. From Dr. A. Günther's Collection.
- k. Skull: young. From the Zoological Society's Collection.
- l. Skull (imperfect). Ireland.
- m. Skeleton: male. Germany. From the Zoological Society's Collection.

The Gambian Hog. Sus gambianus.

a. Skull. Gambia.

The CAPE BOAR. Sus capensis.

a. Skull. S. Africa. From Captain Alexander's Expedition.

The Indian Wild Boar. Sus indicus.

Blainv., Ostéog. G. Sus, pl. 5 (skull).

- a. Skull. India.
- b. Skull. Presented by General Hardwicke.
- c, d. Skulls of the Wild Boar of the plain, or Taray.
- e, f. Skulls of adult.
- Presented by B. H. Hodgson, g-j. A half-grown skull and three young specimens of the Wild Boar of the hills.
- k. Skull of adult. Malabar.
- l-n. Skulls. India. Presented by Professor Oldham.
- o. Skull. India. Presented by T. E. J. Boileau, Esq.
- p. Skull.
- q, r. Skulls. India. From the Zoological Society's Collection.
- s-u. Skulls. Nepal. Presented by B. H. Hodgson, Esq.
- v. Skull. Neilgherries. From Mr. Turner's Collection.—Sus affinis, Gray, Ost. Cat. p. 71, 1847.
- w. Skull: young. Presented by B. H. Hodgson, Esq.
- x. Skull. From the Zoological Society's Collection.
- y. Skull. India. Presented by G. H. Money, Esq.

Sus vittatus.

Müller, S. Verh. Nat. Gesch. p. 175. pl. 32. figs. 5, 6 (skull).—Blainv., Osteog. G. Sus, pl. 5 (skull).

- a. Skull. Borneo.
- b. Skull. Java.
- c. d. Skulls. Amboyna.

e. Skull: young. Macassar.

From Mr. Wallace's Collection.

Sus verrucosus.

Müller, S	. Verh	Nat.	Gesch.	p.	175.	pl.	32 .	figs.	1-4	(skulls).	
-----------	--------	------	--------	----	------	-----	-------------	-------	-----	-----------	--

Cervical vertebrae	 7
Dorsal	 14
Lumbar	 5
Sacral	 4
Candal	 20

- a. Skull: adult. Borneo. Collected by J. Brooke, Esq.
- b. Skull: young. Borneo. Presented by Captain Sir E. Belcher, K.C.B.
- c. Skull. Java.
- d. Skull. Ceram. From Mr. Wallace's Collection.
- e. Skeleton: male. From the Zoological Society's Collection.

Sus timorensis.

Müller, S. Verh. Nat. Gesch. p. 178. pl. 31. figs. 2, 3 (skull).

Sus barbatus.

Müller, S. Verh. Nat. Gesch. p. 179. pl. 31. figs. 4, 5 (skull).

Sus celebensis.

Müller, S. Verh. Nat. Gesch. p. 177. pl. 28. figs. 2, 3 (skull).

The Japanese Masked Pig. Sus (Gyrosus) pliciceps.

Bartlett, Proc. Zool. Soc. 1861, p. 263 (head).—Gray, Proc. Zool. Soc. Jan. 1862 (skull).

Cervical	V	e	rl	e	b	r	æ	٠.							7
Dorsal .															13
Lumbar															6
Sacral .	٠,														4
Candal .	Ċ														23

a. Skeleton. Japan. Purchased of Mr. Bartlett.

PORCULA.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{3-3}{3-3}$; = 44.

The Pigmy Hoe. Porcula salvania.

a. Skull. Saul Forest, India. Presented by B. H. Hodgson, Esq. b. Skull (imperfect).

BABIRUSSA.

Teeth:—Incisors $\frac{2-2}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{3-2}$; Molars $\frac{3-3}{3-3}$; = 34.

The Babirussa. Babirussa alfurus.

Sus babirussa, Blainv., Ostéog. G. Sus, pl. 2 (skeleton, male), pl. 5 (skull), pl. 6 (parts of skeleton).—Oven, Odont. p. 547. pl. 140. fig. 3 (skull), fig. 4 (molar series).—Griffith, A. K. pl. 151 (skull).—F. Cuv., Dents des Mamm. p. 212. no. 86 (dentition). Babiroussa, Buff., Hist. Nat. xii. p. 434. pl. 48 (skull).

- a, b. Skulls. Malacca.
- c. Skull. Malacca. Presented by General Hardwicke.
- d. Skull. Tusks very much developed.
- e, f. Skulls. From Mr. Stevens's sale.
- g. Skull. Presented by Daniels, Esq.
- i. Skeleton (imperfect). From the Zoological Society's Collection.
- j. Skull.

k. Skull. Borneo. k. Skull. Borneo. l-n. Skulls: adult and young. From Mr. Wallace's Collection.

POTAMOCHŒRUS.

Teeth:—Incisors $\frac{3-3}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{3-3}$; Molars $\frac{3-3}{3-3}$; = 40.

The Red-River Hog. Potamocherus penicillatus.

Gray, Proc. Zool. Soc. 1852, p. 131. fig.—Sclater, Proc. Zool. Soc. 1860, p. 301 (skull).

Cervical vertebræ	7
Dorsal	
Lumbar	
Sacral	25

- *a. Skeleton: female. Cameroons River. From the Zoological Society's Collection—The skull figured by Dr. P. L. Sclater.
- b. Skeleton: male.

The Bosch Vark. Potamocherus africanus.

Sus larvatus, F. Cuv., Mém. du Mus. viii. p. 453. pl. 22. fig. c, d (skull). —Blainv., Ostéog. G. Sus, pl. 5 (skull), pl. 8 (dentition). Sus africanus, Laurent et Bazin, Anat. Phys. pl. 11. ix. (dentition).

a. Skull. S. Africa. From Mr. Argent's Collection.

b. Skeleton: male. S. Africa. From the Zoological Society's Collection.

PHACOCHŒRUS.

Teeth:—Incisors $\frac{1-1}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{2-2}{3-3}$; Molars $\frac{3-3}{3-3}$; = 32.

The Valke Vark or Emgallo. Phacocherus æthiopicus.

F. Cuv., Mém. du Mus. viii. pp. 450, 452. pl. 23 (skull). Phacocherus pallasii, Van der Hoeven, Acad. Exp. 19 (skull), 1837.—

280 ELEPHANTIDÆ.—DICOTYLES.
F. Cuv., Dents des Mamm. pl. 87 (dentition).—Owen, Odont. pl. 140. fig. 4 (dentition); Phil. Trans. pl. 33. figs. 1-6 (skull and dentition of young), pl. 34. figs. 8-11(dentition).—Blainv., Ostéog. pl. 5 (skull), pl. 8 (dentition).
Cervical vertebræ 7 Dorsal 13 Lumbar 6 Sacral 4 Caudal 13 or 14
With two incisors in the upper jaw.
 a. Skull. S. Africa. Presented by J. C. Taunton, Esq. b. Skull (very large). Cape de Verde. Presented by T. Tatum, Esq. c. Skull. f, g, i, j, m. Upper jaws. S. Africa. Purchased of Mr. Argent.
Without incisors in the upper jaw.
d. Skull. e, h, k, l . Upper jaws. Skeleton: female. From the Zoological Society's Collection.
The HARUJA or HALLUF. Phacocherus æliani.
Rüppell, Zool. Atlas, 61. tab. 25, 26. fig. a-g (skull). Phacocherus ethiopicus, Home's Lect. Comp. Anat. ii. pls. 38, 39 (skull and dentition).
With two incisors in the upper jaw.
 a. Skull. Caffraria. From M. Sundevall's Collection. b. Skeleton: female. From the Zoological Society's Collection.
DICOTYLES.
Teeth:—Incisors $\frac{2-2}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{3-3}{5-3}$; Molars $\frac{3-3}{5-3}$;=38.
The Pecari or Tajacu. Dicotyles tajacu.
Sus torquatus, <i>Blainv.</i> , Ostéog. G. Sus, pl. 3 (skeleton, female), pl. 5 (skull), pl. 6 (parts of skeleton).— <i>Baird</i> , Mamm. N. America, pl. 87 (skull). Dicotyles, <i>Owen</i> , Odont. p. 559.
Pecari, Buff., Hist. Nat. x. p. 50. pl. 13 (skeleton).
Cervical vertebræ 7 Dorsal 14 Lumbar 5 Sacral 4 Caudal 6
a. Skull of adult. Brazils.b. Skull of adult. Organ Mountains, Brazils.
c, d, f. Skulls. e, g. Skeletons. From the Zoological Society's Collection.

The Tagnicote. Dicotyles labiatus.
Cervical vertebræ 7 Dorsal 14 Lumbar 5 Sacral 4 Caudal 9
 *a. Skull. Brazils. b. Skull: young. c, d. Skeletons: male and female. Brazils. From Mr. Becker's Collection. e. Skull (very large). f. Skeleton. From the Zoological Society's Collection.
RHINOCEROS.
Teeth:—Incisors $\frac{1-1}{2-2}$; Canines $\frac{0-0}{0-0}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{3-3}{3-3}$;=34.
The RHINOCEROS. Rhinoceros unicornis.
Spix, Cephalog. tab. 7. fig. 21 (skull).—Pander und D'Alton, Vergl. Osteol. pl. 8 (skeleton), pl. 11 (skull and limbs).—Cun., Oss. Foss. ii. p. 5. pl. 1 (skeleton), pl. 2. figs. 3,4 (dentition).—Blaim., Ostéog. G. Rhinoceros, pl. 2 (skull).—Schreb., Säugth. i.—iii. pl. 77 B (skull).—Parsons, Phil. Trans. 1742-43, p. 525. tab. 1, 2.
Cervical vertebræ 7 Dorsal 19 Lumbar 4 Sacral 5 Caudal 5
 a. Skull. India. Presented by C. Gascoin, Esq. b. Skull of a just-born specimen. Nepal. Presented by B.H. Hodg-c. Left side of a lower jaw. son, Esq. d. Skull. India? e. Skull.
*f. Skeleton. g. Skull. h, i. Horns. j. Horn: young.
The Java Rhinoceros. Rhinoceros javanicus.
Rhinoceros unicorne de Java, Cuv., Oss. Foss. ii. pl. 17. fig. 1 (skeleton), fig. 2 (pelvis), pl. 4. fig. 2 (skull). Rhinoceros javanus, Blainv., Ostéog. G. Rhinoceros, p. 72. pl. 1 (skeleton), pl. 2 (skull), pl. 8 (dentition), pls. 5-7 (parts of skeleton).—Schreb., Säugth. vii. pl. 317 H (skull).
Cervical vertebræ 7 Dorsal 19

Lumba	r	V	e.	r	te	b	r	æ								3
Sacral														٠.		5
Caudal																22 or 23

a, b. Skulls.

c. Skull. Borneo. From Mr. Wright's Collection.

d. Skeleton. Java. From Professor Schlegel's Collection.

Rhinoceros sumatranus.

Bell, Phil. Trans. 1793, p. 6. tab. 3, 4 (skull, with horns).—Cuv., Oss. Foss. ii. tab. 4. fig. 8 (skull), iii. p. 385. pl. 78 (skeleton), pl. 79. fig. 3 (skull).—Blainv., Ostéog. G. Rhinoceros, p. 70. pl. 2 (skull, female), pls. 5-7 (parts of skeleton).—Schreb., Säugth. vii. pl. 117 H (skull).

Cross's Rhinoceros crossii.

Gray, Proc. Zool. Soc. 1854, p. 250 (fig. of horn).

a. Horn. Presented by Edward Cross, Esq.

RHINASTER.

Teeth:—Incisors $\frac{0}{6}$; Canines $\frac{0}{6}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{3-3}{3-3}$;=28.

The GARGATAN or RHINASTER. Rhinaster bicornis.

Rhinoceros bicornis, Cuv., Oss. Foss. ii. pl. 2. figs. 1, 2 (dentition), pl. 4. figs. 6, 7 (skulls, adult and young), pl. 16 (skeleton).—Blainv., Ostéog. p. 66. pl. 3 (skull, male), pls. 5, 6 (parts of skeleton), pl. 8 (dentition).—Owen, Odont. pl. 138. fig. 2 (skull).

Rhinoceros africanus, *Duvernoy*, Archives du Mus. vii. pl. 8 (skull, jun.).—*Schreb.*, Säugth. vii. pl. 317. fig. 4 (skull).—*Parsons*, Phil. Trans. 1742-43, tab. 3. figs. 4, 5 (horns).

- a. Skull. Sennaar (12°-13° N. lat.). From Mr. Petherick's Collection.
- b. Horns: half-grown. From Mr. Argent's Collection.

c, d. Adult (front horns).

- e. Adult (front and back horn).
- f. Young (front and back horn).

BURCHELL'S RHINOCEROS. Rhinaster simus.

Rhinoceros simus, Burchell, Journ. Phys. lxxx. p. 163; Travels, ii. p. 75. —Blainv., Ostéog. G. Rhinoceros, pl. 4 (skull, atlas, &c.).—Divernoy, Archives du Mus. vii. pls. 2, 3 (skulls), pl. 8 (skull, jun.).

- a, b. Skulls: adult. S. Africa.
- c, d. Skulls: young. S. Africa.
- e-l. Adult horns.
- m-o. Half-grown.
- p. Young.

The White Rhinoceros. Rhinaster ketlos.

Rhinoceros ketloa, Smith, Illustr. Zool. S. Africa, Mamm. tab. 1.— Parsons, Phil. Trans. 1742-43, p. 540. tab. 3. figs. 8, 9 (horns).

- a, b. Adult front horns.
- c. Adult back horn.
- d. Half-grown (front and back horn).
- e. Young back horn.
- f. Very young back horn.

The Kobaaba. Rhinaster oswellii.

Rhinoceros oswellii, *Gray*, Proc. Zool. Soc. 1853, p. 46. fig. (horns).— *Anderson's* Lake Ngami or Explorations in S. Africa, p. 388. fig. (horns).

- a. The front and back horn. Interior of S. Africa. Presented by Colonel Thomas Steele.—The specimen figured by Dr. Gray.
- b. Front horn (4 feet 9 inches long). Interior of S. Africa.
- c. Front horn.
- d. Front horn. From Sir Hans Sloane's Collection.—The specimen figured by Parsons, Phil. Trans. 1742-43, tab. 3. fig. 6 (horn).

HYRAX.

Teeth:—Incisors $\frac{1-1}{2-3}$; Canines $\frac{6-0}{0-6}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{3-3}{3-3}$; =34.

The KLIP-DAS. Hyrax capensis.

Pallas, Spicil. Zool. ii. p. 16.—Cuv., Oss. Foss. ii. p. 127. pl. 2. figs. 1-6 (skull).—Spix, Cephalog. pl. 7. fig. 8.—Blainv., Ostéog. G. Hyrax, pl. 2 (skull and dentition).—G. Fischer, Anat. des Makis, p. 163. pl. 18. fig. 2 (skull), 1804.—F. Cuv., Dents des Mamm. p. 218. no. 89. figs. 1-3 (dentition).

Cervical vertebræ	 7
Dorsal	
Lumbar	 8
Sacral	 5
Candal	

- a. Skeleton. Cape of Good Hope. From the Zoological Society's Collection.—This specimen has twenty-two pairs of ribs, the first of which are articulated to the last cervical vertebræ, and five sternal bones.
- b. Skeleton. Cape of Good Hope. From the Zoological Society's Collection.—This specimen has only twenty-one pairs of ribs, but has more sternal bones than a, the number being seven.
- c-e. Skulls. From the Zoological Society's Collection.
- f. Skull: young.

The Ashkoko. Hyrax abyssinicus.

Hyrax habessinicus, Ehrenberg und Hemprich, Symb. Phys. Mamm. dec. i.—Blainv., Ostéog. p. 10.

- a. Skull. Abyssinia. Presented by J. Reid, Esq.
- b. Skull. Abyssinia. Presented by J. Burton, Esq.
- c. Skull. Abyssinia.

Hyrax ruficeps.

Blainv., Ostéog. G. Hyrax, p. 10. pl. 2 (skull).

The Daman. Hyrax syriacus.

Blainv., Ostéog. G. Hyrax, pl. 1 (skeleton, female), pl. 2 (skull and dentition).

Hyrax arboreus.

Blainv., Ostéog. G. Hyrax, p. 10. pl. 2 (skull and teeth).

Hyrax dorsalis.

*a. Skull. Fernando Po. From the Zoological Society's Collection.

HIPPOPOTAMUS.

Teeth:—Incisors $\frac{2-2}{3-3}$; Canines $\frac{1-1}{1-1}$; Premolars $\frac{4-4}{4-4}$; Molars $\frac{3-3}{3-3}$; = 40.

The Zerkoe or River Horse. Hippopotamus amphibius.

Grew, Mus. Reg. Soc. p. 14. tab. 1 (skull).—Spix, Cephalog. tab. 7. fig. 22 (skull).—Cuv., Oss. Foss. i. p. 270. pl. 1. fig. 1 (skeleton), figs. 2-11 (vert.), pl. 2. figs. 1-4 (skull), figs. 1-20 (parts of skeleton). —Pander und D'Alton, Vergl. Osteol. pl. 5 (skeleton), pl. 6 (skull), pl. 7 (feet and limbs).—Blainv., Osteog. G. Hippopotamus, pl. 1 (skeleton, male), pl. 2 (skull).—Schreb., Säugth. vi. pl. 308 (skull). Hippopotamus, F. Cuv., Dents des Mamm. p. 206. no. 84. figs. 1-3 (dentition).

Hippopotame, Buff., Hist. Nat. xii. p. 68. pl. 6 (skull).

- a. Skull: adult. S. Africa.
- b. The front of the lower jaw.
- c. Tusk, very much elongated.
- d. Skull. Gambia. Presented by the Earl of Derby.
- e. Tusk. From Dr. Mantell's Collection.
- f. Skull. From the Zoological Society's Collection.
- g. Skull: very young. From Mr. Stevens's sale.

The LITTLE or LIBERIAN HIPPOPOTAMUS.

Hippopotamus (Tetraprotodon) liberianus.

Morton, Journ. Acad. Nat. Sci. Philad. i., new series, 1849; Proc. Acad. Philad. 1844, pl. 32 (skull), pl. 33. figs. , pl. 34. figs. 3-9 (dentition).

a. Plaster cast of skull. Presented by S. G. Morton, Esq.

Fam. 4. DASYPIDÆ.

MANIS.

Without teeth.

The Many-shielded Phatagin. Manis multiscutata.

Gray, Proc. Zool. Soc. 1843.

*a. Skull. W. Africa.

The Badgerit or Bajjerkeit. Manis pentadactyla.

Cuv., Oss. Foss. v. pl. 8. fig. 1 (skeleton), figs. 2-22 (skull and parts of skeleton).—Schreb., Säugth. i.-iii. pl. 69 (skull), 1826.

- a. Some bones of half-grown animal. Nepal. Presented by B. H. Hodgson, Esq.
- b. Skull. Purchased of Mr. Williams.
- c. Skull. Darjeeling. Presented by Professor Oldham.
- d, e. Skeletons. Nepal. Presented by B. H. Hodgson, f-i. Skeletons (imperfect). Esq.

The Tangilin. Manis javanica.

Rapp, Edentaten, taf. 6. figs. 1, 2 (skull).

Manis temminckii.

Peters, Naturw. Reise nach Mossambique, Säugth. i. p. 174. pl. 32. fig. 8 (os hyoides).

XENURUS.

Teeth:—Incisors $\frac{0-0}{0-0}$; Molars $\frac{9-9}{8-8}$; =34.

The TATOUAY. Xenurus unicinctus.

Le Caboussa, Cuv., Oss. Foss. v. p. 123. pl. 11. figs. 7-9 (skulls).

Cervical vertebræ	 7
Dorsal	 12
Lumbar	
Sacral	
Condel	 18

a, b, c. *Skulls. S. America.

d, e, f. Skeletons: male and female. From Mr. Brandt's Collection.

DASYPUS.

Teeth:—Incisors $\frac{0-0}{0-0}$; Molars $\frac{9-9}{10-10}$;=38.

The A	Armadillo. Dasypus sexcinctus.
(dentition).	n, pl. 3. fig. 4 (skull).—Owen, Odont. pl. 85. fig. 3
	v., Oss. Foss. v. p. 122. pl. 11. figs. 4-6 (akull).
Dorse Luml Sacra	cal vertebrae 7 al 12 bar 3 l 8 al 17
	ased of Mr. Bartlett. the Zoological Society's Collection.
The HA	IBY ARMADILLO. Dasypus villosus.
Dorsa Lumb Sacra	cal vertebræ 7 al 11 bar 3 l 8 al 17
a. Skeleton.	
	TATUSIA.
Teeth	:—Incisors $\frac{6-6}{6-0}$; Molars $\frac{8-8}{8-8}$;=32.
Th	ne Apara. Tatusia tricincta.
a. Skull. Bolivia.b. Skull, and bones	From Mr. Bridges' Collection. of the body.
Th	e Pitcher. Tatusia minuta.
*a. Skull. From M	fr. Bridges' Collection.
The	Peba. Tatusia septemeineta.
figs. 4–22 (part Dasypus novemci Mamm. N. Am Tatusia peba, Ow	nctus, Spix, Cephalog. tab. 7. fig. 13 (skull).—Baird,
	cal vertebræ

Sacral vertebræ	 9
Caudal	 26 or 27

- a. Skeleton. From Mr. Brandt's Collection.
- b. Skeleton. S. America.
- c, Skeleton: adult. S. America.
- d, e. Skulls. Bolivia. From Mr. Bridges' Collection.
- f. Skull, without the lower jaw. From Mr. Yarrell's Collection.

PRIODONTES.

The number of the teeth varies from 24 to 26 in each upper jaw, and from 22 to 24 on each side of the lower jaw, amounting to from 94 to 100 in total number.—Owen.

The TATOU. Priodontes gigas.

Rapp, Edentaten, tab. 4 (skeleton), 1852.—Oven, Odont. pl. 85. fig. 1 (teeth); Odontology, Article in Encycl. Brit. p. 441 (teeth).

Tatou geant, Cuv., Oss. Foss. v. pl. 11. figs. 1-3 (skulls), fig. 10 (feet).

Cervical vertebræ	 7
Dorsal	 12
Lumbar	 3
Sacral	 10
Caudal	

a, b. Skeletons. S. America. From Mr. Brandt's Collection.

ORYCTEROPUS.

Teeth:—Molars $\frac{7-7}{6-6} = 26$.

The Aard-Vark. Orycteropus capensis.

Cuv., Oss. Foss. v. pl. 12. fig. 1 (skeleton), figs. 2-25 (skulls and parts of skeletons).—Rapp, Edentaten, p. 13. tab. 4 (skull), 1852.—Oven, Odont. p. 317. pl. 76. fig. 8 (upper and lower molars), pl. 78. fig. 11 (sections of teeth); Odontology, Article in Encycl. Brit., new edit., p. 440. fig. 49 (teeth).

Cervical	1	76	91	rt	e	b	r	æ								7
Dorsal																13
Lumbar																8
Sacral																6
Caudal															:	25

- a. Skull. Cape of Good Hope. From Mr. Stevens's sale.
- b. Skeleton. S. Africa.

MYRMECOPHAGA.

Without teeth.

The boson and account.
The Great Ant-eater. Myrmecophaga jubata.
Cuv., Oss. Foss. v. pl. 9. fig. 1 (skeleton), figs. 2–23 (skull and parts of skeleton).—Rapp, Edentaten, p. 14. pl. 4 (skeleton, female), 1852.
Cervical vertebræ 7 Dorsal 16 Lumbar 2 Sacral 6 Caudal 31
a. Skeleton. S. America.b. Skull. La Plata. From M. Bravard's Collection.
TAMANDUA.
Without teeth.
The Tamandua. Tamandua tetradactyla.
Myrmecophaga tamandua, <i>Blainv.</i> , Ostéog. G. Myrmecophaga, pl. (skeleton).— <i>Rapp</i> , Edentaten, tab. 4. figs. 1, 2 (skull), 1852.
Cervical vertebræ 7 Dorsal 18 Lumbar 3 Sacral 4 Caudal 35
a. Skeleton. From Mr. Brandt's Collection.b. Skull.
PLATYPUS.
Horny teeth $\frac{3-2}{3-2} = 8$.
The Mullingang. Platypus anatinus.
Ornithorhynchus paradoxus, Spix, Cephalog. tab. 7, 14 (skull).— Owen, Odont. pl. 76. figs. 1-3 (dentition).—Home's Lect. Comp. Anat. ii. pls. 58, 59 (skull). L'Ornithorhynque, Cw., Oss. Foss. v. p. 143. pl. 14. fig. 1 (skeleton), figs. 2-26 (skull and parts of skeleton). Ornithorhynchus rufus, Schreb., Säugth. iiii. pl. 63. fig. 1 (skull), 1826.—Waterhouse, Nat. Hist. Mamm. i. p. 25. pl. 2 (head, feet, chest, bones, pelvis, &c.).
Cervical vertebrse 7 Dorsal 16 Lumbar 2 Sacral 3 Caudal 20
a. Skeleton. From Dr. Mantell's Collection.

- Skull: male. Shoalaven, Australia. Presented by J. Macgillivray, Esq.
- c. Skull.
- d. Skeleton (imperfect). From the Zoological Society's Collection.
- e. Skull. From Mr. Yarrell's Collection.
- f. Skeleton: young. Presented by Professor Owen.

ECHIDNA.

The Brown Echidna. Echidna set	osa.
Cervical vertebræ Dorsal	
Lumbar	3
Caudal	

a. Skeleton. Van Diemen's Land. Presented by Capt. Mangles.
 b. Skeleton (imperfect). From the Zoological Society's Collection.

The ECHIDNA. Echidna hystrix.

Echidna hystrix, Spix, Cephalog. tab. 7. fig. 15 (skull). L'Echidne, Cuv., Oss. Foss. v. p. 143. pl. 13. fig. 1 (skeleton), figs. 2-21 (skulls and parts of skeleton).

Ornithorhynchus paradoxus, *Oven*, Odontology, Article in Encycl. Brit., new series, p. 440. fig. 48 (jaws and teeth).—*Waterhouse*, Nat. Hist. Mamm. i. pp. 41, 42 (skeleton and skull), p. 23 (sternum).

Cervical	V	eı	rt	æ	b	r	æ	٠.							7
Dorsal .															16
Lumbar															3
Sacral .															3
Caudal .															

- a. Skeleton. W. Australia. From Mr. Warwick's Collection.
- b. Skeleton, without a skull. From the Zoological Society's Collection.

CHOLÆPUS.

Teeth:—Incisors $\frac{0-0}{0-0}$; Canines $\frac{1-1}{1-1}$; Molars $\frac{4-4}{3-3}$;=18.

The UNAU. Cholæpus didactylus.

Owen, Odont. pl. 81. figs. 3-5 (dentition).
Bradypus didactylus, Cuv., Oss. Foss. v. p. 73. tab. 6, tab. 7. figs. 3, 5 (akull), cop. Cuv., Règ. An. Illust. tab. 70. fig. 2.—Blainv., Ostéog. G. Bradypus, tab. 1. fig. 1 (akeleton), tab. 3 (skull).—Rapp, Edentaten, taf. 3. fig. 2 (akull).—Guérin, Icon. R. A. tab. 33. fig. 2, 2 a (akull).

Fourmilier, Buff., Hist. Nat. x. p. 178. pl. 30 (skeleton), pl. 33 (limbs).

- *a. Skull: adult. Columbia.
- *b. Skull: half-grown.
- *c. Teeth: young.
- d. Skull: adult:

CYCLOTHURUS.

The ANT-EATER. Cyclothurus didactylus.

Myrmecophaga didactyla, Blainv., Ostéog. G. Myrmecophaga, pl. (skeleton).—Rapp, Edentaten, pl. 4. figs. 3-5 (skull), 1852.

Cervical vertebræ	 7
Dorsal	
Lumbar	
Candal	

- a: Skeleton (imperfect). Pernambuco. Presented by J. P. G. Smith, Esq.
- *b. Skull. S. America. From Mr. Bates's Collection.
- c. Skeleton. S. America. Presented by A. Cuming, Esq.

BRADYPUS.

Teeth:—Incisors $\frac{0-0}{0-0}$; Canines $\frac{0-0}{0-0}$; Molars $\frac{5-5}{4-4}$;=18.

The GIPAKEIOU. Bradypus affinis.

Gray, Proc. Zool. Soc. 1849, p. 68. pl. 10. fig. 2 a, b, c (skull).

- a. Skeleton. Brazils. From Mr. Brandt's Collection.
- *b. Skull. S. America.

The Sloth or A1. Bradypus problematicus.

Gray, Proc. Zool. Soc. 1849, p. 73. pl. 11. fig. 5 (lower jaw).

a. Skull and imperfect skeleton. Presented by J. P. G. Smith, Esq.

Bradypus crinitus.

Gray, Proc. Zool. Soc. 1849, p. 67. pl. 10. fig. 1 a, b, c (skull).

Cervical vertebræ	9
Dorsal	15
Lumbar	5
Sacral	6
Candal	11

a. Skeleton. Brazils. From Mr. Becker's Collection.

ARCTOPITHECUS.

Teeth:—Incisors $\frac{0-0}{0-0}$; Canines $\frac{0-0}{0-0}$; Molars $\frac{5-5}{4-4}$; =18.

Arctopithecus gularis.

Gray, Proc. Zool. Soc. 1849, p. 70. pl. 11. fig. 6 (lower jaw). Bradypus tridactylus, var., Cur., Oss. Foss. v. tab. 5. figs. 1-3, cop. Cur., Règ. An. Illust. tab. 70. fig. 1 a.—Owen, Odont. pl. 81. fig. 3 (dentition).

Cervical vertebræ	 9
Dorsal	 15
Lumbar	 3
Sacral	
Caudal	

*a. Skull. Bolivia. From Mr. Bridges' Collection.

b. Skeleton: young.

Arctopithecus marmoratus.

Gray, Proc. Zool. Soc. 1849, p. 71. pl. 11. fig. 3 (lower jaw, adult), fig. 4 (half-grown).

Bradypus tridactylus guianensis, *Blainv.*, Ostéog. G. Bradypus, tab. 3 (skull).—*Spix*, Cephalog. tab. 7. fig. 12 (skull).
Bradypus cuculliger, *Rapp*, Edentaten, taf. 3. fig. 1 (skull).

a. Skull: adult.
b. Skull: half-grown.
S. America. From Mr. Stevens's sale.

Arctopithecus flaccidus.

Gray, Proc. Zool. Soc. 1849, p. 72. pl. 11. fig. 1 (adult), fig. 1 a (young skull).

*a. Skull. Venezuela. From Mr. Dyson's Collection. b. Skull. Para. Presented by J. P. G. Smith, Esq.

Arctopithecus blainvillii.

Gray, Proc. Zool. Soc. 1849, p. 71. pl. 11. fig. 2 (skull). Bradypus tridactylus, Cuv., Oss. Foss. v. pl. 4 (skeleton), pl. 5 (skull). Bradypus tridactylus brasiliensis, Blainv., Ostéog. tab. 2 (skeleton), tab. 3 (skull).

Cervical	V	e	r	te	b	r	æ	١.							9
Dorsal .															16
Lumbar									٠.						4
Sacral .															
Caudal .															

- a. Skeleton. Brazils. From Mr. Becker's Collection.
- b, c. Skulls. S. America. Presented by the Zoological Society.
- d. Skeleton. Guiana. From Mr. Brandt's Collection.
- ? c. Skeleton: very young. From the Zoological Society's Collection.

CHLAMYPHORUS.

Teeth:—Incisors $\frac{0-0}{0-0}$; Canines $\frac{0-0}{0-0}$; Molars $\frac{8-8}{8-8}$;=32.

The CHLAMYPHORUS. Chlamyphorus truncatus.

Harlan, Annals of the Lyceum of New York, ii. pt. 2, 1825.—Zool. Journ. iii. p. 544.—Hyrtl, Akademie der Wissenschaften, 1855, tab. 3. fig. 1 (skeleton), figs. 2–5 (feet), fig. 6 (sternum), fig. 7 (caudal vertebræ), tab. 4. figs. 1–3 a, b (skull), fig. 4 (lower jaw), figs. 5, 6 (cervical vertebræ), figs. 7, 8 (lumbar vertebræ), figs. 10–13 (pelvis).—Isis, 1830, tab. 8. fig. 1 (skeleton), figs. 2, 3 (skulls), fig. 4 (lower jaw).—Gray, Proc. Zool. Soc. 1857, p. 9. figs. 1–3 (pelvis and posterior disk).

Cervical	verte	br	æ.	 	 	 7
Dorsal .				 	 	 11
Lumbar						
Sacral .				 	 	
Candal						14

^{*}a. Skeleton.

b. Skeleton.

ADDENDA.

Page 3. Homo sapiens.

- nº. Skull and parts of the skeleton of an adult, native of the Andaman Islands. Presented by Dr. J. Mouat, Inspector-General of Gaols in India.
- o⁶. Three skulls from a tomb at Cyrene. Obtained by Lieut. Smith, R.E., and Lieut. Porcher, R.N. Presented by Charles Newton, Esq.
- p^s , q^s . Two skulls of Australian natives. Sharks' Bay, W. Australia. Presented by F. M. Rayner, Esq., R.N.
- ro. Calvarium of a convict who was murdered by a fellow-convict on Norfolk Island with an axe. Presented by F. M. Rayner, Esq., R.N.

Page 3. Troglodytes gorilla.

Pithecia gesilla, Blainv., Ostéog. Primates, pl. 1 (skeleton), pl. 5 (skull and teeth).

W. Africa. Purchased of Mr. Du Chaillu.

- *h. Skeleton: adult male.
- i. Skeleton: adult female.
- j. Skeleton: young male.
- k. Skull: young female.
- l. Skeleton.

Page 4. Troglodytes niger.

- i. Skeleton: adult male. Var. Kooloo Camba, DuCh. W. Africa.
- j. Skeleton: male. Var. Troglodytes calvus, DuCh. k. Skeleton: female. Var. Troglodytes calvus, DuCh. Mr. DuChaillu.

Page 8. Presbytes cinereus.

d. Skeleton. Pachebore. From M. Mouhot's Collection.

Page 9. The WHITE-THIGHED COLOBUS. Colobus vellerosus.

Cervical	v	e	rl	æ	b	r	æ	١.							7
Dorsal .															
Lumbar															6
Sacral .															
Caudal															

a-c. Skeletons of male and female. W. Africa.

Page 33. The BLACK GALAGO. Galago alleni.

*c. Skull. Gaboon, W. Africa. From M. Verreaux's Collection.

Page 43. Nyctophilus australis.

Peters, Akademie der Wissenschaften zu Berlin, 1860, pl. . figs. 4-10 (skeleton, skull, and dentition).

Page 57. Pteropus macklotii.

Temm., Wilkes's Exploring Expedition, 1858, viii. p. 11 (skull).

Pteropus samoensis.

Peale, Wilkes's Exploring Expedition, 1858, viii. p. 10 (skull).

Page 78. Cynogale bennettii.

Viverra carcharias, *Blainv.*, Ann. des Sci. Nat. 2 sér. Zool. xii. p. 281. pl. 8. fig. a (skull).

Page 84. Canis occidentalis.

Lupus occidentalis, Cassin, Wilkes's Exploring Expedition, 1858, viii. p. 18 (skull).

Canis gigas.

Lupus gigas, Cassin, Wilkes's Exploring Expedition, 1858, viii. p. 18 (skull).

Canis ochropus.

Lupus ochropus, Cassin, Wilkes's Exploring Expedition, 1858, viii. p. 21 (skulf).

Page 116. The French Daesman. Galemys pyrenaica.

Cervical	Cervical vertebræ															7			
Dorsal .																			
Lumbar																			5
Sacral .																			
Candal																			

b. Skeleton. Pyrenees. Presented by F. Maxwell Lyte, Esq.

Page 141. Lobodon carcinophaga.

Cassın, Wilkes's Exploring Expedition, 1858, viii. p. 26 (skull).

Page 149. Balæna mysticetus.

Eschricht & Reinhardt, Kong. Danske Vidensk. Selsk. Skrifter, v. p. 437. tab. 2 (skull).

Page 150. Balænoptera musculus.

Eschricht & Reinhardt, Kong. Danske Vidensk. Selsk. Skrifter, v. tab. 3. fig. 3 (skull).

Page 150. Physalus (Rorqualus) boops.

Megapteron boops, Eschricht & Reinhardt, Kong. Danske Vidensk. Selsk. Skrifter, v. tab. 3. fig. 2 (skull).

NECTOMYS.

Nectomys apicalis.

Peters, Akademie der Wissenschaften zu Berlin, 1860, taf. 2. fig. 3 a-c (skull).

Nectomys squamipes.

Brandt, Akademie der Wissenschaften zu Berlin, 1860, taf. 2. fig. 4 (skull).

SPALACOMYS.

Spalacomys indicus.

Peters, Akademie der Wissenschaften zu Berlin, 1860, taf. 2. fig. 1 a-e (skull).

SCAPTEROMYS.

Scapteromys tomentosus.

 $\it Licht.,$ Akademie der Wissenschaften zu Berlin, 1860, taf. 2. fig. 2a-c (teeth).

Page 174. Sigmodon berlandieri.

Baird, Mamm. N. America, p. 506. pl. 53. fig. 7 (teeth), pl. 84. fig. 3 (skull).

*a. Skull. East side of the Andes, province of Mendoza.

Page 204. Helamys caffer.

Bianconi, Specim. Zool. Mossamb. 1850, tab. 3. fig. 1 (skeleton), figs. 3, 4 (skull), tab. 4. fig. 5 a (skull).

SACCOMYS.

Teeth:—Incisors $\frac{1-1}{1-1}$; Molars $\frac{4-4}{4-4}$;=20.

Saccomys anthophilus.

F. Cw., Mém. du Mus. x. p. 419. pl. 26. figs. 8, 9 (dentition), 1823; Dents des Mamm. p. 187. no. 74 (dentition), 1825.

Page 224. Aplodontia leporina.

Wilkes's Exploring Expedition, 1858, viii. p. 37 (skull).

THE END.

Printed by TAYLOR and FRANCIS, Red Lion Court, Fleet Street.

Digitized by Google

THE ZOOLOGICAL COLLECTION

IN

THE BRITISH MUSEUM.

I. VERTEBRATA.

List of Mammalia. By Dr. J. E. GRAY, F.R.S., F.L.S. &c. 1843. 2s. 6d.

Catalogue of the Mammalia. By Dr. J. E. Gray, F.R.S. &c.
Part 1. Cetacea. 12mo, 1850. 4s., with Plates.
Part 2. Seals. 12mo, 1850. 1s. 6d., with Woodcuts.
Part 3. Hoofed Quadrupeds.
peda). 12mo, 1852. With Plates of Genera, 12s.

This work contains the description of the genera and species, and figures of the chief characters of the genera.

List of Mammalia and Birds of Nepaul, presented by B. H. Hodgson, Esq., to the British Museum. By Dr. J. E. GRAY and G. R. GRAY. 12mo. 1846. 2s.

Catalogue of Mammalia and Birds of New Guinea. By Dr. J. E. Gray, F.R.S., and G. R. Gray, F.L.S. 8vo. 1858. 1s. 6d. With Figures.

List of the Birds of the Tropical Islands of the Pacific. By G. R. GRAY, F.L.S., F.Z.S. 1859. 1s. 6d.

List of Genera and Subgenera of Birds. By G. R. GRAY, F.L.S. 12mo, 1855. 4s.

List of Birds. By G. R. GRAY, F.L.S., F.Z.S. &c.
Part 1. Raptorial. Edition 1, 1844; edition 2, 1848. 3s.
Part 2. Passeres. Section I. Fissirostres. 1848. 2s.

Part 3. Gallinæ, Grallæ and Anseres. 1844. 2s. (Out of print.)

Part 3. Section I. Ramphastidæ. 1855. 6d.

Part 3. Section II. Psittacidæ. 1859. 12mo. 2s.

Part 4. Columbæ. 1856. ls. 9d.

List of British Birds. By G. R. GRAY, F.L.S. &c. 12mo. 1850. 4s. List of the Eggs of British Birds. By G. R. GRAY, F.L.S. &c. 12mo. 1852. 2s. 6d.

Catalogue of Shield Reptiles. By Dr. J. E. Gray, F.R.S. &c. Part 1. Testudinata. 4to. 1855. £2:10s. With figures of all the new species, and of the skulls of the different genera.

- Catalogue of Reptiles. By Dr. J. E. Gray, F.R.S., V.P.Z.S. &c. Part 1. Tortoises, Crocodiles and Amphisbænians. 1844. 1s. Part 2. Lizards. 1845. 3s. 6d.
 - Part 3. Snakes (Crotalidæ, Viperidæ, Hydridæ and Boidæ). 12mo. 1849. 2s. 6d.
- Catalogue of Colubrine Snakes, and Appendix to Part 1. By Dr. Albert Günther. 12mo. 1858. 4s.
- Catalogue of Amphibia. By Dr. J. E. Grav, F.R.S., V.P.Z.S. Part 1. Batrachia Gradientia. 12mo, 1850. 2s. 6d. With Plates of the Skulls and Teeth.
- Catalogue of Amphibia. By Dr. A. GÜNTHER.
 Part 2. Batrachia Salientia. 8vo. 1858. 6s. With Plates.
- Catalogue of Fish. By Dr. J. E. Gray, F.R.S., F.L.S., V.P.Z.S.
 Part 1. Cartilaginous Fish. 12mo, 1851. 3s. With two
 Plates:
- These Catalogues of Reptiles, Amphibia, and Fish, contain the characters of all the genera and species at present known; the latter are illustrated with figures of the genera.
- Catalogue of Acanthopterygian Fishes. By Dr. Albert GÜNTHER. 8vo. Vol. I. 1859. 10s. Vol. II. 1860. 8s. 6d. Vol. III.
- Catalogue of Fish, collected and described by L. T. Gronow. 12mo. 1854. 3s. 6d.
- Catalogue of Lophobranchiate Fish. By Dr. J. J. KAUP. 12mo. 1856. 2s. With Plates.
- Catalogue of Fish. By Dr. J. J. KAUP. 8vo. With many Plates. Part 1. Apodes, &c. 1856. 10s.
- List of British Fish; with Synonyma. By A. WHITE, F.L.S. &c. 12mo. 1851. 3s.
- List of Osteological Specimens. By Dr. J. E. GRAY, F.R.S. &c., and G. R. GRAY, F.L.S. 12mo. 1847. 2s.

II. ANNULOSA.

- Catalogue of Lepidoptera. By G. R. Gray, F.L.S., F.Z.S.
 Part 1. Papilionidæ, with coloured figures of the new species. 4to. 1852. £1:5s.
- List of Lepidopterous Insects. 12mo. Part 1. Papilionidæ, &c. 12mo. 2nd edit. 1856. By G. R.
 - GRAY, F.L.S.
 Part 2. Erycinidæ, &c. 12mo. 1847. 9d. By E. Double-DAY, F.L.S.
 - Part 3. Appendix to Papilionidee, Erycinidee, &c. 1848. 9d.

```
List of Lepidopterous Insects, with descriptions of new species
    By Francis Walker, F.L.S.
      Part 1. Lepidoptera Heterocera. 12mo. 1854. 4s.
      Part 2. 1854. 4s. 6d.
                                             Part 12, 1857, 3s. 6d.
      Part 3. 1855. 3s.
                                             Part 13. 1858. 3s. 6d.
      Part 4. 1855. 3s.
                                             Part 14. 1858. 4s. 6d.
      Part 5. 1855. 4s.
                                             Part 15. 1858. 4s. 6d.
      Part 6. 1855. 3s. 6d.
                                             Part 16. 1858. 3s. 6d.
      Part 7. 1856. 4s. 6d.
Part 8. 1856. 3s. 6d.
                                             Part 17. 1859. 3s. 6d.
                                             Part 18. 1859. 4s.
Part 19. 1859. 3s. 6d.
Part 20. 1860. 4s.
      Part 9. 1856. 4s.
      Part 10. 1857. 3s. 6d.
Part 11. 1857. 3s. 6d.
List of British Lepidoptera; with Synonyma. By J. F. Stephens, F.L.S., and H. T. Stainton, M.E.S.
Part 1. 12mo. Ed. 2. 1856. 1s. 9d. Part 3. 1853. 9d.
      Part 2. 1852. 2s.
                                                 Part 4. 1854. 3s.
List of Hymenopterous Insects. By F. WALKER, F.L.S.
      Part 1. Chalcididæ. 12mo. 1846. 1s. 6d.
      Part 2. Additions to Chalcididæ. 1848. 2s.
Catalogue of Hymenopterous Insects. By F. SMITH, M.E.S.
Part 1. Andrenidæ, &c. 12mo. 1853. 6s., with Plates.
      Part 2. Apidæ. 1854. 6s., with Plates.
      Part 3. Mutillidæ and Pompilidæ. 1855. 6s., with Plates.
      Part 4. Crabronidæ, &c. 1856. 6s., with Plates.
      Part 5. Vespidæ. 1857. 6s., with Plates.
Part 6. Formicidæ. 1858. 6s., with Plates.
      Part 7. Dorylidæ and Thynnidæ. 1859. 2s.
Catalogue of British Hymenoptera. By F. Smith, M.E.S.
     Part 1. Apidæ. 12mo. 1855. 6s.
Catalogue of British Formicidæ, Sphegidæ, and Vespidæ. By
   F. SMITH, V.P.E.S.
                            12mo.
                                     1858. 6e.
Catalogue of British Ichneumonidæ. By THOMAS DESVIGNES,
   M.E.S. 12mo. 1856. 1s. 9d.
List of British Aculeate Hymenoptera; with Synonyma, and the
  description of some new species. By F. SMITH. 1851. 2s.
Catalogue of Dipterous Insects. By F. WALKER, F.L.S. 12mo.
     Part 1. 1848. 3s. 6d. Part 5. Supplement I. 1854. 4s. 6d. Part 2. 1849. 3s. 6d. Part 6. Supplement II. 1854. 3s.
     Part 2. 1849. 3s. 6d.
Part 3. 1849. 3s.
                                Part 7. Supplement III. 1855.3s.6d.
     Part 4. 1849. 6s.
Catalogue of Homopterous Insects. By F. WALKER, F.L.S.
  12mo. With Plates.
     Part 1. 1850. 3s. 6d.
Part 2. 1850. 5s.
Part 3. 1851. 3s. 6d.
                                          Part 4. 1852. 4s.
                                          Supplement. 1858. 4s.
```

Catalogue of Neuropterous Insects. By F. WALKER, F.L.S. 12mo. Part 1, 1852. 2s. 6d. Part 3. 1853. 1s. 6d.

Part 2. 1853. 3s. 6d. Part 4. 1853. 1s.

- Catalogue of Neuropterous Insects. By Dr. HAGEN. 12mo. Part 1. Termitina. 1858. 6d.
- Catalogue of Hispidæ. By J. S. BALY, M.E.S. 8vo. 1858. 6s. With Plates.
- Catalogue of Hemipterous Insects. By W. S. Dallas, F.L.S. &c. With Plates, 12mo. Part 1. 1851. 7s. Part 2. 1852. 4s.

The Catalogues of Hymenopterous, Dipterous, Homopterous and Hemipterous Insects contain the description of the species in the Museum which appeared to be undescribed.

- Catalogue of Orthopterous Insects. By J. O. WESTWOOD, M.A., F.L.S. 4to. Plates. Part I. Phasmidæ. 1859. £3.
- Catalogue of British Bruchidæ, Curculionidæ, &c. By John WALTON, F.L.S. 12mo. 1856.
- Catalogue of Cassididæ. By Professor BOHEMAN. 1856. 3s.
- Catalogue of Coleopterous Insects of Madeira. By T. V. Wol-LASTON, F.L.S. 8vo. 1857. 3s.
- Nomenclature of Coleopterous Insects (with characters of new species).
 - Part 1. Cetoniadæ. 12mo. 1847. 1s. By A. WHITE, F.L.S.
 - Part 2. Hydrocanthari. 1847. 1s. 3d. By A. WHITE, F.L.S.
 - Part 3. Buprestidæ. 1948. 1s. By A. White, F.L.S. Part 4. Cleridæ. 1849. 1s. 8d. By A. White, F.L.S. Part 5. Cucujidæ. 1851. 6d. By F. Smith, M.E.S. Part 6. Passalidæ. 1852. 8d. By F. Smith, M.E.S.

 - Part 7. Longicornia. By A. WHITE, F.L.S. With Plates. Part 1. 1853. 2s. 6d. Part 2. 1855. 3s. 6d.
 - Part 8. Cassididæ. By A. WHITE. 1856. 3s.
- List of Myriapoda. By G. NEWPORT, F.R.S. &c. 12mo. 1844. 4d.
- Catalogue of Myriapoda. By G. NEWPORT, F.R.S. &c, Part 1. Chilopoda. 12mo. 1856. 1s. 9d.
- List of British Anoplura, or Parasitic Insects; with Synonyma. By H. DENNY. 12mo. 1s.
- List of Crustacea; with Synonyma. By A. WHITE. 1847. 2s.
- List of British Crustacea; with Synonyma. By A. WHITE, F.L.S. 12mo, 1850. 2s. 6d.
- Catalogue of Crustacea. By A. WHITE. 12mo. Part I. Leucosiadæ. 1855. 6d.
- Catalogue of Entozoa; with Plates. By W. BAIRD, M.D., F.L.S. 12mo. 1853. 2s.

III. MOLLUSCA.

- Guide to the Collection of Mollusca. By Dr. J. E. GRAY, F.R.S. &c. 8vo. Part 1. 1856. 5s.
- Catalogue of the Mollusca. By Dr. J. E. GRAY, F.R.S. &c. Part 1. Cephalopoda Antepedia. 12mo. 1849. 4s. Part 2. Pteropoda. 1850. 1s.
- Catalogue of Bivalve Mollusca. By Dr. J. E. Gray, F.R.S. &c. Part 1. Placuniadæ and Anomiadæ. 12mo. 1850. 4d. Part 2. Brachiopoda Ancylopoda. 1853.3s. Figures of genera.

Containing the characters of the recent and fossil genera, and the descriptions of all the recent species at present known.

- Catalogue of Phaneropneumona or Operculated Terrestrial Mollusca. By Dr. Louis Pfeiffer and Dr. J. E. Gray. 1852. 5s.
- Catalogue of Conchifera. By M. DESHAYES.
 Part 1. Veneridæ, &c. 12mo. 1853. 3s. Part 2. Petricolidæ. 6d.
- List of British Mollusca and Shells; with Synonyma. Dr. J. E. GRAY, F.R.S.

Part 1. Acephala and Brachiopoda. 12mo. 1851. 3s. 6d.

Catalogue of Pulmonata. By Dr. Louis Preiffer and Dr. J. E. GRAY, F.R.S. Part 1. 12mo. 1855. 2s. 6d.

Catalogue of Auriculidæ, &c. By Dr. J. E. GRAY, F.R.S. 12mo. 1857. ls. 9d.

- List of the Shells of the Canaries, described by M. D'ORBIGNY. 12mo. 1854. 1s.
- List of the Shells of Cuba, described by M. D'ORBIGNY. 12mo. 1854. ls.
- List of the Shells of South America, described by M. D'OR-BIGNY. 12mo. 1854. 2s.
- List of the Mollusca and Shells collected and described by MM. EYDOUX and SOULEYET. 12mo. 1855. 8d.
- Catalogue of the Collection of Mazatlan Shells. By P. P. CAR-PENTER. 12mo. 1857. 8s.
- List of Mollusca. By Dr. J. E. GRAY, F.R.S. Part 1. Volutidæ. 12mo. 1858. 6d.
- Nomenclature of Mollusca. By Dr. W. BAIRD, F.L.S. &c., Part 1. Cyclophoridæ. 12mo. 1851. 1s. 6d.

IV. RADIATA.

- Catalogue of Marine Polyzoa. By G. Busk, F.R.S.
 - Part 1. Chilostoma. 12mo. 1852. 17s. With Plates. Part 2. Chilostoma. 12mo. 1854. 15s. With Plates.
- List of British Radiata; with Synonyma. By Dr. J. E. GRAY, F.R.S. 12mo, 1848, 4s,

List of British Sponges; with Synonyma. By Dr. J. E. Grav, F.R.S., 12mo. 1848. 10d.

Catalogue of the Recent Echinida. By Dr. J. E. Gray, F.R.S. Part 1. Echinida irregularia. 12mo. 3s. 6d., with Plates.

V. BRITISH ZOOLOGY.

List of the British Animals; with Synonyma and references to figures.

Part I. Radiata. By Dr. J. E. Gray. 1848. 4s.
Part 2. Sponges. By Dr. J. E. Gray. 1848. 10d.
Part 3. Birds. By G. R. Gray. 1850. 4s.
Part 4. Crustacea. By A. White. 1850. 2s. 6d.
Part 5. Lepidoptera. By J. F. Stephens. 1850. Ed. 2. 1856. 1s. 9d.

Part 6. Hymenoptera. By F. Smith. 1851. 2s.

Part 7. Mollusca Acephala and Brachiopoda. By Dr. J. E. GRAY. 1851. 3s. 6d.

Part 8. Fish. By A. WHITE. 1851. 3c.

Part 9. Eggs of British Birds. By G. R. GRAY. 1852. 2e. 6d.

Part 10. Lepidoptera (continued). By J. F. STEPHENS. 1852. 2s.

Part 11. Anoplura or Parasitic Insects. By H. DENNY. 1s.

Part 12. Lepidoptera (continued). By J. F. STEPHENS. 1852. 9d.

Part 13. Nomenclature of Hymenoptera. By F. SMITH. 1853. 1s. 4d.

Part 14. Nomenclature of Neuroptera. By A. WHITE. 1853. 6d.

Part 15. Nomenclature of Diptera. By A. WHITE. 1853. 1s. Part 16. Lepidoptera (completed). By H. T. STAINTON, M.E.S. 1854. 3s.

Part 17. Nomenclature of Anoplura. By E. DENNY. 1855. 12mo. 8d.

Catalogue of British Hymenoptera. By F. Smith. 12mo. With Plates. Pt. 1. Bees. 1855. 6s. Pt. 2. Formicidæ, &c. 1858. 8s.

Catalogue of British Ichneumonidae. By Thomas Desvignes, M.E.S. 12mo. 1856. 1s. 9d.

Catalogue of British Bruchidæ, Curculionidæ, &c. By John WALTON, F.L.S. 12mo. 1856.

N.B.—These Catalogues can be obtained at the Secretary's Office in the BRITISH MUSEUM; or through any Bookseller.

VI. BOOKS ILLUSTRATING OR DESCRIBING PARTS OF THE ZOOLOGICAL COLLECTIONS.

The Illustrated Natural History. By the Rev. J. G. Woon, M.A., F.L.S. &c. New edition. 12mo, 1855.

- Illustrations of Indian Zoology, from the Collection of Major-General Thomas Hardwicke. By Dr. J. E. Gray, F.R.S. Folio. 2 vols. 1830-1835.
- Zoology of the Voyage of H.M.S. Beagle. Edited by CHARLES DARWIN, F.R.S. 4to. 1840-1844.
- Zoology of the Voyage of H.M.SS. Erebus and Terror. Edited by Sir John Richardson, M.D., F.R.S. &c., and Dr. J. E. Gray, F.R.S. 4to. 1844-1845.
- British Museum-Historical and Descriptive. 12mo. 1855.
- Natural History of the Animal Kingdom. By W. S. Dallas, F.L.S. &c. Post 8vo. 1855.
- Zoological Miscellany. By W. E. Leach, M.D., F.R.S. 8vo. 3 vols.
- Spicilegia Zoologica. By Dr. J. E. Gray, F.R.S. 4to. 1829–1830.
- Zoological Miscellany. By Dr. J. E. Gray, F.R.S. 8vo. 1831. Knowsley Menagerie. Part 2. Hoofed Animals. By Dr. J. R. Gray, F.R.S. Folio. 1850.
- A Monograph of the Macropodidæ. By John Gould, F.R.S. Folio. 1841-1844.
- Mammals of Australia. By John Gould, F.R.S. Folio. 1845. Popular History of Mammalia. By A. White, F.L.S.
- Popular History of Birds. By A. WHITE, F.L.S.
- Genera of Birds. By G. R. GRAY, F.L.S. Illustrated by plates by D. W. MITCHELL, Sec. Z.S. Folio. 3 vols. 1844-1849.
- The Birds of Jamaica. By P. H. Gosse, F.R.S. 8vo. 1847.
- Illustrations of the Birds of Jamaica. By P. H. Gossa, F.R.S. 8vo. 1849.
- Monograph of Ramphastide. By John Gould, F.R.S. Folio. Birds of Australia. By John Gould, F.R.S. Folio. 1848.
- Report on the Ichthyology of the Seas of China and Japan. By Sir John Richardson, M.D., F.R.S. 8vo. 1846.
- Fauna Boreali-Americana. The Fish. By Sir John Richardson, M.D., F.R.S. &c. 4to. 1836. With Plates.
- Synopsis Reptilium. Part 1. Cataphracta. By Dr. J. E. GRAY, F.R.S. 8vo. 1831.
- Illustrations of British Entomology. By James F. Stephens, F.L.S. 10 vols. 8vo. 1827-1835.
- A Systematic Catalogue of British Insects. By J. F. STEPHENS, F.L.S. 8vo. 1829.
- The Nomenclature of British Insects. By J. F. STEPHENS, F.L.S. 8vo. 1829 & 1833.
- A Manual of British Coleoptera. By J. F. STEPHENS, F.L.S. 12mo. 1839.
- Insecta Britannica. Diptera. By F. Walker, F.L.S. 8vo. 1851-1856.

- Monographia Chalciditum. By F. Walker, F.L.S. 8vo. 1839. Entomology of Australia. Part 1. Phasmidæ. By G. R. Gray, F.L.S. 4to.
- Synopsis of Species of Phasmidæ. By G. R. GRAY, F.L.S. 8vo. 1835.
- Genera of Diurnal Lepidoptera. By EDWARD DOUBLEDAY, F.L.S., and J. O. WESTWOOD, F.L.S. Illustrated by W. C. HEWITSON. 4to. 2 vols. 1846-1850.
- Monographia Anoplurorum Britanniæ, or British species of Parasitic Insects. By Henry Denny, F.L.S. 8vo. With Plates.
- Fauna Boreali-Americana. The Insects. By W. Kirby, F.R.S. 4to. 1837. With Coloured Plates.
- Insecta Maderensia. By T. Vernon Wollaston, M.A., F.L.S. 4to. 1854. With Plates.
- Malacostraca Podophthalmia Britanniæ. By W. E. Leach, M.D., F.R.S. 4to. 1817-1821.
- A Monograph of the Subclass Cirripedia. By CHARLES DARWIN, F.R.S. 8vo. 2 vols. 1854.
- Natural History of the British Entomostraca. By W. BAIRD, M.D., F.L.S. &c. 8vo. 1850.
- Figures of Molluscous Animals, for the use of Students. By MARIA EMMA GRAY. 5 vols. 8vo. 1850-1857.
- A Synopsis of the Mollusca of Great Britain. By W. E. LEACH, M.D., F.R.S. 8vo. 1852.
- Catalogue of the Land Shells of Jamaica. By C. B. Adams. Svo. 1851.
- Catalogue of Testaceous Mollusca of the North-east Atlantic and neighbouring Seas. By R. MACANDREW, F.R.S. 8vo. 1850.
- Illustrations of the Geology of Yorkshire. By John Phillips, F.R.S. 4to. 1836.
- A Monograph of the Crag Mollusca. By SEARLES V. WOOD, F.G.S. 4to. 1850.
- A History of British Starfishes. By EDWARD FORBES, F.R.S. 8vo.
- A History of the British Zoophytes. By George Johnston, M.D. 8vo. 1838.—Ed. 2. 8vo. 1847.
- A History of British Sponges and Lithophytes. By George Johnston, M.D. 8vo. 1842.
- Proceedings of the Zoological Society. Series 1 and 2.
- Transactions of the Entomological Society.

December 1861.